

FULL FACE

Target Area: 24x36cm (vertical) ■

Reproduction Ratio: 1:10

Camera-to-Patient Distance: _____

Patient Preparation: Same as close-up face (see above)

Patient Positioning: Same as close-up face (see above)

Framing: Center ears vertically in all views. For frontal and oblique views, center entire head horizontally. For lateral views, place front of face 1/4 frame from edge.



EARS

Target Area: 24x36cm (vertical) ■ / 10x15cm (vertical) ■

Reproduction Ratio: 1:10 / 1:4

Camera-to-Patient Distance: _____

Patient Preparation: Same as close-up face (see above)

Patient Positioning: Same as close-up face (see above)

Framing: Anterior and posterior views same as full face (see above). For close-up, center ear in frame.

Special Notes: Make sure hair is off of ears in all views.



CLOSE-UP FACE

Target Area: 15x10cm (horizontal) ■

Reproduction Ratio: 1:4


Camera-to-Patient Distance: _____

Patient Preparation: Pull hair off face and behind ears (use black headband or small clips that hold hair without pulling), remove jewelry and eyeglasses, remove heavy makeup, cover shirt collar with black drape.

Patient Positioning: Seat patient on a stool adjusted to a comfortable height and placed at the center of a tape mark pattern. Patient should sit up straight with feet on either side of the appropriate tape mark. When turning for oblique and lateral views, patient should rotate entire body (shoulders and feet).

Framing: Place eyebrows (or proximal eyebrow) at top of frame. Center nose horizontally in all views.

Special Notes: For basal view, tip of nose should be aligned with upper eyelid crease.



ABDOMEN

Target Area: 45x30cm (horizontal) ■


Reproduction Ratio: 1:12

Camera-to-Patient Distance: _____

Patient Preparation: Remove gown completely. Patient should wear a photo garment.

Patient Positioning: Patient standing comfortably erect with arms folded above breasts. Feet should be aligned with appropriate tape marks on floor.

Framing: Position inframammary fold at top of frame. Center torso horizontally.



HIPS/THIGHS

Target Area: 42x63cm (vertical) ■

Reproduction Ratio: 1:18



Camera-to-Patient Distance: _____

Patient Preparation: Remove gown completely. Patient should wear a photo garment.

Patient Positioning: Patient standing comfortably erect with arms folded above breasts. Feet should be at approximately shoulder width, aligned with appropriate tape marks on floor. (For larger patients, a wider stance may be required.)

Framing: Position knees at bottom of frame. Center hips horizontally.

Special Notes: Distal leg should not be visible in lateral views.



BREASTS

Target Area: 45x30cm (horizontal) ■

Reproduction Ratio: 1:12

Camera-to-Patient Distance: _____

Patient Preparation: Patient disrobed above the waist. Remove any visible jewelry.

Patient Positioning: Same as TRAM (see above).

Framing: Position clavicles at top of frame. For frontal and oblique views, center torso horizontally. For lateral views, center mass of proximal breast horizontally.

Special Notes: Distal breast should not be visible in lateral views.

