



2026



LINK TO PERFECTION

*For any system.
For any bike.
For any purpose.*

P 6 | e-Bike Solutions

P 22 | Bike Solutions

P 40 | Tools



COMPATIBLE

KMC designs chains for the systems of all major manufacturers. We do not think in terms of use categories, but develop products that perfectly match the characteristics of the leading system manufacturers. An X12, for example, is an universal chain that performs just as well on an MTB as it does on a road bike.



EASY TO USE

Almost all boxed KMC chains include a MissingLink connector. The assembly is very simple and a secure lock always guaranteed. With a standard chain de-riveter, each chain can be shortened to the correct length. For closing and opening the MissingLink connector we recommend our special tools.



DURABLE

The many field tests we have conducted, clearly show that KMC chains last longer than comparable chains from other brands. We support this statement with our unique satisfaction guarantee "Durability Warranty", proving the trust we put in our products.

KMC GO WAX out of the bottle is perfect for the refresh of waxed chains or the switch from oil based to waxed lubrication.

We offer our biodegradable and solvent-free wax in three bottle sizes - 80 ml and 150 ml for on the go, 500 ml for the workshop.



A Cleaner Drivetrain Starts Here.

Experience the next level of chain performance with our new, advanced dry wax formula. Designed to significantly reduce friction, enhance shifting and providing optimum efficiency, KMC GO WAX extends the life of your drivetrain by creating a durable microfilm on your chain that repels water and resists stickiness.

CLEANER PERFORMANCE: Our waxed chains attract less dirt, minimizing the common causes of wear and ensuring smoother operation.

DURABILITY: Once applied, the wax dries to form a protective barrier that outlasts oil-based products.

MAINTENANCE MADE SIMPLE: With minimal dirt accumulation, your drivetrain requires less frequent care. Refreshing the wax is straightforward – simply use a dry brush or cloth. No degreasing necessary, on a simple touch up with KMC's Go wax.

ECO-FRIENDLY: KMC GO WAX is biodegradable and free from PFAS and harsh solvents, making it a responsible choice for both your bike and the environment.

NEW!



FULL INFO



X /XSL FLAT

DLC 12/11 WAXED

X 12/11 WAXED

XSL 11 WAXED

XEL 11 WAXED

TT12/11 WAXED



E-BIKE SOLUTIONS

KMC IS THE FIRST AND LEADING CHAIN SUPPLIER OFFERING SPECIFIC CHAINS FOR E-BIKES WITH MID MOTORS. E-BIKE DRIVE TRAINS ARE SUBJECT TO MORE FREQUENT SHIFTING AND TO EXTREME LOADS. BECAUSE OF THIS E-BIKE CHAINS AND SPROCKETS NEED TO BE REINFORCED TO PROVIDE ENHANCED SAFETY - SOMETHING CLASSIC CHAINS CANNOT PROVIDE. THE KMC E-SERIES PROVIDES AN UNSURPASSED LIFESPAN FOR DERAILLEUR OR GEAR HUBS. CUTTING-EDGE TECHNOLOGY THAT WILL KEEP YOU HAPPY ON YOUR BIKE!





e12

*The gold standard.
Not only for e-bikes.*



12
SPEED

eGlide



The **eGlide** is a premium e-bike chain compatible with SHIMANO LINKGLIDE technology, which sets a new standard for smooth and reliable shifting. We developed a chain that fully supports these characteristics while meeting the high demands for use on modern e-bikes. The patented Shield-Tech riveting and large-dimension, reinforced rivets provide superior strength that can withstand high lateral shear forces. The eGlide fits 9-, 10- and 11-speed LG (CUES) .

- SHIMANO LINKGLIDE compatible
- Highest torsion resistance
- High tensile strength
- Effective anti-rust EPT
- Shield Tech Riveting
- Durability ●●●●



eCargo1



*Compatible with all internal gear hubs
or single speed system with chain-
rings and sprockets 1/2" x 1/8" (3 mm)*

eCargo1 - the heavy-duty chain for the highest demands. With a ten-sile strength of 13,500 N, the **eCargo1** is 150 % of the required standard. Thus, the chain defies the enormous forces that act on the drive train of a cargo bike due to high engine torques and heavy loads. Combined with the constructively matched KMC sprockets and chainrings, this is the perfect solution for tough everyday use - even on non-motorised cargo bikes.



eCargo1 chains are available on demand - simply ask
your dealer to supply you with the required length.



DERAILLEUR e-Series



Our analysis of power transmission on e-bikes with mid-motors showed that conventional chains are not up to these extreme forces. The critical part is the pin which connects all the individual parts of the chain. It is exposed to the most extreme forces during shifting. Our revolutionary riveting technology sets a new standard in e-bike chains for derailleur systems.

- For e-bikes with mid-motors
- Highest reliability
- High torsional rigidity
- Maximum durability
- Includes a MissingLink connector
- Durability 



COMPATIBLE WITH
 **BOSCH**
e-BIKE SYSTEMS

FINISH	Redesigned for Shimano standard derailleur systems in order to further optimise shifting performance.	UPDATE	e12*	e11	e10	e9	e8
GOLD • Ti-N Gold	 		•				
BLACK TECH • Black			•				
SILVER • Silver Nickel plated				•	•	•	
EPT • Anti-rust coating	 		•	•	•	•	•

Also usable for classic bicycles with derailleur.

*Except SRAM systems with flattop chains



INTERNAL GEAR HUBS

e-Series

- For e-bikes with mid-motors
- Highest reliability
- Maximum durability
- Maximum efficiency which saves battery
- Includes a MissingLink connector



COMPATIBLE WITH
 **BOSCH**
e-BIKE SYSTEMS

FINISH

EPT

- Anti-rust coating



e1 EPT
narrow 1/2x3/32"

Durability 

3,500km+

This performance is achieved with the e1 EPT chain in combination with a narrow KMC sprocket and chainring.

EPT

- Anti-rust coating



e101 EPT
wide 1/2x1/8"

Durability 

10,000km+

EPT

- Anti-rust coating



eCargo1
wide 1/2x1/8"

Durability 

10,000km+

This performance is achieved with the e101 EPT or eCargo1 chain in combination with a 3 mm wide KMC sprocket and chainring.

Also usable for classic single speed or gear hub bikes.

Chainrings

Bosch BDU38/34

narrow-wide

- ▶ Perfectly matched to KMC chains
- ▶ Maximum efficiency which saves battery
- ▶ Maximum durability
- ▶ Easy upgrade

NEW!



COMPATIBLE WITH
 **BOSCH**
e-BIKE SYSTEMS

NUMBER OF TEETH

BOSCH BDU38/34	Direct Mount Steel, black	narrow-wide* 11/128"	34	38	38	38	38	40	42	42	42	42
		Chainline	55 mm	47.5 mm	50 mm	52 mm	55 mm	52 mm	47.5 mm	50 mm	52 mm	

Not compatible with 12-/13-speed flattop chains

COMING
SOON!



Chainrings

Shimano Steps EP

narrow-wide

- » Perfectly matched to KMC chains
- » Maximum efficiency which saves battery
- » Maximum durability
- » Easy upgrade

NEW!



3,500km+



NUMBER OF TEETH

SHIMANO STEPS EP BDU38/34	Direct Mount Steel, black	narrow-wide* 11/128"	34	38	38
		Chainline	55 mm	47.5 mm	50 mm



Our chainrings
at a glance

Not compatible with 12-/13-speed flattop chains

Chainrings

- ▶ Perfectly matched to KMC chains
- ▶ Maximum efficiency which saves battery
- ▶ Maximum durability
- ▶ Easy upgrade



COMPATIBLE WITH
 **BOSCH**
e-BIKE SYSTEMS

			NEW!		NEW!	
BOSCH GEN 4	Direct Mount Steel, black	Super Narrow* 11/128" Chainline	38 50 mm	38 52 mm	40 52 mm	42 47.5 mm
BOSCH GEN 3	Direct Mount Steel, black	Super Narrow 11/128" Chainline	38 47.5 and 50 mm	42 47.5 and 50 mm	42 50 and 52 mm	44 47.5 and 50 mm
BOSCH GEN 2	Steel, Black	Super Narrow, 11/128"	15	18	19	20
		Wide, 1/8"		18	19	20
					21	




Our chainrings
at a glance

Narrow: **3,500km+**

Wide: **10,000km+**

* Not compatible with 12-/13-speed flattop
chains and Shimano 12-speed chains





MADE IN EU

3,500km+



MADE IN EU

For all cranks and spiders
with BCD 104 mm

NUMBER OF TEETH

BCD 104 MM
Alu 7075, CNC milled

Wide
1/8"

38

42

BCD 104 MM
Steel

Narrow-wide
11/128"

34

38

NEW!

*Narrow-wide tooth profile - optimized
efficiency and chain retention thanks
to perfect fit of chain and chainring.*

BCD 104 MM
Alu 7075, CNC milled

Narrow-wide
11/128"

38

3,500km+



Not compatible with 12-/13-speed flattop chains

Chainguards

- ▶ Perfectly matched to KMC chainrings
- ▶ Easy mounting

SUITABLE FOR

Chainguard 38T and 40T for
Bosch Gen 4 without spacer



NOT ILLUSTRATED: Chainguard 36T for
Bosch Gen 3

Chainguard ClipOn 42T for
Bosch Gen 3 and Gen 4



NEW! Chainguard ClipOn 38T and 40T for
Bosch Gen 4 without spacer

Crankarms

- ▶ AL 7075



Crank mount standard:

BNI

ISIS

Crank length:

170 mm

170 mm /175 mm





Sprockets

- ▶ Perfectly matched to KMC chains
- ▶ Hardened CrMo steel
- ▶ Maximum efficiency which saves battery
- ▶ Maximum durability
- ▶ Easy upgrade



NUMBER OF TEETH

SHIMANO	CrMo, Black	Narrow, 3/32"		16	17	18	19	20	21	22	27	30
		Wide, 1/8"			16	17	18	19	20	21	22	27

ENVIOLIO	CrMo, Black	Narrow, 3/32"		16	17	18	19	20	21	22		
		Wide*, 1/8"				17	18	19	20	21	22	



*Compatible with e101 EPT only

Narrow: **3,500km+**
Wide: **10,000km+**

NUMBER OF TEETH

ROHLOFF	AL7075, CNC milled	Wide, 1/8"		15	16	17	18	19	20	21		



MADE IN EU



KMC Chains for E-Bikes

- Specially developed for the high demands of e-bikes
- Listed conventional series: approved for use on e-bikes

DERAILLEUR

MODEL	FULFILS ALL STANDARDS	SAFETY RESERVE	DURABILITY
e-Series			
	✓	●●●●	●●●●
DLC12/DLC12 WAXED			
	✓	●●●●	●●●●
eGlide			
	✓	●●●●	●●●●
XSL & XEL-Series			
XSL & XEL WAXED	✓	●●●	●●●
			
X-Series/X-Series WAXED			
	✓	●●●	●●●
DLC 10 & 11/ DLC 11 WAXED			
	✓	●●●	●●●●

HUB GEAR WIDE


MODEL	FULFILS ALL STANDARDS	SAFETY RESERVE	DURABILITY
e101 EPT			
	✓	●●●●	●●●●●
eCargo1			
	✓	●●●●●	●●●●●
Z1eHX			
	✓	●●●	●●●

HUB GEAR NARROW

MODEL	FULFILS ALL STANDARDS	SAFETY RESERVE	DURABILITY
e1 EPT			
	✓	●●●●●	●●●●●
Z1eHX			
	✓	●●●	●●●

Dear Cyclists,

The drive train is one of the bicycle components that undergoes significant stress. To maximize the durability of the drive train components in our **10,000+** and **3,500+** solutions, we highly recommend regular maintenance practices, including cleaning, lubrication, and periodic checks of chain tension, as well as monitoring the wear on chains and sprockets. Your trusted dealer will gladly perform these essential checks and, if needed, provide necessary servicing



KMC
LINK TO PERFECTION

SERVICE BOOKLET

10,000km+
3,500km+

KMC e-Bike
SOLUTIONS

Lasts. And lasts. And lasts.

The 10,000km+ drive train is the solution for all e-bike riders. The combination of our wide chain e101 EPT or eCargo1 and our 3 mm wide sprockets and chainrings enable us to guarantee mileages of at least 10,000 kilometres.

For narrow drive trains (3/32"), we offer the e1 EPT and our narrow sprockets and chainrings guaranteeing mileages of at least 3,500 kilometres.

KMC Chain e101 EPT
or eCargo1



KMC Chainring Wide



KMC Sprocket Wide



10,000km+

MILEAGES (KM)

Chain e101 EPT or eCargo1 / KMC sprocket and chainring wide: 10,000 KM +

Chain e1 EPT / KMC sprocket and chainring narrow: 3,500 KM +

Standard





#LimeHasTheLead



NUKEPROOF
MTB RACING TEAM

In 2025, the KMC NUKEPROOF TEAM embarked on Mission, Part 5, a four-year plan working towards the 2028 Olympic Games in Los Angeles. These summer games will bring mountain biking back to its roots in California. After Atlanta 1996, where mountain biking became an Olympic discipline and team boss Bart Brentjens won the first Olympic gold medal, the 2028 Games will be held in the USA for the first time again.

#RUNWAY2LA2028



FOLLOW THE TEAM ON





BIKE SOLUTIONS

EVEN THOUGH THE E-BIKE IS A REAL SUCCESS STORY AND INDISPENSABLE FOR OUR MOBILITY, OUR HEART STILL BEATS FOR THE CLASSIC BIKE. WITH OUR CHAINS, WE COVER THE NEEDS OF CYCLISTS WITH A BROAD SPECTRUM FROM EVERYDAY BIKES TO VERY SPECIALISED DISCIPLINES SUCH AS TRIATHLON OR BMX. NOT TO FORGET A GROWING NUMBER OF DRIVETRAIN-RELATED KMC PRODUCTS AND TOOLS.





Beauty is a beast.

X12

Thanks to the KMC titanium nitride coating, the X12 for 12-speed systems not only boasts an exceptional appearance but also ensures maximum durability. The specialized treatment of the pins, coupled with precisely chamfered inner and outer plates, guarantees extremely accurate and swift shifting.

DLC11

DLC technology: extremely durable, extremely precise. More about this on the following pages.





DERAILLEUR

FLATTOP CHAINS

- Compatible with SRAM 12/13-speed systems
- T-Type (Transmission) and AXS groups
- Includes a MissingLink
- Durability 

X FLAT

DURABILITY



Ti-N Gold
TITANIUM NITRIDE



Silver
(Nickel plated)



AVAILABLE SPRING 2026

Ti-N Gold/Black

Black Tech

EPT

Silver/Black
(Nickel plated)

Aurora Blue

AVAILABLE AUTUMN 2026

XSL FLAT

DURABILITY



Ti-N Gold
TITANIUM NITRIDE



Silver
(Nickel plated)



Aurora Blue



NEW!

KMC **RINGS**

MTB CHAINRING

1/2" x 11/128"
narrow-wide



RACE FACE

KMC **RINGS**

MTB CHAINRING

1/2" x 11/128"
narrow-wide



BCD 104

MTB CHAINRINGS

KMC introduces a new chainring series for MTB as a new member of the KMC RINGS family, designed to meet the needs of performance-oriented cyclists. Precision-milled from high-strength AL7075-T6 aluminium, these chainrings offer maximum efficiency and secure chain retention thanks to their narrow-wide tooth profile.

- 11/128" Narrow-wide tooth profile
- High-tensile AL7075 T6

Recommended KMC chains:

X/XSL/XEL-series, DLC-series,
e9-e12, FLAT-series

Compatible with all chains
size 1/2" x 11/128", except SRAM T-TYPE



INTERFACE	COLORS	NUMBER OF TEETH			
RACE FACE CINCH SUPER BOOST Chainline 55 mm	Black Aurora PVD	32	34	36	
RACE FACE CINCH BOOST Chainline 52 mm	Black Aurora PVD	32	34	36	
BCD 104 4-arm cranks/spider	Black Aurora PVD	32	34	36	38

FSA BCD 110 asymmetric



SRAM Quarq

NEW!



KMC introduces a new chainring series for time trial and triathlon - tested and approved by Pro Teams. Precision CNC-machined from high-strength AL7075-T6 aluminum, these chainrings deliver maximum stability, efficiency, and aerodynamics. The narrow-wide tooth profile ensures secure chain retention and reduces friction - essential for race performance.





TT CHAINRINGS

Narrow-wide 11/128"
AL7075 T6, CNC milled, black anodised



INTERFACE	NUMBER OF TEETH	INTERFACE	NUMBER OF TEETH		
FSA BCD 110 asymmetric for KCM X FLAT & SRAM Flattop	58	NEW!	Shimano BCD 110 asymmetric for TT-Series, X-Series & Shimano	58	COMING SOON!
FSA BCD 110 asymmetric for TT-Series, X-Series & Shimano	58	COMING SOON!	SRAM Quarq for KCM X FLAT & SRAM Flattop	58	COMING SOON!



TT 12



Speed up!

The TT series combines the key design features of our premium series. What sets the TT chains apart from the other series is the absolute care taken during production. Only unused tools are used in all production steps. In combination with the consistent selection of components with the lowest manufacturing tolerances, this results in an end product of the highest precision and maximum strength. Enlarged rollers improve the fit of chain and chainring - the sum of our efforts has resulted in a high-end chain with the best shifting characteristics and unrivalled power transmission. The KMC chain for situations where every watt counts.

TT12*


- › Compatible with all 12-speed systems
- › Durability



Neo Chrome

TT11

- › Compatible with all 11-speed systems
- › Durability



Neo Chrome

*Except SRAM systems with flattop chains

DLC-technology: extremely durable, extremely precise.

Unsurpassed durability due to precisely hardened and carefully polished pins and inner plates. Our DLC chains are coated with diamond-like coating ensuring very long lasting optical black beauty. Even more so the coating makes the surface of the chain very smooth giving it excellent shifting performances.

Extremely light:

2.05 grams per link (DLC11)

Slotted plate design
(not DLC12)

Powerful protection

based on advanced coatings

1. Heat treatment
2. Surface treatment
3. Nickel coating
4. DLC coating



KMC Double X Bridge: Precisely chamfered inner and outer plates for perfect shifting performance



DERAILLEUR

DLC-Series



- DLC12 for 12-speed systems*
- Compatible with all 10- and 11-speed systems
- DLC - Diamond like coating
- Hollow pin, slotted inner and outer plate design (not DLC12)
- Includes a MissingLink connector
- Durability ●●●●●

Shown: DLC10 / DLC11

	KMC GO WAXED	KMC GO WAXED	DLC10
DLC12 WAXED*	●	●	●
DLC11 WAXED	●	●	●
DLC10			●
	Black	●	●
	Black/Blue	●	●
	Black/Celeste	●	●
	Black/Orange	●	●
	Black/Pink	●	●
	Black/Red	●	●
	Black/Green	●	●
	Black/Yellow	●	●

*Except SRAM systems with flattop chains



DERAILLEUR

Regarding the specific characteristics of Shimano, SRAM and Campagnolo systems we developed a series meeting the highest demands. Precisely engineered, our dynamically chamfered plate angle provides a perfect shifting performance and a smooth transmission on each set-up.



X-Series SL

- Compatible with all 9- 10- and 11-speed systems
- Super light; hollow pin, slotted inner and outer plate design
- Includes a MissingLink Connector
- Durability



X11SL
WAXED

X11SL

X10SL

X9SL

FINISH

- Non directional design
- Weight per 110 links:
X11SL: 225 g
X10SL: 244 g
X9SL: 259 g



Ti-N Gold/ Black



Ti-N Gold



Silver
Nickel plated



X-Series EL

- » Compatible with all 10- and 11-speed systems
- » Extra light slotted inner and outer plate design
- » Includes a MissingLink Connector
- » Durability 



Team Vorarlberg (Austria)
UCI Continental Team



FINISH

- Non directional design
- Weight per 110 links:
X11EL: 234 g
X10EL: 250 g



Ti-N Gold

X11EL



X11EL WAXED



X10EL



Black Tech



Silver
Nickel plated



DERAILLEUR X-Series

- Compatible with many major systems
- Perfect shifting thanks to Double X-Bridge
- Durability 

With the introduction of our FLAT Series for SRAM, we have also started optimising the 12-speed chains of the X Series. The models marked as UPDATE have been redesigned for Shimano standard derailleur systems in order to further optimise shifting performance.

	X12*	X12 WAXED*	X11	X11 WAXED	X10	X9	X8
 Ti-N TITANIUM-NITRIDE		Ti-N Gold/Black	●	●			
 Ti-N TITANIUM-NITRIDE		Ti-N Gold	●	●		●	
		BlackTech		●			
		Silver Nickel plated	●	●		●	●
 EPT ANTI-RUST		EPT Anti-Rust	●		●	●	●
		Silver/Black	●		●	●	
		Silver/Grey				●	●
		Grey		●		●	●
		Aurora Green	●	●			
		Aurora Blue	●	●	●	●	

*Except SRAM systems with flattop chains

X12L WAXED

Light version with hollow pins



NEW!

Ti-N Gold



Silver
(Nickel plated)



Aurora Green



Aurora Blue



**SHIMANO
LINKGLIDE
COMPATIBLE**

xGlide

- Compatible with 9-/10-/11-speed CUES
- Perfect shifting thanks to Double X-Bridge
- Includes a MissingLink Connector
- Durability ● ● ● ●



EPT Anti-Rust



Grey



REACT



KMC
LINK TO PERFECTION

REACT
CASSETTE - KASSETTE - CASSETTA -
KASSETT - KASETA - KAZETA

11 SPEED

REACT HG Cassettes

- Compatible with Shimano HG type freewheels
- Perfectly matched to KMC chains
- Carefully crafted shift ramps for a smooth and steady chain control
- High tensile steel



E-BIKE READY



HG 11-SPEED	11-42T 11-13-15-17-19-21-24-28-32-36-42T	11-50T 11-13-15-18-21-24-28-32-36-42-50T
--------------------	--	--

HG 10-SPEED	11-36T 11-13-15-17-19-21-24-28-32-36T	11-42T 11-13-15-18-21-24-28-32-36-42T
--------------------	---	---

HG 9-SPEED	11-32T 11-13-15-17-19-21-24-28-32Z	11-36T 11-13-15-18-21-24-28-32-36T
-------------------	--	--

HG 8-SPEED	11-36T 11-13-15-18-21-24-28-32Z	
-------------------	---	--

Spare part set for REACT	10-speed (1 Lockring, 1 sprocket 11T and 13T) available for cassettes 11-36T and 11-42T
	11-speed (1 Lockring, 1 sprocket 11T and 13T) available for cassettes 11-42T and 11-50T




MissingLinks

- Secure locking system
- Easy maintenance
- Easy opening and closing
- Optimal handling with the KMC tools
- Available for all chains in matching coatings

To reuse or not to reuse?

For usage please mind if you have a Non-Reusable or a Reusable MissingLink Connector.
A Non-Reusable has to be replaced once opened a Reusable MissingLink can be opened and closed as many times as you want, but has to be disposed when the chain is worn.



Notch without 'R' =
Non Reusable



'R' without notch =
Reusable

ADVICE

Please carefully monitor the wear
of the MissingLink and replace if in doubt.



K-Series

- Single speed and internal gear hub
- Super light
- Hollow pin, slotted inner and outer plate design
- Includes a MissingLink connector




K1SL


NARROW 1/2" x 3/32"

WIDE 1/2" x 1/8"

Ti-N Gold



Silver
Nickel plated



e-Series

- Single Speed and internal gear hub
- Extremely robust
- Includes a MissingLink connector
- Durability



e1

NARROW 1/2" x 3/32"

WIDE 1/2" x 1/8"



X-Series

- Developed for pro track use
- Bushed chain technology for maximum efficiency
- Includes a MissingLink connector
- Durability



X101

NARROW 1/2" x 3/32"

WIDE 1/2" x 1/8"

Brass plated



Silver
Nickel plated



Special tools



LEFT: **MissingLink Connector**

Specially shaped pliers to connect the MissingLink Connector.

RIGHT: **MissingLink Opener**

Specially shaped pliers to open the MissingLink Connector.



Chain Tool Pro De-Riveter

Extra strong tool to shorten all 1-13-speed chains.
Including 1 replacement pin.

Mini Chain Tool

Super light aluminium and compact mini chain de-riveter, 25g only.





Digital Chain Checker

The perfect tool to indicate the exact chain wear.

NEW!

ALSO FOR
FLATTOP



Easy Chain Checker

Quick and easy tool to check the chain wear. Compatible with standard and flattop chains.

Chain Checker 10,000km+

Quick and easy tool to check the chain wear.

2 in 1 MissingLink tyre lever

MissingLink opener and tyre lever in one tool.



Chain Aid - Assembly aid

Simplifies the mounting of MissingLinks. Additional functions: storage for MissingLinks, tire levers and valve tools.



KMC-product features



UNIQUE GUARANTEE The life of a KMC chain with this quality warranty is guaranteed to last longer than other brands. This durability treatment includes all DLC, e-bike, XSL, XEL and X101 chains. If you are not satisfied with the durability of your chain, please fill out the form here: www.kmcchain.eu/service/warranty.



KMC GO WAX Our long lasting dry lube reducing friction and improving shifting while prolonging the life of the drive-train. KMC GO WAX is biodegradable, PFSA- and solvent-free.

10,000km+

10.000 KM+ For e-bikes with internal gear hubs and strong mid motors we perfectly matched all drive train components. KMC's e101 EPT chain in combination with KMC's 3 mm wide chainring/sprockets ensure a mileage over 10,000 km - guaranteed!

3,500km+

3.500 KM+ KMC's e1 EPT chain in combination with KMC's narrow chainring and sprockets for e-bikes with internal gear hubs ensure a mileage over 3,500 km - guaranteed!



E-BIKE Our e-bike chains are specially designed for use in combination with strong mid motors. Optimized pin power and unsurpassed durability are the key features of our e-bike chains.



DLC Unsurpassed durability for all DLC chains due to Diamond-like Coating and precisely hardened and carefully polished pins and inner plates. More details on page 28.



EPT EcoProTeQ treatment doubles the rust resistance compared to the RB treatment. Other benefits of the smooth coating are less noise, optimum performance and great look.



TI-N KMC's special Titanium Nitride coating not only looks fantastic, it has an ultra-smooth surface and is extremely durable.



SUPER LIGHT Slotted inner- and outer plates and hollow pins are our way to reduce the weight of the chain to the maximum.



X-BRIDGE Specially designed outer plate to enable fast, smooth and precise shifts.



Powered by KMC

*Top left: Fred Astruy (France)
Slopestyle/Freeride Professional*

*Top right: Gosse van der Meer (Netherlands)
Cyclocross*

*Bottom left: Vojtěch Bláha (Czech Republik)
Enduro*



WE SUPPORT
JUSTDIGGIT

Cooling down the planet together

More than 478,000 hectares of land restored

23.2 million trees regenerated

660,000+ semi-circular waterbunds dug

20 grass seed banks

DIG IN!
www.justdiggit.org



KMC CHAIN EUROPE NV
Businesspark Friesland West 57
8447SL Heererveen, The Netherlands
kmcchain.eu/contact



LINK TO PERFECTION