



# WD-40 SPECIALIST<sup>®</sup> DEGREASER

TECHNICAL DATA SHEET

## PRODUCT DESCRIPTION

WD-40 Specialist Degreaser is an industrial-strength fast acting formula that quickly cleans tools, machinery, engines and equipment to look like new and run smooth. Contains a WD-40<sup>®</sup> Brand proprietary industrial-strength solvent that quickly breaks down grease, yet unlike other harsh degreaser solvents is safe on most surfaces including metals, plastics, rubber, glass, aluminum and more (if unsure test on a small area first). Great for use on automotive and truck engines, tractors, forklifts, gears and chains, industrial machinery, power equipment and other metal tools with heavy greasy soils & messes.

## PACKAGING



## APPLICATIONS

- Engines
- Tire Rims
- Tractors
- Forklifts
- Gears
- Chains
- Industrial Machinery
- Metal Tools

## FEATURES & BENEFITS

- Unique Smart Straw Sprays 2 Ways
- Solvent-Based formula quickly dissolves grease, oil, dirt, adhesives, and more
- High Flashpoint
- No Residue & Low Fumes
- 50-state VOC Compliant
- NSF Category K1

## PHYSICAL & CHEMICAL PROPERTIES

<b>BOILING POINT (INITIAL):</b>	221°C (430°F)	<b>FLAMMABLE LIMITS: (SOLVENT PORTION)</b>	LEL: 0.6% UEL: 5.6%
<b>SOLUBILITY IN WATER:</b>	Insoluble in water	<b>pH:</b>	Not Applicable
<b>VAPOR PRESSURE:</b>	2.03 mmHg @20°C (Petroleum Solvent)	<b>VAPOR DENSITY:</b>	5.3 (Petroleum Solvent)
<b>FLAMMABILITY:</b>	Flammable Aerosol	<b>VOC:</b>	9.7% (79g/L)
<b>COEFFICIENT OF WATER/OIL DISTRIBUTION:</b>	Not established	<b>APPEARANCE/ODOR:</b>	Clear liquid/Mild petroleum
<b>FLASHPOINT:</b>	94.5°C (202°F)		

## PERFORMANCE RESULTS

### EXTREME CLEANING SCORE

This test evaluates the cleaning ability of a fluid by using a mechanical device, the Gardner Scrubability Apparatus, that pulls a sponge across a tile that has been soiled with a choice of substances. The three common soils that were tested are: A2 - Kitchen Grease; A3 - Industrial Soil; and A6 - Heavy Household Soil.

<b>WD-40 SPECIALIST<sup>®</sup> DEGREASER</b>	75
<b>GUNK ENGINE DEGREASER</b>	63

\*RESULTS SHOW PERCENTAGE OF SOIL REMOVAL. HIGHER IS BETTER.

## DIRECTIONS

SHAKE CAN WELL. Flip straw up for precise STREAM with no overspray or down for wide SPRAY to cover larger areas. Apply by spraying directly on surface to be cleaned. Let set for a few seconds and wipe clean with dry cloth.



# WD-40 SPECIALIST<sup>®</sup> DEGREASER

## PACKAGING SPECIFICATIONS

ORDER#	CASE# / GTIN#	ITEM# / UPC#	DESCRIPTION	INDIVIDUAL UNIT					CASE PACK					PALLET						
				APPROX WT (OZ)	DIMENSIONS (IN)			CUBE	CASE PACK	APPROX WT (LBS)	DIMENSIONS (IN)			CUBE	APPROX WT (LBS)	CASES/LAYER	LAYERS	TOTAL QTY	APPROX HT (IN)	CUBE
300280	1 00 79567 30028 8	0 79567 30028 1	15oz Degreaser	1.24	2.625	2.625	9.75	0.038	6	7.75	5.75	8.18	10.31	0.281	1473.9	37	5	180	56.56	62.84

## STORAGE

Store in a cool, well-ventilated area, away from incompatible materials Do not store above 120°F or in direct sunlight. U.F.C (NFPA 30B) Level 3 Aerosol. Store away from oxidizers.

## DISPOSAL

If this product becomes a waste, it would not be expected to meet the criteria of a RCRA hazardous waste. However, it is the responsibility of the generator to determine at the time of disposal the proper classification and method of disposal. Do not puncture or incinerate containers, even empty. Dispose in accordance with federal, state, and local regulations.

## SPECIAL USE WARNINGS

**CONTENTS ARE FLAMMABLE:** Keep away from heat, sparks, pilot lights, hot surfaces and open flames. Unplug electrical tools, motors and appliances before spraying or bringing the can near any source of electricity. **ELECTRICITY CAN BURN A HOLE IN THE CAN AND CAUSE CONTENTS TO BURST INTO FLAMES.** To avoid serious burn injury, do not let **THE CAN** touch battery terminals, electrical connections on motors or appliances or any other source of electricity. **CONTENTS UNDER PRESSURE:** Do not puncture or incinerate (burn) container, even when empty. Do not expose to heat or store above 120°F. Avoid eye contact. Avoid prolonged or repeated contact with skin and clothing. Avoid breathing vapors or spray mists. Use in well ventilated area. Wash thoroughly with soap and water after use. Intentional inhalation abuse (concentrating and inhaling vapors) may be harmful or fatal. **KEEP OUT OF REACH OF CHILDREN.**

**FIRST AID:** CONTAINS PETROLEUM DISTILLATES AND CARBON DIOXIDE PROPELLANT

**Ingestion (Swallowed):** Do not induce vomiting. Call physician, poison control center or the WD-40 Safety Hotline at 1-888-324-7596 immediately.

**Eye Contact:** Flush thoroughly with water for 15 minutes. Get medical attention if irritation persists.

**Skin Contact:** Wash with soap and water. To prevent drying effects, avoid prolonged or repeated contact with skin.

**Inhalation (Breathing):** If irritation develops, discontinue use and move to fresh air. Get medical attention if irritation or other symptoms persist.

## REGULATORY INFORMATION

**U.S. Federal Regulations: CERCLA 103 Reportable Quantity:** This product is not subject to CERCLA reporting requirements, however, oil spills are reportable to the National Response Center under the Clean Water Act and many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations.

**SARA TITLE III: Hazard Category For Section 311/312:** Acute Health, Fire Hazard, Sudden Release of Pressure; Section 313 Toxic Chemicals: This product contains the following chemicals subject to SARA Title III Section 313 Reporting requirements: None; **Section 302 Extremely Hazardous Substances (TPQ):** None; **EPA Toxic Substances Control Act (TSCA) Status:** All of the components of this product are listed on the TSCA inventory; **Canadian WHMIS Classification:** Class B-5 (Flammable Aerosol), Class D-2-A (Very toxic material causing other chronic effects)

