



Q-Line Display

Signage Solutions

86"

Direct LED Backlight

Ultra HD



86BDL3550Q

Stand out

Easy-setup 18/7 display.

Inform and enthrall with a Philips Q-Line Professional Ultral HD Display. This reliable solution can be up and running as quickly as you need.

Cost-effective system solution

- Integrated media player. Easily schedule USB content
- FailOver ensures content is always playing
- Easy control. Remotely manage networked displays

Effortless setup. Total control.

- Operate, monitor and maintain with CMND & Control
- CMND & Create. Develop and launch your own content
- OPS slot allows for PC embedding without cabling

Smart and powerful

- Android SoC processor. Native and web apps
- · Connect and control your content via the cloud

Superb picture. Ultra-high brightness.

• Ultra-HD. Rich images. Stunning contrast

Q-Line Display 86BDL3550Q/00

Highlights

CMND & Control



Run your display network over a local (LAN) connection. CMND & Control allows you to perform vital functions like controlling inputs and monitoring display status. Whether you're in charge of one screen or 100.

Integrated media player

Easily schedule content to play from USB. Your Philips Professional Display will wake from standby to play the content you want, and then return to standby once playback is done.

FailOver



From waiting room to meeting room, never show a blank screen. FailOver lets your Philips Professional Display switch automatically between primary and secondary inputs ensuring content keeps playing even if the primary source goes down. Simply set a list of alternate inputs to be sure your business is always on.

OPS slot



Integrate a full-power PC or Android-powered CRD50 module directly into your Philips Professional Display. The OPS slot contains all the connections you need to run your slot-in solution, including a power supply.

CMND & Create



Take control of your content with CMND & Create. A drag-and-drop interface makes it simple to publish your own content-whether it's a daily specials board or branded corporate

information. Preloaded templates and integrated widgets ensure your stills, text, and video will be up and running in no time.

Powered by Android 8

Control your display via an Internet connection. Android-powered Philips Professional Displays are optimized for native Android apps, and you can install web apps directly to the display too. A new Android 8 ensures the software is kept secure and remain to the latest specification for longer.

SmartBrowser

Connect and control your content via the cloud with the integrated HTML5 browser. Using the Chromium based browser, design your content online and connect a single display, or your complete network. Show content in both landscape and portrait mode, with fullHD resolution. Simply connect the display to the internet using WiFi or with an RJ45 cable, and enjoy your own created playlists.











Q-Line Display

86BDL3550Q/00

Specifications

Picture/Display

Diagonal screen size (metric): 217.4 cm Diagonal screen size (inch): 85.6 inch

Aspect ratio: 16:9

Panel resolution: 3840 x 2160 Pixel pitch: 0.4935 x 0.4935 mm

Optimum resolution: 3840 x 2160 @ 60 Hz

Brightness: 400 cd/m² Display colors: 1.07 Billion Contrast ratio (typical): 1200:1 Dynamic contrast ratio: 500,000:1 Response time (typical): 8 ms Viewing angle (horizontal): 178 degree

Viewing angle (vertical): 178 degree Picture enhancement: 3/2 - 2/2 motion pull down, 3D Combfilter, Motion compens.

deinterlacing, Progressive scan, 3D MA deinterlacing, Dynamic contrast enhancement

Panel technology: IPS Operating system: Android 8.0

Clinical image: D-Image preset (dicom part 14

compatible)

Connectivity

Audio output: 3.5mm jack

Video input: DVI-D (x1), HDMI 2.0 (x3), USB 2.0

(x2), VGA (Analog D-Sub) (x1) Audio input: 3.5 mm jack Other connections: OPS

External control: RS232C (in/out) 2.5 mm jack, IR

(in/out) 3.5 mm jack, RJ45

Convenience

Placement: Landscape (18/7), Portrait (18/7)

Tiled Matrix: Up to 15 x 15

Keyboard control: Hidden, Lockable

Remote control signal: Lockable

Signal loop through: RS232, IR Loopthrough

Ease of installation: Smart Insert **Energy saving functions: Smart Power** Network controllable: RS232, RJ45

Start-up: Switch on delay, Switch on status, Boot

on source

Start-up window: enable / disable Philips logo

Sound

Built-in speakers: 2 x 10W RMS

Mains power: 100 - 240V~, 50/60Hz Consumption (Typical): 320 W Consumption (Max): 480 W

Standby power consumption: <0.5W **Power Saving Features: Smart Power**

Energy Label Class: G

Supported Display Resolution

Computer formats: 1920 x 1080, 60Hz, 1680 x 1050, 60Hz, 1600 x 1200, 60Hz, 1440 x 900, 60Hz, 1280 x 1024, 60Hz, 1280 x 800, 60Hz, 1280 x 720, 60Hz, 1152 x 870, 75Hz, 1024 x 768, 60, 70, 75Hz, 800 x 600, 56, 60, 72, 75Hz, 720 x 400, 70Hz, 640 x 480, 60, 67, 72, 75Hz, 1152 x 864, 75Hz, 832 x 624, 75Hz

Video formats: 3840 x 2160, 60Hz, 3840 x 2160, 30Hz, 576p, 50Hz, 576i, 50Hz, 480p, 60Hz, 480i, 60Hz, 1080p, 50, 60Hz, 1080i, 50, 60Hz, 720p, 50,60 Hz

Dimensions

Set Width: 1929.0 mm Product weight: 49.5 kg Set Height: 1100.0 mm

Set Depth: 69.5mm(D@wall mount) /

91.8mm(D@handle) mm Set Width (inch): 75.94 inch Set Height (inch): 43.31 inch Wall Mount: 600 x 400 mm, M8

Set Depth (inch): 2.74(@ wall mount)/ 3.61(@

handle) inch

Bezel width: 15.5 mm (Even bezel) Product weight (lb): 109.13 lb

Operating conditions

Altitude: 0 ~ 3000 m

Temperature range (operation): 0 ~ 40 °C

MTBF: 30,000 hour(s)

Temperature range (storage): -20 ~ 60 °C Humidity range (operation)[RH]: 20 ~ 80% RH

(No condensation)

Humidity range (storage) [RH]: 5 ~ 95% RH (No

condensation)

Multimedia Applications

USB Playback Video: MPEG, H.264, H.263, H.265 USB Playback Picture: BMP, JPEG, PNG USB Playback Audio: AAC, HEAAC, MPEG

Internal Player

CPU: Dual core cortex A53 1.1G Hz, Dual core cortex A73 1.15G Hz GPU: ARM Mali G51

Memory: 2GB DDR3, 8GB

Accessories

Included accessories: AC Power Cord, RS232 cable, Remote Control, Batteries for remote control, Quick start guide

Included Accessories: IR sensor cable (1.8 m) (x1), RS232 daisy-chain cable, M3 screw (X1), M4 Screw (x1), Philips logo (x1), USB Cover (x1)


Miscellaneous

On-Screen Display Languages: Simplified Chinese, Traditional Chinese, English, French, German, Italian, Polish, Russian, Spanish, Turkish, Japanese, Arabic

Warranty: 3 year warranty

Regulatory approvals: CE, CB, BSMI, CU, ETL, FCC,

Class A, PSB, VCCI



© 2025 Koninklijke Philips N.V. All Rights reserved

their respective owners

Version: 6.0.1

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. or EAN: 87 12581 76550 7

Issue date 2025-12-12



