

ORACLE



RACING

POWER ON

CATALOGUE





POWER ON

Whether you are looking to throw an unforgettable party, or to spend some time alone listening to your favorite music, with the Power On collection you will create the perfect atmosphere to live your special moments.

High-tech quality, modern design, advanced features: this broad selection of ORACLE RED BULL RACING devices has been crafted not to disappoint the expectations of fans of music and innovative sounds.



INDEX

08_POWER SPEAKERS

14_CUBE PARTY SPEAKERS

22_PORTABLE PARTY SPEAKERS

32_MINI SPEAKERS

38_SPECIAL PRODUCTS

42_HEADPHONES

54_EARBUDS

68_MARKETING MATERIAL




POWER

RB-SK600

POWER

General Specifications	
Size L*W*H	440×240×210mm
Max Power	30W ×2
Battery	11.1V 3600mAh
Sensitivity	550mV
Charger voltage	DC 5V 3A
Charging Time	4-6h
Working Time	2-3h
Function	BT, USB, TF, AUX, Easy Wireless Connection
Light	RGB LED Lights
Net Cover	Steel Net
Other	3 Rubber Handles



RB-SK610

POWER

General Specifications	
Size L*W*H	288×240×210mm
Max Power	30W
Battery	11.1V 3600mAh
Sensitivity	550mV
Charger voltage	DC 5V 3A
Charging Time	4-6h
Working Time	3-4h
Function	BT, USB, TF, AUX, Easy Wireless Connection
Light	RGB LED Lights
Net Cover	Steel Net
Other	3 Rubber Handles



RB-SK620

POWER

General Specifications	
Size L*W*H	203×203×450mm
Max Power	220W
RMS	35W+20W ×2
Battery	11.1V 8000mAh
Frequency	65Hz-19KHz
Charger voltage	DC 5V
Charging Time	9h
Working Time	6-7h
Function	USB, AUX, Microphone, Easy Wireless Connection
Light	Multicolor LED Lights
Net cover	Fabric Net
Other	1 Handle

ORBR LOGO
SHINY BLACK



CUBE

RB-SK220

CUBE

General Specifications	
Size L*W*H	292×296×636mm
Max Power	2×40W + 16W
RMS	2×20W + 8W
Input	5V 2A
Charging Port	USB-C
Speaker	2×8" Woofer and 1.5" Tweeter
Battery	2×2200mAh
Charging Time	5h
Working Time	2h
Sensitivity	90±5dB
Impedance	4Ω±20%
Function	TWS, USB, TF, Remote Control, Easy Wireless Connection
Light	Multicolor Circle LED Lights
Display	LED
Net Cover	Steel Net
Other	2 Wheels, 1 Extensible Handle



TOP SIDE



CUBE

RB-SK230

General Specifications	
Size L*W*H	240×230×555mm
Max Power	2×30W
RMS	2×15W
Input	5V
Charging Port	USB-C
Speaker	2×6" Woofer and 1.5" Tweeter
Battery	3.7V 2400mAh
Charging Time	5h
Working Time	1.5h
Sensitivity	89±5dB
Impedance	4Ω±20%
Function	USB, TF, Remote Control, Easy Wireless Connection
Light	Multicolor Circle LED Lights
Display	LED
Net Cover	Steel Net
Other	1 Handle



TOP SIDE



RB-SK240

CUBE

General Specifications	
Size L*W*H	280×265×350mm
Max Power	80W
RMS	40W
Input	5V 2A
Charging Port	USB-C
Speaker	1×8" Woofer and 1.5" Tweeter
Battery	2×3600mAh
Charging Time	5-8h
Working Time	2h
Sensitivity	90±5dB
Impedance	4Ω±20%
Function	USB, TWS, TF, AUX, Remote Control, Easy Wireless Connection
Light	Multicolor Circle LED Lights
Display	LED
Net Cover	Steel Net
Other	1 Handle



TOP SIDE



CUBE

RB-SK250

General Specifications	
Size L*W*H	240×230×325mm
Max Power	40W
RMS	20W
Input	5V 1A
Charging Port	USB-C
Speaker	1×6" Woofer and 1.5" Tweeter
Battery	2400mAh
Charging Time	5-8h
Working Time	2h
Sensitivity	89±5dB
Impedance	4Ω±20%
Function	TWS, TF, USB, AUX, Remote Control, Easy Wireless Connection
Light	Multicolor Circle LED Lights
Display	LED
Net Cover	Steel Net
Other	1 Handle



TOP SIDE



CUBE COLLECTION



RB-SK220



RB-SK230



RB-SK240



RB-SK250



PORTABLE

RB-SK540

PORTABLE

General Specifications	
Size L*W*H	498×216×271mm
Max Power	2×100W+2×40W
RMS	2×50W+2×20W
Input	5V 2A
Charging Port	USB-C
Frequency	40Hz-20kHz
Speaker	2×5"woofer +2×1.5"tweeter
Battery	11.1V 5000mAh
Charging Time	5-8h
Working Time	3h
Working Distance	10m
Sensitivity	85±3dB
Impedance	4Ω±20%
Function	TF, USB, AUX, Easy Wireless Connection
Light	RGB lights
Net Cover	Fabric
Other	1 Handle



PORTABLE

RB-SK530

General Specifications	
Size L*W*H	397×173×217mm
Max Power	2×80W+2×20W
RMS	2×40W+2×10W
Input	5V 2A
Charging Port	USB-C
Frequency	120Hz-18kHz
Speaker	2×4"woofer+2×1.5" tweeter
Battery	7.4V 6000mAh
Charging Time	5h
Working Time	5-6h
Working Distance	10m
Sensitivity	90±3dB
Impedance	4Ω±20%
Function	TF, USB, AUX, Easy Wireless Connection
Light	RGB lights
Net Cover	Fabric
Other	1 Handle



RB-SK410

PORTABLE

General Specifications	
Size L*W*H	286×121×131mm
Max Power	2×46W
RMS	2×23W
Input	5V 2A
Charging Port	USB-C
Frequency	40Hz-18kHz
Speaker	60W
Battery	4×2000mAh
Charging Time	4-5h
Working Time	6-8h
Working Distance	10-15m
Sensitivity	90±3dB
Impedance	4Ω±20%
Function	TF, USB, AUX, Easy Wireless Connection
Light	Multicolor LED Lights
Net Cover	Grill Cloth
Other	1 Handle



PORTABLE

RB-SK420

General Specifications	
Size L*W*H	230×107×97mm
Max Power	2×24W
RMS	2×12W
Input	5V 1.5A
Charging Port	USB-C
Frequency	30Hz-18kHz
Speaker	30W
Battery	3×2000mAh
Charging Time	3-4h
Working Time	6-8h
Working Distance	10-15m
Sensitivity	81±3dB
Impedance	4Ω±20%
Function	USB, TF, TWS, AUX, Easy Wireless Connection
Light	Multicolor LED Lights
Net Cover	Grill Cloth
Other	1 Handle



RB-SK430

PORTABLE

General Specifications	
Size L*W*H	168×105×97mm
Max Power	24W
RMS	12W
Input	5V 1A
Charging Port	USB-C
Frequency	40Hz-18kHz
Speaker	15W
Battery	1500mAh ×2
Charging Time	2-3h
Working Time	4-5h
Working Distance	10-15m
Sensitivity	72±3dB
Impedance	4Ω±20%
Function	TWS, TF, USB, AUX, Easy Wireless Connection
Light	Multicolor LED Lights
Net Cover	Grill Cloth
Other	1 Handle



PORTABLE

RB-SK440

General Specifications	
Size L*W*H	140×83×90mm
Max Power	16W
RMS	8W
Input	5V 1A
Charging Port	USB-C
Frequency	40Hz-18kHz
Speaker	10W
Battery	1500mAh
Charging Time	1-2h
Working Time	5-6h
Working Distance	10-15m
Sensitivity	73±3dB
Impedance	4Ω±20%
Function	TWS, TF, USB, AUX, Easy Wireless Connection
Light	Multicolor LED Lights
Net Cover	Grill Cloth
Other	1 Handle



RB-SK460

PORTABLE

General Specifications	
Size L*W*H	90x90x110mm
Max Power	10W
RMS	5W
Input	5V 1A
Charging Port	USB-C
Speaker	5W
Battery	800mAh
Charging Time	1.5-2h
Working Time	4-5h
Working Distance	10m
Sensitivity	83±3dB
Impedance	4Ω±20%
Function	USB, TF, TWS, Easy Wireless Connection
Light	Multicolor LED Lights
Net Cover	Grill Cloth
Other	1 Handle



PORTABLE COLLECTION



RB-SK410



RB-SK420



RB-SK430



RB-SK440



RB-SK460



MINI SPEAKER

RB-SK500

MINI SPEAKER

General Specifications	
Size L*W*H	238×98×104mm
Max Power	40W
Battery	7.4V 4000mAh
Driver	67mm mid-bass driver ×2 + 36mm tweeter ×2 + passive radiator ×1
Working Distance	10m
Function	AUX, Easy Wireless Connection



MINI SPEAKER

RB-SK510

General Specifications	
Size L*W*H	160×76.4×76mm
Max Power	20W
Input	DC 5V 2A
Battery	7.4V 2000mAh
Driver	Full range driver ×2 + passive radiator ×1
Working Distance	10m
Function	AUX, Easy Wireless Connection



General Specifications	
Size	100×100×46.6mm
Max Power	20W
Input	DC 5V 2A
Battery	7.4V 2000mAh
Driver	Full range driver ×2 + passive radiator 1
Working Distance	10m
Function	AUX, Easy Wireless Connection



SPECIAL PRODUCTS

General Specifications	
Size L*W*H	180×100×90mm
Max Power	2×6W
RMS	2×3W
Input	5V 2A
Charging Port	USB-C
Frequency	20Hz-20kHz
Battery	1200mAh
Charging Time	1-2h
Working Time	2h
Sensitivity	85±5dB
Impedance	4Ω±20%
Function	AUX, USB, TF, FM, White Noises, Alarm Clock, Wireless Charging, Easy Wireless Connection
Light	Multicolor LED Lights
Other	7 White Noise Sound Options, Compatible with any wireless device



General Specifications	
Size L*W*H	155×82×158mm
Max Power	16W
RMS	8W
Input	5V 1A
Charging Port	USB-C
Frequency	20Hz-20kHz
Battery	1800mAh
Charging Time	2-3h
Working Time	2h
Sensitivity	85±5dB
Impedance	4Ω±20%
Function	USB, TF, TWS, Easy Wireless Connection



BACK WITH RED LIGHT

HEADPHONES

General Specifications	
Type	Foldable
Size L*W*H	202×77×215mm
Input	5V 0.5A
Charging Port	USB-C
Frequency	20Hz-20kHz
ANC Frequency	50-1000Hz
Driver Unit	40mm
Li-ion Battery	500mAh
Charging Time	3h
Working Time	37h / 27h with ANC
Working Distance	10m
Noise Reduction	30±3dB
Sensitivity	108±3dB
Impedance	32Ω±15%
Function	ANC + ENC, Easy Wireless Connection



Other side



General Specifications	
Type	Foldable
Size L*W*H	175×74×191mm
Input	5V 0.5A
Charging Port	USB-C
Frequency	20Hz-20kHz
ANC Frequency	20-700Hz
Driver Unit	40mm
Li-ion Battery	500mAh
Charging Time	3h
Working Time	41h / 12.5h with ANC
Working Distance	10m
Noise Reduction	30±3dB
Sensitivity	106±3dB
Impedance	32Ω±15%
Function	AUX, ANC + ENC, Easy Wireless Connection



Other side



General Specifications	
Type	Unfoldable
Size L*W*H	178×90×194mm
Input	5V 0.5A
Charging Port	USB-C
Frequency	20Hz-20kHz
Driver Unit	40mm
Li-ion Battery	500mAh
Charging Time	3h
Working Time	18h
Working Distance	10m
Sensitivity	100±3dB
Impedance	32Ω±15%
Function	AUX, Touch Control, Easy Wireless Connection



Other side

General Specifications	
Type	Foldable
Size L*W*H	175×76×192mm
Input	5V 0.3A
Charging Port	USB-C
Frequency	20Hz-20kHz
Driver Unit	40mm
Li-ion Battery	300mAh
Charging Time	2h
Working Time	20h
Working Distance	10m
Sensitivity	110±3dB
Impedance	32Ω±15%
Function	AUX, Easy Wireless Connection



Other side

RB-HP140

HEADPHONES

General Specifications	
Type	Foldable
Size L*W*H	174×74×179mm
Input	5V
Charging Port	USB-C
Frequency	20Hz-20kHz
Driver Unit	40mm
Li-ion Battery	300mAh 3.7V
Charging Time	2h
Working Time	20h
Working Distance	10m
Sensitivity	105±3dB
Impedance	32Ω±15%
Function	Line-in, TF Card, Easy Wireless Connection



Other side



ORACLE
Red Bull
RACING

HEADPHONES

RB-HP150

General Specifications	
Type	Foldable
Size L*W*H	164×75×177mm
Input	5V 0.3A
Charging Port	USB-C
Frequency	20Hz-20kHz
Driver Unit	40mm
Li-ion Battery	400mAh
Charging Time	2h
Working Time	30.5h
Working Distance	10m
Sensitivity	115±3dB
Impedance	32Ω±15%
Function	Line-in, TF Card, Easy Wireless Connection



Other side



ORACLE
Red Bull
RACING

RB-HP160

HEADPHONES

General Specifications	
Type	Foldable
Size L*W*H	173×77×186mm
Input	5V 0.4A
Charging Port	USB-C
Frequency	20Hz-20kHz
Driver Unit	40mm
Li-ion Battery	400mAh
Charging Time	3h
Working Time	13h
Working Distance	10m
Sensitivity	102±3dB
Impedance	32Ω±15%
Function	Line-in, TF Card, Easy Wireless Connection



Other side



HEADPHONES

RB-HP170

General Specifications	
Type	Foldable
Size L*W*H	137×63×178mm
Input	5V 1A
Charging Port	USB-C
Frequency	20Hz-20kHz
Driver Unit	40mm
Li-ion Battery	250mAh
Charging Time	2h
Working Time	8h
Working Distance	10m
Sensitivity	105±3dB
Impedance	32Ω±15%
Function	Line-in, Easy Wireless Connection



Other side



RB-HP180

HEADPHONES

General Specifications	
Type	Foldable
Charging Port	USB-C
Driver Unit	40mm
Li-ion Battery	300mAh
Function	ANC + Microphone, Long Playtime, Fast Charging, HiFi Stereo, Easy Wireless Connection



Other side



EARBUDS

RB-EB100

EARBUDS

EARBUDS


RB-EB100E

General Specifications	
Type	In-ear Earbuds
Size L*W*H	60×25×45mm
Earbuds Input	5V-120mA
Charging Case Input	5V-300mA
Charging Port	USB-C
Frequency	20Hz-20kHz
Driver Size	10mm
Charging Case Battery	500mAh
Earbuds Battery	40mAh ×2
Noise Reduction	35dB-40dB
Charging Time	1.5h
Working Time	5-6h
Working Distance	10m
Sensitivity	107±3dB
Impedance	32Ω±15%
Function	Hybrid ANC + ENC + 6 Microphones, Easy Wireless Connection



General Specifications	
Type	In-ear Earbuds
Earbuds Input	5V-30mA
Charging Case Input	5V-300mAh
Charging Port	USB-C
Frequency	20Hz-20kHz
Driver Size	13mm
Charging Case Battery	300mAh
Earbuds Battery	35mAh ×2
Charging Time	1.5 h
Working Time	5-6 h
Working Distance	10m
Impedance	32Ω±10%
Function	Easy Wireless Connection

General Specifications	
Type	In-ear Earbuds
Size L*W*H	60×24×45mm
Earbuds Input	5V-25mA
Charging Case Input	5V-320mA
Charging Port	USB-C
Frequency	20Hz-20kHz
Driver Size	13mm
Charging Case Battery	300mAh
Earbuds Battery	30mAh ×2
Noise Reduction	25dB-30dB
Charging Time	1.5h
Working Time	4-5h
Working Distance	10m
Sensitivity	107±3dB
Impedance	32Ω±15%
Function	ANC + ENC + 2 Microphones, Touch Screen Control, Easy Wireless Connection



Mirror detail when the earbud is off



General Specifications	
Type	Click Earbuds
Size L*W*H	65×45×24mm
Earbuds Input	5V-30mA
Charging Case Input	5V-200mA
Charging Port	USB-C
Frequency	20Hz-20kHz
Driver Size	10mm
Charging Case Battery	300mAh
Earbuds Battery	35mAh ×2
Charging Time	1.5h
Working Time	5-6h
Working Distance	10m
Sensitivity	102±3dB
Impedance	32Ω±15%
Function	Easy Wireless Connection

RB-EB130

EARBUDS

EARBUDS

RB-EB140

General Specifications	
Type	In-ear Earbuds
Size L*W*H	60×45×24mm
Earbuds Input	5V-25mA
Charging Case Input	5V
Charging Port	USB-C
Frequency	20Hz-20kHz
Driver Size	13mm
Charging Case Battery	200mAh
Earbuds Battery	30mAh ×2
Noise Reduction	25dB-30dB
Charging Time	1.5h
Working Time	4-5h
Working Distance	10m
Sensitivity	107±3dB
Impedance	32Ω±15%
Function	Optional: ENC + 4 Microphones, Easy Wireless Connection



General Specifications	
Type	In-ear Earbuds
Charging Case Input	DC5V-300mAh
Charging Port	USB-C
Frequency	20Hz-20kHz
Driver Size	13mm
Charging Case Battery	300mAh
Earbuds Battery	30mAh ×2
Charging Time	1.5h
Working Time	5-6h
Working Distance	10m
Impedance	32Ω±15%
Function	Easy Wireless Connection

RB-EB150

EARBUDS

EARBUDS

RB-EB170

General Specifications	
Type	In-ear Earbuds
Size L*W*H	60×20×45mm
Earbuds Input	5V-25mA
Charging Case Input	5V-300mA
Charging Port	USB-C
Frequency	20Hz-20kHz
Driver Size	13mm
Charging Case Battery	300mAh
Earbuds Battery	30mAh ×2
Noise Reduction	25dB-35dB
Charging Time	1.5h
Working Time	4-5h
Working Distance	10m
Sensitivity	107±3dB
Impedance	32Ω±15%
Function	Slide Touch, Wireless Charging, ANC + ENC+ 2 Microphones, Easy Wireless Connection



General Specifications	
Type	Click Earbuds
Size L*W*H	60×35×40mm
Charging Case Input	5V
Charging Port	USB-C
Frequency	20Hz-20kHz
Driver Size	10mm
Charging Case Battery	300mAh
Earbuds Battery	35mAh ×2
Charging Time	1.5h
Working Time	5-6h
Working Distance	10m
Sensitivity	102±3dB
Impedance	32Ω±15%
Function	Easy Wireless Connection

RB-EB210

EARBUDS

EARBUDS

RB-EB220

General Specifications	
Type	Bone Conduction Headphone
Size L*W*H	130×95×48mm
Input	5V
Charging Port	USB-C
Frequency	20Hz-20kHz
Driver Size	13mm
Charging Case Battery	150mAh
Charging Time	0.5h
Working Time	8h
Working Distance	10m
Sensitivity	38±3dB
Impedance	8Ω±15%
Function	Easy Wireless Connection



General Specifications	
Type	In-ear Earbuds
Size L*W*H	45×58×50mm
Earbuds Input	5V-30mA
Charging Case Input	5V-200mAh
Charging Port	USB-C
Frequency	20Hz-20kHz
Driver Size	13mm
Charging Case Battery	200mAh
Earbuds Battery	30mAh ×2
Charging Time	1-2h
Working Time	4h
Working Distance	10m
Sensitivity	120±3dB
Impedance	32Ω±15%
Function	Optional: ENC + 4 Microphones, Easy Wireless Connection

RB-EB230

EARBUDS

General Specifications	
Type	In-ear Earbuds
Charging Port	USB-C
Driver Size	13mm
Charging Case Battery	320mAh
Earbuds Battery	30mAh x2
Charging Time	1.5h
Sensitivity	103±3dB
Impedance	32Ω±15%
Function	Easy Wireless Connection



MARKETING MATERIAL



ROLL-UP



FLAG



DISPLAY



Red Bull® Marks and the Oracle Red Bull Racing Logo are licensed by Red Bull GmbH/Austria.
These products have been designed and produced by Asia Kingston (HK) Ltd, official Oracle Red Bull Racing Licensee.

www.asiak.asia – info@asiak.asia

The manufacturer reserves the right to change these specifications without notice.
Technical specifications may change according to local laws relating to the use
The designs showed are still under approval. Unauthorized reproduction forbidden, even partially, for texts and pictures.
All products and mentioned trademarks are registered by the legitimate owners. – 07/2025