

Tonale Boucle

kettal

Description


Inspired by colors of nature, the Tonale Boucle texture gives a soft, pleasant feeling with an elegant look. The material pairs perfectly with curvilinear shapes and adapts to the outdoor environment as well as indoor.

Performance properties

This is a premium range of fabrics for indoor and outdoor furniture.

Tonale Boucle is a high performance material that repel water due to its finish and features an anti-mould treatment. It is ideal as it prevents and helps to remove stains and dirt from the fabric.


The applied repellent technology works by preventing liquids from soaking into the fabric, forcing them to roll off the fabric in the form of droplets. The liquid-releasing fabric protector allows water and oil stains to be removed during normal washing without leaving any traces.




Technical specifications

| | |
|--|--|
| Composition | 88% PP 12% PL |
| Width (cm) | 140 |
| Grammage (g/m2) | 470 |
| Abrasion resistance (Martindale) | 60,000 cycles ISO 12947-2 |
| Abrasion resistance (Wyzenbeek) | 30,000 double rubs ASTM D4157 |
| Pilling | 5 ISO 12945-2 |
| Lightfastness | 7/8 UNI EN ISO 105-B02 |
| Colour fastness rubbing dry / wet | 4/5 / 4 UNI EN ISO 105-X12 |
| Colour fastness washing change & stain | 4 UNI EN ISO 105-C06 |
| Colour fastness to artificial weather | 7 UNI EN ISO 105-B04 |
| Colour fastness chlorine water | 4 UNI EN ISO 105-E03 |
| Colour fastness to sea water | 4/5 UNI EN ISO 105-E02 |
| Fire resistance | EN 1021-1:2014 and EN 1021-2:2014 · CA TB 117 · NFPA 260 |


Color Shades




Anise
83L-83T




White Poppy
81L-81T




Sesame
82L-82T



Allspice Jamaica
85L-85T



Birds Foot
86L-86T



Dill
84L-84T

Cleaning & Maintenance

Brush the textile from time to time; it can be machine washed at any time according to the instructions.

During the lifetime of the material, we recommend maintaining the exclusive fluorocarbon waterproofing treatment with the exclusive fluorocarbon waterproofing treatment with Kettal fabric ref. 8010-003 according to the instructions.

