

Scope



technical



Scope

A flexible and functional addition transforming your desk into a workstation capable of supporting today's varied roles.

Scope brings together a range of accessories based around a central mounting rail. Trays, shelves, panels and modesty's all form a part of the Scope solution.

Index

accessory rail **02-04**

_single sided

_double sided

_bridge mounted accessory rail

accessories **04-08**

_horizontal accessory rail

_enclosed shelf

_platform shelf

_folded shelf

_privacy panels

_modesty panels

_electrical and recommended cable access

specifications **09**



Accessory rail


single sided

Accessory rails are supplied in a range of lengths and are available in the Schiavello ColourLab range of metal powder coats. Accessory rail brackets are designed to suit 25 mm worksurfaces and are included with each rail. Accessories can clamp to the sides or bottom of the rail and panels can be inserted into the top.

The rail mounts via brackets to the worksurface. The brackets clamp to the underside, transom section of the accessory rail and can slide along the rail before being locked in place. The brackets can also be inserted mid rail and do not need to be fed from an end.


Single sided rails can be used with fixed height or height adjustable desk bases. Single sided rails will move with a height adjustable worksurface.

* 15 mm gap provides enough room to be able to fit desk clamp monitor arms and above desk Lettric power outlets.




Accessory rail with bracket one side



SINGLE SIDED ACCESSORY RAILS



Suitable for fixed height or height adjustable bases, shown with Krossi single stage legs. The rail moves with the height adjustable worksurface.



Two single sided rails fitted to height adjustable desks back to back.



code	
SS-AR-S1200	
SS-AR-S1350	
SS-AR-S1500	
SS-AR-S1650	
SS-AR-S1800	
SS-AR-S2100	
SS-AR-S2400	


Accessory rail - Single
(brackets one side)

Accessory rail

double sided


Double sided accessory rails sit between two fixed height worksurfaces and are supplied with worktop brackets. The brackets sit offset from each other on either side of the rail. Compatible with desk clamp monitor arms and accessories.

Double sided rails are only suitable for fixed height worksurfaces.





Accessory rail with brackets two sides

DOUBLE SIDED ACCESSORY RAILS



Suitable for fixed height bases only, shown with Krossi fixed height legs.



code	
SS-AR-D1200	
SS-AR-D1350	
SS-AR-D1500	
SS-AR-D1650	
SS-AR-D1800	
SS-AR-D2100	
SS-AR-D2400	


Accessory rail - Double
(brackets both sides)

Accessory rail

bridge mounted accessory rail | horizontal accessory rail


Bridge mounted accessory rail attaches to Krossi or Centric bridges allowing back to back height adjustable desks with one fixed height panel between them. Rail do not attach to the worktop and do not require rail worktop brackets.

The understructure of Krossi and Centric must be specified at the time of order for bridge mounted accessory rails. The length of the rail must match the length of the desk/base.




Accessory rail supported by post attached to the Krossi bridge

BRIDGE MOUNTED ACCESSORY RAIL



Accessory rail mounted to Krossi bridge. Accessory rail is not height adjustable and must be specified with the Krossi and Centric understructure.



Bridge mounted accessory rail

code	SS-AR-K1200	code	SS-AR-C1200
	SS-AR-K1350		SS-AR-C1350
	SS-AR-K1500		SS-AR-C1500
	SS-AR-K1650		SS-AR-C1650
	SS-AR-K1800		SS-AR-C1800
	SS-AR-K2100		SS-AR-C2100
	SS-AR-K2400		SS-AR-C2400
	For Krossi workstations		For Centric workstations


ACCESSORIES

Comprising of shelving solutions, privacy panels and electricals for above and below the worktop, the sleek and lightweight design of Scope avoids the dominating aesthetics linked to systems panels and boosts functionality by giving users freedom to maximise valuable desk real estate.

Accessories can be mounted directly to the work surface via a clamp end or to the accessory rail via a rail end.

HORIZONTAL ACCESSORY RAIL

Power coated Horizontal Accessory Rail is available in 400 mm or 600 mm long and 140 mm or 250 mm high from work surface. Schiavello Bento trays are compatible with this rail.



code	SS-ATR-R400-140
	SS-ATR-R600-140
	SS-ATR-R400-250
	SS-ATR-R600-250

Transom rail – rail mount



code	SS-ATR-C400-140
	SS-ATR-C600-140
	SS-ATR-C400-250
	SS-ATR-C600-250


Transom rail – clamp mount

Accessories

enclosed shelf | platform shelf | folded shelf

ENCLOSED SHELF

Powder coated enclosed metal shelves are produced in two lengths; 400 mm and 600 mm. Available with clamp mounts. Clamp mounts suit 25 or 33 mm worksurfaces.




code SS-AES-C400
SS-AES-C600

Enclosed shelf – clamp mount

PLATFORM SHELF

Powder coated platform metal shelves are produced in two lengths; 400 mm and 600 mm and heights of 110 mm and 250 mm. Available with rail or clamp mounts. Clamp mounts suit 25 or 33 mm worksurfaces.



code SS-APS-R400-110
SS-APS-R600-110
SS-APS-R400-250
SS-APS-R600-250

Platform shelf – rail mount




code SS-APS-C400-110
SS-APS-C600-110
SS-APS-C400-250
SS-APS-C600-250

Platform shelf – clamp mount

FOLDED SHELF

Powder coated folded metal shelves are produced in two lengths; 400 mm and 600 mm. The folded shelf mounts to the bottom of the accessory rail.



code SS-AFS-R400
SS-AFS-R600

Folded shelf – rail mount

Accessories

privacy panels

Scope supports a range of above and below workstation privacy panels.

The 12 mm privacy panels are available in MDF, P.E.T, perspex and glass. They have a maximum height of 400 mm and are supported by the accessory rail and panel holder.


Privacy panels are available in the Schiavello ColourLab range.

There are 2 corner options; square or round with a 50 mm radius. The panel length does not need to match the length of the accessory rail.


The panel holder is supplied full length for P.E.T panels and in 60 mm pieces for MDF, glass and perspex. Panel holder are spaced along the bottom of the panel and then inserted into the accessory rail.

PRIVACY PANELS


400 mm high with panel holder insert.




Panel with square corners




Panel with round corners



P.E.T



P/C MDF, Glass or
Perspex



PANEL TYPE 'A' - POWDER COATED MDF

code	SS-PAS-600	code	SS-PAR-600
	SS-PAS-800		SS-PAR-800
	SS-PAS-1000		SS-PAR-1000
	SS-PAS-1200		SS-PAR-1200
	SS-PAS-1350		SS-PAR-1350
	SS-PAS-1500		SS-PAR-1500
	SS-PAS-1650		SS-PAR-1650
	SS-PAS-1800		SS-PAR-1800
	SS-PAS-2100		SS-PAR-2100
	SS-PAS-2400		SS-PAR-2400

Square corner

Round corner

PANEL TYPE 'B' - P.E.T PANEL

code	SS-PBS-600	code	SS-PBR-600
	SS-PBS-800		SS-PBR-800
	SS-PBS-1000		SS-PBR-1000
	SS-PBS-1200		SS-PBR-1200
	SS-PBS-1350		SS-PBR-1350
	SS-PBS-1500		SS-PBR-1500
	SS-PBS-1650		SS-PBR-1650
	SS-PBS-1800		SS-PBR-1800
	SS-PBS-2100		SS-PBR-2100
	SS-PBS-2400		SS-PBR-2400

Square corner

Round corner

PANEL TYPE 'C' - PERSPEX

code	SS-PCS-600	code	SS-PCR-600
	SS-PCS-800		SS-PCR-800
	SS-PCS-1000		SS-PCR-1000
	SS-PCS-1200		SS-PCR-1200
	SS-PCS-1350		SS-PCR-1350
	SS-PCS-1500		SS-PCR-1500
	SS-PCS-1650		SS-PCR-1650
	SS-PCS-1800		SS-PCR-1800
	SS-PCS-2100		SS-PCR-2100
	SS-PCS-2400		SS-PCR-2400

Square corner

Round corner

PANEL TYPE 'D' - GLASS

code	SS-PDS-600	code	SS-PDR-600
	SS-PDS-800		SS-PDR-800
	SS-PDS-1000		SS-PDR-1000
	SS-PDS-1200		SS-PDR-1200
	SS-PDS-1350		SS-PDR-1350
	SS-PDS-1500		SS-PDR-1500
	SS-PDS-1650		SS-PDR-1650
	SS-PDS-1800		SS-PDR-1800
	SS-PDS-2100		SS-PDR-2100
	SS-PDS-2400		SS-PDR-2400

Square corner

Round corner

Accessories



modesty panels

Available in powder coated 7 mm MDF or P.E.T panel and perforated steel.

Modesty panels are hung off modesty panel clips/brackets and fixed onto the bottom of the accessory rail.

The modesty panel is also available in Fabric, this will need to be priced by Schiavello with a specified fabric selection. Fabric is best selected for height adjustable desks.

MODESTY PANELS



7 mm modesty panel



modesty clip

code	SS-MPS-1200
	SS-MPS-1350
	SS-MPS-1500
	SS-MPS-1650
	SS-MPS-1800
	SS-MPS-2100
	SS-MPS-2400

7 mm powder coated MDF -
300 mm high



code	SS-MPE-1200
	SS-MPE-1350
	SS-MPE-1500
	SS-MPE-1650
	SS-MPE-1800
	SS-MPE-2100
	SS-MPE-2400

7 mm P.E.T panel -
300 mm high

PERFORATED STEEL MODESTY PANEL

300 mm high modesty panel available in the Schiavello ColourLab metal powder coated finishes.

Contact Schiavello for standard perforation patterns.



Modesty panels - metal



Metal modesty bracket

code	SS-MSP-1200
	SS-MSP-1350
	SS-MSP-1500
	SS-MSP-1650
	SS-MSP-1800
	SS-MSP-2100
	SS-MSP-2400


Accessories

electrical | recommended cable access

Scope is available with Lettric soft wired outlet modules attached to the bottom of the accessory rail.


Cabling can be stored in various Schiavello cable trays and wire baskets. The best type for the particular situation will vary with the desking system chosen.

Please specify a worktop cutout to allow cabling to the worksurface, standard cutout shown below.




ACCESSORY RAIL POWER OUTLETS WITH USB AND DATA TILES

Includes powder coated mounting plate and mounting bolts.




code	SC-1P
	SC-1P1D
	SC-1P2D
	SC-1P3D
	SC-1P2AUSB
	SC-1P2AUSB1D
	SC-1P2AUSB2D
	SC-1P2AUSB3D

Single power outlet with USB and data tile options




code	SC-2P
	SC-2P1D
	SC-2P2D
	SC-2P3D
	SC-2P2AUSB
	SC-2P2AUSB1D
	SC-2P2AUSB2D
	SC-2P2AUSB3D

Double power outlet with USB and data tile options




code	SC-4P
	SC-4P1D
	SC-4P2D
	SC-4P3D
	SC-4P2AUSB
	SC-4P2AUSB1D
	SC-4P2AUSB2D
	SC-4P2AUSB3D

Quad power outlet with USB and data tile options





Krossi individual workstation with single sided accessory rail and single sided power outlet.



Krossi workstation with bridged mounted and two single sided power outlets.


INTEGRATED FLIP LID

Must be specified with the worksurface.



EXCESS CABLES

Excess cables can be taken off the desk with either a scallop cutout or a grommet.



45 mm scallop cut out must be specified with the worksurface.



60 mm grommet must be specified with the worksurface.

Product Specifications

general | cable reticulation | panels | finishes | sustainability | warranty

General

Scope is a refined desk accessory system designed and manufactured by Schiavello in Australia.

System features include:

- Strong powder coated aluminium accessory rail attached to the back underside of the desk
- A range of functional and attractive powder coated metal shelves and Horizontal Accessory Rail
- Shared between two desks or an individual application
- Suitable for use on fixed height and height adjustable desking
- Compatible with Krossi, Centric, Marina, Elitone, Series 2 freestanding desks and others
(Please contact Schiavello for full details)

Cable reticulation

Scope supports Lettrix softwiring.

The softwiring electrical system is Schiavello Lettrix, certified to Australian Standard AS/NZS 3131.

Panels

Scope can accommodate a variety of 12 mm and 16 mm panels.

Finishes

All aluminium is powder coated to Australian Standard AS 3715-2002 in a range of standard or custom colours.

All metal components are powder coated to Australian standard AS4506 2005 in a range of standard or custom colours.

Sustainability

Scope is manufactured in accordance with international environmental standards: ISO 14001. All components are either reusable or recyclable.

Warranty

Scope is covered by a minimum five year warranty against faulty materials and workmanship. This includes a guarantee to all standard parts, components and service for a period of no less than 10 years from date of installation.



Melbourne Head Office

Schiavello (Vic) Pty Ltd
1 Sharps Road
Tullamarine VIC Australia 3043
T: 61) 3 9330 8888
F: 61) 3 9330 8899

Melbourne Showroom

Schiavello (Vic) Pty Ltd
Metropol
8 Whiteman Street
Southbank VIC Australia 3006
T: 61) 3 9674 1500
F: 61) 3 9674 1650

Sydney

Schiavello (NSW) Pty Ltd
69 Campbell Street
Surry Hills NSW Australia 2010
T: 02) 9211 3311
F: 02) 9212 3788

Brisbane

Schiavello (Qld) Pty Ltd
265 Coronation Drive
Milton QLD Australia 4064
T: 07) 3368 3388
F: 07) 387602130

Perth

Schiavello (WA) Pty Ltd
1315 Hay Street
West Perth WA Australia 6005
T: 08) 9420 6588
F: 08) 9322 1337

Adelaide

Schiavello (SA) Pty Ltd
Ground Floor, 101 Currie Street
Adelaide SA Australia 5000
T: 08) 8112 2300
F: 08) 8231 1419

Canberra

Schiavello (ACT) Pty Ltd
2-6 Collie Street
Fyshwick ACT Australia 2609
T: 02) 6124 0500
F: 02) 6280 4370

Singapore

Schiavello Singapore Pte Ltd
No.1 Magazine Road
#01-05 Central Mall
Singapore 059567
T: 65) 6533 8011
F: 65) 6533 2811

schiavello.com/scope
SCH/TSC001-A

Schiavello Group Pty Ltd
reserves the right to change
any or all details without
prior notice. All dimensions
stated within this document
are nominal and/or approximate
only and subject to variation.

schiavello