




side view




Material: -		nominal ≤30mm	DIN ISO 2768-f-H
		dimensions >30mm	DIN ISO 2768-m-K excluding Sym./Runout
		Sym./Runout >30mm	DIN ISO 2768-H
Support Trolley for Universal Suitcase Docking		formed part dimensions	DIN ISO 2768-f-H
FRMCARTZXRVS		Scale	Drawn C.Strässle
		1:5	Date 01.12.2023
		(1:10)	Changed 19.11.24 CS
Ferrovac		FRMCARTZXRVS	
CH-8050 Zurich		A3 sheet 1/3	
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF FERROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT OUR PERMISSION IS PROHIBITED.		Rev.	D

top view




Tranpost Position




(1:10)

Docking Perpendicular



(1:10)



(1:10)

Material: -

Support Trolley for Universal
Suitcase Docking
FRMCARTZXRVS



Ferrovac
CH-8050 Zurich

THE INFORMATION CONTAINED IN THIS
DRAWING IS THE SOLE PROPERTY OF
FERROVAC. ANY REPRODUCTION
IN PART OR AS WHOLE WITHOUT OUR
PERMISSION IS PROHIBITED.



nominal dimensions	≤30mm	DIN ISO 2768-f-H	
	>30mm	DIN ISO 2768-m-K excluding Sym./Runout	
Sym./Runout	>30mm	DIN ISO 2768-H	
formed part dimensions		DIN ISO 2768-f-H	
Scale	Drawn	C.Strässle	
1:5 (1:10)	Date	01.12.2023	
	Changed	19.11.24 CS	
	FRMCARTZXRVS		
Rev.	D	A3 sheet 2/3	

application wit UHV suitcase VSN40S(VRV)



Transport Position



Docking Perpendicular



Docking Straight



Material: -		nominal <30mm	DIN ISO 2768-f-H
		dimensions >30mm	DIN ISO 2768-m-K excluding Sym./Runout
		Sym./Runout >30mm	DIN ISO 2768-H
Support Trolley for Universal Suitcase Docking		formed part dimensions	DIN ISO 2768-f-H
FRMCARTZXRVS - VSN40S(VRV)		Scale	Drawn C.Strässle
			Date 01.12.2023
			Changed 19.11.24 CS
1:10		FRMCARTZXRVS	
Rev. D		A3 sheet 3/3	

Ferrovac
CH-8050 Zurich

THE INFORMATION CONTAINED IN THIS
DRAWING IS THE SOLE PROPERTY OF
FERROVAC. ANY REPRODUCTION
IN PART OR AS WHOLE WITHOUT OUR
PERMISSION IS PROHIBITED.