



Certificate of Analysis

Regulatory Compliance Testing

1 of 3

ICAL ID: C 20210623-004
Sample: CA210623-033-161
Flav - Live Resin Airgraft Vapor Pod - Do-Si-Dos - 1G
Strain: Flav - Live Resin Airgraft Vapor Pod - Do-Si-Dos - 1G
Category: Concentrates & Extracts

Xtracta Distribution, LLC
Lic. # C11-0001041-LIC
4425 ConvoY St, Suite 106
San Diego, CA 92111
XTRACTA DISTRIBUTION, LLC
Lic. # CDPH-10002083
4425 CONVOY ST, SUITE 106 SAN DIEGO, CA 92111

Batch#: DOS-LR-060221
Primary Size: 15 units
Batch Size: 1,013 units
Collected: 06/23/2021; Received: 06/23/2021
Completed: 06/28/2021

METRC Sample: 1A40603000077F2000076638;

Moisture NT	Total THC 78.24%	Total CBD 0.16%	Total Cannabinoids 84.21%	Total Terpenes 5.453%
Water Activity NT	Label: 75.35% %Difference: 3.83%			% Difference: 9.73%

Summary	SOP Used	Date Tested	
Batch			Pass
Cannabinoids	POT-PREP-001	06/25/2021	Pass
Terpenes	SOP:TERP:MS:Conc	06/25/2021	Complete
Residual Solvents	RS-PREP-001	06/24/2021	Pass
Microbials	MICRO-PREP-001	06/25/2021	Pass
Mycotoxins	PESTMICO-LC-PREP-001	06/24/2021	Pass
Heavy Metals	HM-PREP-001	06/24/2021	Pass
Foreign Matter	FM-PREP-001	06/23/2021	Pass
Pesticides	PESTMICO-LC-PREP-001 / PEST-GC-PREP-001	06/24/2021	Pass



Scan to see results

Cannabinoid Profile

1 Unit = vape cartridge, 1 g.

Analyte	LOQ	LOD	Labeled	% Diff	%	mg/g	mg/unit	Analyte	LOQ	LOD	Labeled	% Diff	%	mg/g	mg/unit	
THCa	0.04	0.01	-	-	0.20	2.0	2.0	CBDV	0.04	0.00	-	-	ND	ND	ND	
Δ9-THC	0.04	0.01	-	-	78.06	780.6	780.6	CBN	0.04	0.01	-	-	0.12	1.2	1.2	
Δ8-THC	0.04	0.01	-	-	0.25	2.5	2.5	CBGa	0.04	0.01	-	-	ND	ND	ND	
THCV	0.04	0.00	-	-	0.63	6.3	6.3	CBG	0.04	0.01	-	-	3.50	35.0	35.0	
CBDa	0.04	0.01	-	-	ND	ND	ND	CBC	0.05	0.02	-	-	1.28	12.8	12.8	
CBD	0.04	0.01	<2	-	0.16	1.6	1.6	Total THC			75.35%	3.83%	78.24	782.4	782.4	
								Total CBD						0.16	1.6	1.6
								Total						84.21	842.1	842.1

Total THC=THCa * 0.877 + d9-THC; Total CBD = CBDa * 0.877 + CBD; NR= Not Reported, ND= Not Detected, *Reported by Dry Mass*; *analytical instrumentation used Cannabinoids:UHPLC-DAD, Moisture:Mass by Drying, Water Activity:Water Activity Meter, Foreign Material:Microscope* *Density tested at a temperature range between 19-24 °C, *Water Activity tested at a humidity range between 0-90% Relative Humidity. All QA samples are sampled by the client, All California State Compliant samples sampled using SAMPL-SOP-001.

Terpene Profile

Analyte	LOQ	LOD	%	mg/g	Analyte	LOQ	LOD	%	mg/g
β-Caryophyllene	0.003	0.001	1.736	17.36	Terpinolene	0.003	0.001	0.021	0.21
δ-Limonene	0.003	0.001	1.111	11.11	cis-Ocimene	0.003	0.001	0.007	0.07
α-Humulene	0.003	0.001	0.567	5.67	Eucalyptol	0.003	0.001	0.007	0.07
β-Myrcene	0.003	0.001	0.456	4.56	γ-Terpinene	0.003	0.001	0.004	0.04
Linalool	0.003	0.001	0.449	4.49	Geraniol	0.003	0.001	0.004	0.04
α-Bisabolol	0.003	0.001	0.448	4.48	α-Terpinene	0.003	0.001	0.003	0.03
(-)-Guaiaol	0.003	0.001	0.190	1.90	cis-Nerolidol	0.003	0.001	ND	ND
α-Pinene	0.003	0.001	0.165	1.65	δ-3-Carene	0.003	0.001	ND	ND
β-Pinene	0.003	0.001	0.132	1.32	(-)-Isopulegol	0.003	0.001	ND	ND
Caryophyllene Oxide	0.003	0.001	0.063	0.63	p-Cymene	0.003	0.001	ND	ND
trans-Ocimene	0.003	0.001	0.061	0.61	trans-Nerolidol	0.003	0.001	ND	ND
Camphene	0.003	0.001	0.029	0.29	Total			5.453	54.53

NR= Not Reported thus no analysis was performed, ND= Not Detected thus the concentration is less then the Limit of Detection (LOD), *analytical instrumentation used:HS-GC-MS*



Infinite Chemical Analysis Labs
8380 Miramar Mall #102
San Diego, CA
(858) 623-2740
www.infiniteCAL.com
Lic# C8-0000019-LIC

Josh M Swider

Josh Swider
Lab Director, Managing Partner
06/28/2021

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



This product has been tested by Infinite Chemical Analysis, LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Infinite Chemical Analysis, LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Infinite Chemical Analysis, LLC.



Certificate of Analysis

Regulatory Compliance Testing

2 of 3

ICAL ID: C 20210623-004
Sample: CA210623-033-161
Flav - Live Resin Airgraft Vapor Pod - Do-Si-Dos - 1G
Strain: Flav - Live Resin Airgraft Vapor Pod - Do-Si-Dos - 1G
Category: Concentrates & Extracts

Xtracta Distribution, LLC
Lic. # C11-0001041-LIC
4425 Convoyst, Suite 106
San Diego, CA 92111
XTRACTA DISTRIBUTION, LLC
Lic. # CDPH-10002083
4425 CONVOY ST, SUITE 106 SAN DIEGO, CA 92111

Batch#: DOS-LR-060221
Primary Size: 15 units
Batch Size: 1,013 units
Collected: 06/23/2021; Received: 06/23/2021
Completed: 06/28/2021

METRC Sample: 1A40603000077F2000076638;

Residual Solvent Analysis

Category 1	LOQ	LOD	Limit	Status	Category 2	LOQ	LOD	Limit	Status	Category 2	LOQ	LOD	Limit	Status			
	µg/g	µg/g	µg/g	µg/g		µg/g	µg/g	µg/g	µg/g		µg/g	µg/g	µg/g	µg/g			
1,2-Dichloro-Ethane	ND	1	0.5	1	Pass	Acetone	ND	300	200	5000	Pass	n-Hexane	ND	35	20	290	Pass
Benzene	ND	1	0.5	1	Pass	Acetonitrile	ND	150	100	410	Pass	Isopropanol	ND	300	200	5000	Pass
Chloroform	ND	1	0.5	1	Pass	Butane	ND	300	200	5000	Pass	Methanol	ND	300	200	3000	Pass
Ethylene Oxide	ND	1	0.5	1	Pass	Ethanol	ND	300	200	5000	Pass	Pentane	ND	300	200	5000	Pass
Methylene-Chloride	ND	1	0.5	1	Pass	Ethyl-Acetate	ND	300	200	5000	Pass	Propane	ND	300	200	5000	Pass
Trichloroethene	ND	1	0.5	1	Pass	Ethyl-Ether	ND	300	200	5000	Pass	Toluene	ND	150	100	890	Pass
						Heptane	ND	300	200	5000	Pass	Xylenes	ND	150	100	2170	Pass

NR= Not Reported thus no analysis was performed, ND= Not Detected thus the concentration is less then the Limit of Detection (LOD), *analytical instrumentation used=HS-GC-MS*

Heavy Metal Screening

	LOQ	LOD	Limit	Status	
	µg/g	µg/g	µg/g	µg/g	
Arsenic	ND	0.009	0.003	0.2	Pass
Cadmium	0.005	0.002	0.001	0.2	Pass
Lead	0.030	0.004	0.001	0.5	Pass
Mercury	ND	0.014	0.005	0.1	Pass

NR= Not Reported thus no analysis was performed, ND= Not Detected thus the concentration is less then the Limit of Detection (LOD), *analytical instrumentation used:ICP-MS*

Microbiological Screening

	Result	Status
Aspergillus flavus	Not Detected	Pass
Aspergillus fumigatus	Not Detected	Pass
Aspergillus niger	Not Detected	Pass
Aspergillus terreus	Not Detected	Pass
shiga toxin-producing E. coli	Not Detected	Pass
Salmonella SPP	Not Detected	Pass

ND=Not Detected; *analytical instrumentation used:qPCR*



Infinite Chemical Analysis Labs
8380 Miramar Mall #102
San Diego, CA
(858) 623-2740
www.infiniteCAL.com
Lic# C8-0000019-LIC

Josh M Swider

Josh Swider
Lab Director, Managing Partner
06/28/2021

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



This product has been tested by Infinite Chemical Analysis, LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Infinite Chemical Analysis, LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Infinite Chemical Analysis, LLC.



Certificate of Analysis

Regulatory Compliance Testing

3 of 3

ICAL ID: C 20210623-004
Sample: CA210623-033-161
Flav - Live Resin Airgraft Vapor Pod - Do-Si-Dos - 1G
Strain: Flav - Live Resin Airgraft Vapor Pod - Do-Si-Dos - 1G
Category: Concentrates & Extracts

Xtracta Distribution, LLC
Lic. # C11-0001041-LIC
4425 ConvoY St, Suite 106
San Diego, CA 92111
XTRACTA DISTRIBUTION, LLC
Lic. # CDPH-10002083
4425 CONVOY ST, SUITE 106 SAN DIEGO, CA 92111

Batch#: DOS-LR-060221
Primary Size: 15 units
Batch Size: 1,013 units
Collected: 06/23/2021; Received: 06/23/2021
Completed: 06/28/2021

METRC Sample: 1A40603000077F2000076638;

Chemical Residue Screening

Category 1	LOQ	LOD	Status	Mycotoxins	LOQ	LOD	Limit	Status		
	µg/g	µg/g	µg/g		µg/kg	µg/kg	µg/kg			
Aldicarb	ND	0.030	0.008	Pass	B1	ND	8.98	2.96	Tested	
Carbofuran	ND	0.030	0.005	Pass	B2	ND	10.17	3.36	Tested	
Chlordane	ND	0.075	0.025	Pass	G1	ND	5.25	1.73	Tested	
Chlorfenapyr	ND	0.075	0.025	Pass	G2	ND	6.26	2.07	Tested	
Chlorpyrifos	ND	0.046	0.015	Pass	Ochratoxin A	ND	13.37	4.41	20	Pass
Coumaphos	ND	0.030	0.004	Pass	Total Aflatoxins	ND		20	Pass	
Daminozide	ND	0.053	0.018	Pass						
Dichlorvos	ND	0.055	0.018	Pass						
Dimethoate	ND	0.030	0.006	Pass						
Ethoprophos	ND	0.030	0.006	Pass						
Etofenprox	ND	0.030	0.004	Pass						
Fenoxycarb	ND	0.030	0.004	Pass						
Fipronil	ND	0.050	0.017	Pass						
Imazalil	ND	0.030	0.009	Pass						
Methiocarb	ND	0.030	0.002	Pass						
Parathion Methyl	ND	0.024	0.008	Pass						
Mevinphos	ND	0.030	0.008	Pass						
Paclbutrazol	ND	0.030	0.009	Pass						
Propoxur	ND	0.030	0.008	Pass						
Spiroxamine	ND	0.030	0.006	Pass						
Thiacloprid	ND	0.030	0.005	Pass						

Category 2	LOQ	LOD	Limit	Status	Category 2	LOQ	LOD	Limit	Status		
	µg/g	µg/g	µg/g	µg/g		µg/g	µg/g	µg/g	µg/g		
Abamectin	ND	0.099	0.033	0.1	Pass	Kresoxim Methyl	ND	0.030	0.007	0.1	Pass
Acephate	ND	0.030	0.007	0.1	Pass	Malathion	ND	0.030	0.003	0.5	Pass
Acequinocyl	ND	0.046	0.015	0.1	Pass	Metalaxyl	ND	0.030	0.005	2	Pass
Acetamiprid	ND	0.030	0.005	0.1	Pass	Methomyl	ND	0.030	0.009	1	Pass
Azoxystrobin	ND	0.030	0.005	0.1	Pass	Myclobutanil	ND	0.030	0.007	0.1	Pass
Bifenazate	ND	0.030	0.007	0.1	Pass	Naled	ND	0.030	0.008	0.1	Pass
Bifenthrin	ND	0.030	0.004	3	Pass	Oxamyl	ND	0.030	0.007	0.5	Pass
Boscalid	ND	0.030	0.008	0.1	Pass	Pentachloronitrobenzene	ND	0.054	0.018	0.1	Pass
Captan	ND	0.358	0.120	0.7	Pass	Permethrin	ND	0.030	0.002	0.5	Pass
Carbaryl	ND	0.030	0.006	0.5	Pass	Phosmet	ND	0.030	0.005	0.1	Pass
Chlorantraniliprole	ND	0.030	0.009	10	Pass	Piperonyl Butoxide	ND	0.030	0.003	3	Pass
Clofentezine	ND	0.030	0.002	0.1	Pass	Prallethrin	ND	0.071	0.023	0.1	Pass
Cyfluthrin	ND	0.056	0.019	2	Pass	Propiconazole	ND	0.030	0.009	0.1	Pass
Cypermethrin	ND	0.181	0.060	1	Pass	Pyrethrins	ND	0.030	0.003	0.5	Pass
Diazinon	ND	0.030	0.005	0.1	Pass	Pyridaben	ND	0.030	0.002	0.1	Pass
Dimethomorph	ND	0.030	0.005	2	Pass	Spinetoram	ND	0.030	0.001	0.1	Pass
Etoxazole	ND	0.030	0.004	0.1	Pass	Spinosad	ND	0.030	0.001	0.1	Pass
Fenhexamid	ND	0.034	0.011	0.1	Pass	Spiromesifen	ND	0.030	0.009	0.1	Pass
Fenpyroximate	ND	0.030	0.004	0.1	Pass	Spirotetramat	ND	0.030	0.008	0.1	Pass
Flonicamid	ND	0.035	0.012	0.1	Pass	Tebuconazole	ND	0.030	0.006	0.1	Pass
Fludioxonil	ND	0.036	0.012	0.1	Pass	Thiamethoxam	ND	0.030	0.008	5	Pass
Hexythiazox	ND	0.030	0.001	0.1	Pass	Trifloxystrobin	ND	0.030	0.003	0.1	Pass
Imidacloprid	ND	0.033	0.011	5	Pass						

Unknown Analyte(s):

NR= Not Reported thus no analysis was performed, ND= Not Detected thus the concentration is less then the Limit of Detection (LOD) , *analytical instrumentation used:LC-MSMS & GC-MSMS*



Infinite Chemical Analysis Labs
8380 Miramar Mall #102
San Diego, CA
(858) 623-2740
www.infiniteCAL.com
Lic# C8-000019-LIC

Josh M Swider

Josh Swider
Lab Director, Managing Partner
06/28/2021

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



This product has been tested by Infinite Chemical Analysis, LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Infinite Chemical Analysis, LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Infinite Chemical Analysis, LLC.