

CERTIFICATE OF ANALYSIS

PRODUCED: JUL 02, 2021

SAMPLE: PAPAYA PUNCH 1000MG AIRGRAFT POD (EXTRACT) // CLIENT: ACCENTIAN // BATCH: PASS



BATCH NO.: PP-2174
METRC UID: 1A4060300003BCE000001574
MATRIX: EXTRACT
CATEGORY: INHALABLE
SAMPLE ID: BCL-210629-122
COLLECTED ON: JUN 29, 2021
RECEIVED ON: JUN 29, 2021
BATCH/SAMPLE SIZE: 980 U / 14 U
PACKAGE SIZE: 1 G

CANNABINOID OVERVIEW	
TOTAL THC:	71.02019 %
TOTAL CBD:	0.23395 %
TOTAL CANNABINOIDS:	78.0207 %

MANUFACTURER INFO

MANUFACTURER
 ACCENTIAN INC.
 711 INDEPENDENT RD
 OAKLAND, CA 94621

LICENSE
 CDPH-10003335
 ADULT-USE AND MEDICINAL -
 MANUFACTURING LICENSE

DISTRIBUTOR INFO

DISTRIBUTOR
 ACCENTIAN INC.
 711 INDEPENDENT RD
 OAKLAND, CA 94621

LICENSE
 C11-0000995-LIC
 ADULT-USE AND MEDICINAL -
 DISTRIBUTOR LICENSE

POTENCY PASS
 PEST PASS
 MICRO PASS
 MYCO PASS
 METALS PASS
 FOREIGN PASS
 SOLVENT PASS

BCL-03: CANNABINOID POTENCY BY HPLC-UV // JUL 02, 2021

ANALYTE	AMT	AMT	LOD/LOQ (mg/g)	PASS/FAIL
CBC	0.16318 %	1.6318 mg/g	0.0219/0.49781	N/A
BCA	1.13072 %	11.3072 mg/g	0.06272/0.49781	N/A
CBD	0.05416 %	0.5416 mg/g	0.03086/0.49781	N/A
CBDA	0.20500 %	2.0500 mg/g	0.01593/0.49781	N/A
CBDV	ND	ND	0.02389/0.49781	N/A
CBDVA	ND	ND	0.01593/0.49781	N/A
CBG	0.70151 %	7.0151 mg/g	0.02887/0.49781	N/A
CBGA	1.37734 %	13.7734 mg/g	0.01991/0.49781	N/A
CBN	0.12296 %	1.2296 mg/g	0.01593/0.49781	N/A
Δ ⁸ -THC	ND	ND	0.05775/0.49781	N/A
Δ ⁹ -THC	52.30108 %	523.0108 mg/g	0.04182/0.49781	N/A
THCA	21.34448 %	213.4448 mg/g	0.02987/0.49781	N/A
THCV	0.23009 %	2.3009 mg/g	0.03286/0.49781	N/A
THCVA	0.39018 %	3.9018 mg/g	0.0229/0.49781	N/A
TOT THC **	71.02019 %	710.2019 mg/g		N/A
TOT CBD **	0.23395 %	2.3395 mg/g		N/A
CBD/PKG	0.54 mg			N/A
Δ ⁹ -THC/PKG	523.01 mg			PASS
TOT CBD/PKG **	2.34 mg			N/A
TOT THC/PKG **	710.20 mg			N/A

TERPENOID TESTING BY HS-GC/FID

ANALYTE	AMT	AMT	LOD/LOQ ()	PASS/FAIL
TOTAL TERPENES	ND	ND		N/A
α-PINENE	NT	NT		N/A
CAMPHERE	NT	NT		N/A
β-PINENE	NT	NT		N/A
β-MYRCENE	NT	NT		N/A
Δ ³ -CARENE	NT	NT		N/A
α-TERPINENE	NT	NT		N/A
D-LIMONENE	NT	NT		N/A
P-CYMENE	NT	NT		N/A
α-OCIMENE	NT	NT		N/A
β-OCIMENE	NT	NT		N/A
γ-TERPINENE	NT	NT		N/A
TERPINOLENE	NT	NT		N/A
LINALOOL	NT	NT		N/A
ISOPULEGOL	NT	NT		N/A
GERANIOL	NT	NT		N/A
β-CARYOPHYLLENE	NT	NT		N/A
α-HUMULENE	NT	NT		N/A
CIS-NEROLIDOL	NT	NT		N/A
TRANS-NEROLIDOL	NT	NT		N/A
GUAIOL	NT	NT		N/A
α-BISABOLOL	NT	NT		N/A
1,8-CINEOLE *	NT	NT		N/A

** TOTAL THC = (THCA X 0.877) + THC
 ** TOTAL CBD = (CBDA X 0.877) + CBD

* BEYOND SCOPE OF ACCREDITATION



SAMPLE WAS TESTED AS RECEIVED. ALL LQC SAMPLES REQUIRED BY SECTION 5730 OF CALIFORNIA CODE OF REGULATIONS TITLE 16 DIVISION 42 BUREAU OF CANNABIS CONTROL WERE PERFORMED AND MET THE ACCEPTANCE CRITERIA.

RESULTS CERTIFIED BY: RON BROOKS, M.S.
 LABORATORY DIRECTOR, BELCOSTA LABS
 JUL 02, 2021

BCL-13: PESTICIDE TESTING BY GC/MS // JUL 01, 2021

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
CAPTAN	0.7 µg/g	ND	0.01977/0.06	PASS
CHLORDANE	Any amt	ND		PASS
CHLORDANE CIS		ND	0.01199/0.03	N/A
CHLORDANE TRANS		ND	0.01082/0.03	N/A
CHLORFENAPYR	Any amt	ND	0.01364/0.06	PASS

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
CHLORPYRIFOS	Any amt	ND	0.01653/0.06	PASS
DICHLORVOS	Any amt	ND	0.01165/0.06	PASS
METHYL PARATHION	Any amt	ND	0.00851/0.06	PASS
PENTACHLORONI-TROBENZENE	0.1 µg/g	ND	0.01282/0.06	PASS

BCL-05: RESIDUAL PESTICIDE ANALYSIS BY LC-MS/MS ESI // JUL 01, 2021

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
ABAMECTIN	0.1 µg/g	ND	0.01153/0.04	PASS
ACEPHATE	0.1 µg/g	ND	0.00368/0.02	PASS
ACEQUINOCYL	0.1 µg/g	ND	0.00417/0.02	PASS
ACETAMIPRID	0.1 µg/g	ND	0.00464/0.02	PASS
ALDICARB	Any amt	ND	0.01109/0.04	PASS
AZOXYSTROBIN	0.1 µg/g	ND	0.00639/0.02	PASS
BIFENAZATE	0.1 µg/g	ND	0.00355/0.02	PASS
BIFENTHRIN	3 µg/g	ND	0.00473/0.04	PASS
BOSCALID	0.1 µg/g	ND	0.00494/0.02	PASS
CARBARYL	0.5 µg/g	ND	0.00295/0.02	PASS
CARBOFURAN	Any amt	ND	0.00613/0.02	PASS
CHLORANTRANIL-IPROLE	10 µg/g	ND	0.00697/0.04	PASS
CLOFENTEZINE	0.1 µg/g	ND	0.0054/0.02	PASS
COUMAPHOS	Any amt	ND	0.00215/0.02	PASS
CYFLUTHRIN	2 µg/g	ND	0.05508/0.2	PASS
CYPERMETHRIN	1 µg/g	ND	0.00556/0.04	PASS
DAMINOZIDE	Any amt	ND	0.00227/0.04	PASS
DIAZINON	0.1 µg/g	ND	0.00487/0.02	PASS
DIMETHOATE	Any amt	ND	0.00354/0.02	PASS
DIMETHOMORPH	2 µg/g	ND		PASS
DIMETHOMORPH I		ND	0.00109/0.0078	N/A
DIMETHOMORPH II		ND	0.0015/0.0122	N/A
ETHOPROPHOS	Any amt	ND	0.0041/0.02	PASS
ETOFENPROX	Any amt	ND	0.00274/0.02	PASS
ETOXAZOLE	0.1 µg/g	ND	0.00385/0.02	PASS
FENHEXAMID	0.1 µg/g	ND	0.01055/0.02	PASS
FENOXYCARB	Any amt	ND	0.00175/0.02	PASS
FENPYROXIMATE	0.1 µg/g	ND	0.00481/0.02	PASS
FIPRONIL	Any amt	ND	0.00478/0.02	PASS
FLONICAMID	0.1 µg/g	ND	0.00398/0.02	PASS
FLUDIOXONIL	0.1 µg/g	ND	0.01369/0.04	PASS
HEXYTHIAZOX	0.1 µg/g	ND	0.00297/0.02	PASS
IMAZALIL	Any amt	ND	0.0056/0.02	PASS
IMIDACLOPRID	5 µg/g	ND	0.00645/0.02	PASS
KRESOXIM-METHYL	0.1 µg/g	ND	0.00339/0.02	PASS

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
MALATHION	0.5 µg/g	ND	0.00472/0.02	PASS
METALAXYL	2 µg/g	ND	0.00503/0.02	PASS
METHIOCARB	Any amt	ND	0.00503/0.02	PASS
METHOMYL	1 µg/g	ND	0.00494/0.02	PASS
MEVINPHOS	Any amt	ND		PASS
MEVINPHOS I		ND	0.00163/0.0084	N/A
MEVINPHOS II		ND	0.00542/0.0316	N/A
MYCLOBUTANIL	0.1 µg/g	ND	0.00867/0.04	PASS
NALED	0.1 µg/g	ND	0.00328/0.02	PASS
OXAMYL	0.5 µg/g	ND	0.00455/0.02	PASS
PACLOBUTRAZOL	Any amt	ND	0.00714/0.04	PASS
PERMETHRIN	0.5 µg/g	ND		PASS
PERMETHRIN CIS		ND	0.00237/0.0082	N/A
PERMETHRIN TRANS		ND	0.00245/0.0118	N/A
PHOSMET	0.1 µg/g	ND	0.0043/0.02	PASS
PIPERONYLBUTOXIDE	3 µg/g	ND	0.00247/0.02	PASS
PRALLETHRIN	0.1 µg/g	ND	0.00392/0.02	PASS
PROPICONAZOLE	0.1 µg/g	ND	0.0024/0.02	PASS
PROPOXUR	Any amt	ND	0.00374/0.02	PASS
PYRETHRINS	0.5 µg/g	ND	0.00726/0.04	PASS
PYRIDABEN	0.1 µg/g	ND	0.0034/0.02	PASS
SPINETORAM	0.1 µg/g	ND		PASS
SPINETORAM J		ND	0.00329/0.016	N/A
SPINETORAM L		ND	0.00157/0.016	N/A
SPINOSAD	0.1 µg/g	ND		PASS
SPINOSAD A		ND	0.00205/0.01438	N/A
SPINOSAD D		ND	0.00104/0.00498	N/A
SPIROMESIFEN	0.1 µg/g	ND	0.00944/0.04	PASS
SPIROTETRAMAT	0.1 µg/g	ND	0.00208/0.02	PASS
SPIROXAMINE	Any amt	ND	0.00344/0.02	PASS
TEBUCONAZOLE	0.1 µg/g	ND	0.00816/0.04	PASS
THIACLOPRID	Any amt	ND	0.0039/0.02	PASS
THIAMETHOXAM	5 µg/g	ND	0.00358/0.02	PASS
TRIFLOXYSTROBIN	0.1 µg/g	ND	0.00421/0.02	PASS



BCL-18: RESIDUAL SOLVENTS ANALYSIS BY HS-GC-MS // JUL 02, 2021

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
1,2-DICHLOROETHANE	1 µg/g	ND	0.17131/0.59761	PASS
ACETONE	5000 µg/g	ND	19.28287/59.76096	PASS
ACETONITRILE	410 µg/g	ND	17.11155/59.76096	PASS
BENZENE	1 µg/g	ND	0.0757/0.59761	PASS
BUTANE	5000 µg/g	80.026	18.04382/59.76096	PASS
CHLOROFORM	1 µg/g	ND	0.1753/0.59761	PASS
ETHANOL	5000 µg/g	< LOQ	14.79283/59.76096	PASS
ETHYL ACETATE	5000 µg/g	ND	18.26693/59.76096	PASS
ETHYLENE OXIDE	1 µg/g	ND	0.19124/0.59761	PASS
ETHYL ETHER	5000 µg/g	ND	16.09163/59.76096	PASS
HEPTANE	5000 µg/g	ND	14.07968/59.76096	PASS
HEXANE	290 µg/g	ND	21.67729/99.60159	PASS
ISOPROPYL ALCOHOL	5000 µg/g	68.630	14.94024/59.76096	PASS
METHANOL	3000 µg/g	ND	13.39841/59.76096	PASS
METHYLENE CHLORIDE	1 µg/g	ND	0.15139/0.59761	PASS
PENTANE	5000 µg/g	ND	32.94821/99.60159	PASS
PROPANE	5000 µg/g	ND	17.0239/59.76096	PASS
TOLUENE	890 µg/g	ND	9.40637/59.76096	PASS
TRICHLOROETHYLENE	1 µg/g	ND	0.07968/0.59761	PASS
O-XYLENE		ND	4.45418/29.88048	N/A
P- AND M-XYLENE		ND	4.12749/29.88048	N/A
TOTAL XYLENES	2170 µg/g	ND		PASS

BCL-11: MYCOTOXIN TESTING BY LC-MS/MS // JUL 01, 2021

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
AFLATOXIN B1		ND	0.23/4	N/A
AFLATOXIN B2		ND	0.181/4	N/A
AFLATOXIN G1		ND	0.155/4	N/A
AFLATOXIN G2		ND	0.934/4	N/A
AFLATOXINS	20 µg/kg	ND		PASS
OCHRATOXIN A	20 µg/kg	ND	0.385/4	PASS

BCL-07: FOREIGN MATERIAL TESTING BY MICROSCOPY // JUN 30, 2021

ANALYTE	LIMIT	AMT (%)	PASS/FAIL
IMBEDDED FOREIGN MATERIAL	25 %	ND	PASS
INSECT FRAGMENTS, HAIR, MAMMAL EXCREMENT	1 Unit	ND	PASS
MOLD	25 %	ND	PASS
SAND, SOIL, CINDERS, DIRT	25 %	ND	PASS

BCL-06: MICROBIOLOGICAL ANALYSIS BY QPCR // JUL 01, 2021

ANALYTE	LIMIT	AMT (CFU)	PASS/FAIL
ASPERGILLUS FLAVUS	Any amt in 1 gram	ND	PASS
ASPERGILLUS FUMIGATUS	Any amt in 1 gram	ND	PASS
ASPERGILLUS NIGER	Any amt in 1 gram	ND	PASS
ASPERGILLUS TERREUS	Any amt in 1 gram	ND	PASS
ESCHERICHIA COLI	Any amt in 1 gram	ND	PASS
SALMONELLA SPP.	Any amt in 1 gram	ND	PASS

BCL-020: HEAVY METAL TESTING BY ICP-MS // JUL 01, 2021

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
ARSENIC	0.2 µg/g	< LOQ	0.001/0.05	PASS
CADMIUM	0.2 µg/g	ND	0.0002/0.05	PASS
LEAD	0.5 µg/g	< LOQ	0.0003/0.05	PASS
MERCURY	0.1 µg/g	ND	0.0001/0.01	PASS

