

Airgraft - Black Dog - 1g Live Resin Cartridge

Sample ID: 2110CSALA7257.9182

Matrix: Concentrates & Extracts
Type: Vape Cartridge
Sample Size: 15 units
Batch Size: 986 units
Batch#: FF00072321-AG

Produced: 07/23/2021
Collected: 10/01/2021
Received: 10/02/2021
Completed: 10/05/2021
Test UID: 1A40603000038C5000074916
Source UID: 1A4060300020919000000249

Distributor
Secure Hauling
Lic. # C11-0000118-LIC
5900 Warehouse Way, Sacramento, CA, 95826

Producer
DELIC LLC
Lic. # CDPH-10004364
1025 Joellis way, Suite 500, Sacramento, CA
95815



Summary

Pass

85.7787% Total Cannabinoids	Pass Pesticides	Pass Residual Solvents
Pass Microbials	Pass Mycotoxins	Pass Heavy Metals

Cannabinoids

Pass

Testing method: HPLC-SOP 101

Analyte	LOD	LOQ	Results	Results
	%	%	%	mg/g
Δ9-THC	0.0207	0.025	74.3292	743.2916
CBG	0.0229	0.025	6.6201	66.2007
CBC	0.0213	0.025	1.3826	13.8264
CBGa	0.0187	0.025	1.2314	12.3143
CBT *	0.021	0.0975	0.6387	6.3869
THCa	0.0184	0.025	0.5792	5.7916
THCV	0.0242	0.025	0.4844	4.8438
CBD	0.0175	0.025	0.2639	2.6386
CBN	0.0245	0.025	0.1443	1.4431
CBCA *	0.0221	0.025	0.0693	0.6930
CBDa	0.0133	0.025	0.0357	0.3572
CBDV	0.0204	0.025	ND	ND
CBDVA *	0.0238	0.025	ND	ND
THCVA *	0.0243	0.025	ND	ND
Δ8-THC	0.022	0.025	ND	ND

74.8371%

Total THC

0.2952%

Total CBD

Package = 1 Pod, 1.0 grams; 748.3708 mg/package Total THC; 2.9519 mg/package Total CBD;

Date Tested: 10/05/2021

Total THC = THCa * 0.877 + d9-THC

Total CBD = CBDa * 0.877 + CBD

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

* Denotes analytes pending ISO-17025 scope addition

Terpenes

Complete

Testing method: HS-GC-FID - SOP 201

Analyte	LOD	LOQ	Results	Results
	%	%	%	mg/g
β-Caryophyllene	0.0057	0.0171	2.27	22.71
δ-Limonene	0.0052	0.0157	1.76	17.57
β-Myrcene	0.0078	0.0237	1.27	12.70
α-Humulene	0.0056	0.0171	0.58	5.84
α-Pinene	0.0057	0.0173	0.32	3.21
trans-Nerolidol	0.0072	0.0217	0.31	3.10
Linalool	0.0074	0.0225	0.29	2.87
α-Bisabolol	0.0096	0.0291	0.14	1.43
Camphene	0.0053	0.0161	0.06	0.61
Terpinolene	0.0055	0.0166	0.03	0.35
Ocimene	0.0036	0.0123	0.03	0.27
α-Terpinene	0.0054	0.0163	0.02	0.20
β-Pinene	0.0048	0.0145	0.02	0.19
Caryophyllene Oxide	0.0285	0.0864	ND	ND
γ-Terpinene	0.0055	0.0166	<LOQ	<LOQ
Eucalyptol	0.0057	0.0173	<LOQ	<LOQ
p-Cymene	0.0053	0.016	<LOQ	<LOQ
Isopulegol	0.0092	0.0279	ND	ND
Geraniol	0.0067	0.0203	ND	ND
δ-3-Carene	0.0052	0.0158	ND	ND
Guaiol	0.0109	0.033	ND	ND
Total			7.10	71.03

Date Tested: 10/04/2021

NT Moisture Moisture Analyzer SOP-103	NT Water Activity Water Activity Meter SOP-102	Pass Foreign Matter Visual Inspection SOP-600 Date Tested: 10/04/2021
--	---	---



ISO / IEC 17025:2017 ACCREDITED
LABORATORY
Accreditation No. 73653

Neyabchian

Neyabchian
Laboratory Director
10/05/2021

Cecilia Melgar

Cecilia Melgar
COA Review
10/05/2021

Airgraft - Black Dog - 1g Live Resin Cartridge

Sample ID: 2110CSALA7257.9182

Matrix: Concentrates & Extracts
Type: Vape Cartridge
Sample Size: 15 units
Batch Size: 986 units
Batch#: FF00072321-AG

Produced: 07/23/2021
Collected: 10/01/2021
Received: 10/02/2021
Completed: 10/05/2021
Test UID: 1A40603000038C5000074916
Source UID: 1A4060300020919000000249

Distributor
Secure Hauling
Lic. # C11-0000118-LIC
5900 Warehouse Way, Sacramento, CA, 95826

Producer
DELIC LLC
Lic. # CDPH-10004364
1025 Joellis way, Suite 500, Sacramento, CA
95815

Pesticides

Pass

Testing method: LCMS & GCMS-SOP 301 and 302

Analyte	LOD	LOQ	Limit	Results	Status	Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.037	0.068	0.1	ND	Pass	Fludioxonil	0.05	0.078	0.1	ND	Pass
Acephate	0.035	0.078	0.1	ND	Pass	Hexythiazox	0.041	0.078	0.1	ND	Pass
Acequinocyl	0.033	0.078	0.1	ND	Pass	Imazalil *	0.047	0.078	0.047	ND	Pass
Acetamiprid	0.034	0.078	0.1	ND	Pass	Imidacloprid	0.033	0.078	5	ND	Pass
Aldicarb *	0.032	0.078	0.032	ND	Pass	Kresoxim Methyl	0.033	0.078	0.1	ND	Pass
Azoxystrobin	0.033	0.078	0.1	ND	Pass	Malathion	0.05	0.078	0.5	ND	Pass
Bifenazate	0.069	0.078	0.1	ND	Pass	Metalaxyl	0.036	0.078	2	ND	Pass
Bifenthrin	0.067	0.078	3	ND	Pass	Methiocarb *	0.05	0.078	0.05	ND	Pass
Boscalid	0.045	0.078	0.1	ND	Pass	Methomyl	0.04	0.078	1	ND	Pass
Captan	0.3188	0.625	0.7	ND	Pass	Methyl Parathion *	0.0387	0.0781	0.0387	ND	Pass
Carbaryl	0.04	0.078	0.5	ND	Pass	Mevinphos *	0.034	0.078	0.034	ND	Pass
Carbofuran *	0.034	0.078	0.034	ND	Pass	Myclobutanil	0.062	0.078	0.1	ND	Pass
Chlorantraniliprole	0.033	0.078	10	ND	Pass	Naled	0.052	0.078	0.1	ND	Pass
Chlordane *	0.0245	0.0781	0.0245	ND	Pass	Oxamyl	0.033	0.078	0.5	ND	Pass
Chlorfenapyr *	0.0178	0.0781	0.0178	ND	Pass	Paclobutrazol *	0.062	0.078	0.062	ND	Pass
Chlorpyrifos *	0.033	0.078	0.033	ND	Pass	Pentachloronitrobenzene	0.0358	0.0781	0.1	ND	Pass
Clofentezine	0.047	0.078	0.1	ND	Pass	Permethrin	0.05	0.078	0.5	ND	Pass
Coumaphos *	0.041	0.078	0.041	ND	Pass	Phosmet	0.033	0.078	0.1	ND	Pass
Cyfluthrin	0.148	0.156	2	ND	Pass	Piperonyl Butoxide	0.039	0.078	3	ND	Pass
Cypermethrin	0.079	0.156	1	ND	Pass	Prallethrin	0.041	0.078	0.1	ND	Pass
Daminozide *	0.043	0.078	0.043	ND	Pass	Propiconazole	0.04	0.078	0.1	ND	Pass
DDVP *	0.037	0.078	0.037	ND	Pass	Propoxur *	0.041	0.078	0.041	ND	Pass
Diazinon	0.031	0.078	0.1	ND	Pass	Pyrethrins	0.188	0.22	0.5	ND	Pass
Dimethoate *	0.028	0.078	0.028	ND	Pass	Pyridaben	0.059	0.078	0.1	ND	Pass
Dimethomorph	0.033	0.078	2	ND	Pass	Spinetoram	0.042	0.078	0.1	ND	Pass
Ethoprophos *	0.029	0.078	0.029	ND	Pass	Spinosad	0.038	0.079	0.1	ND	Pass
Etofenprox *	0.038	0.078	0.038	ND	Pass	Spiromesifen	0.038	0.078	0.1	ND	Pass
Etoxazole	0.034	0.078	0.1	ND	Pass	Spirotetramat	0.031	0.078	0.1	ND	Pass
Fenhexamid	0.072	0.078	0.1	ND	Pass	Spiroxamine *	0.031	0.078	0.031	ND	Pass
Fenoxycarb *	0.028	0.078	0.028	ND	Pass	Tebuconazole	0.034	0.078	0.1	ND	Pass
Fenpyroximate	0.025	0.078	0.1	ND	Pass	Thiacloprid *	0.033	0.078	0.033	ND	Pass
Fipronil *	0.057	0.078	0.057	ND	Pass	Thiamethoxam	0.039	0.078	5	ND	Pass
Flonicamid	0.043	0.078	0.1	ND	Pass	Trifloxystrobin	0.039	0.078	0.1	ND	Pass

Date Tested: 10/04/2021


* Denotes Category I pesticides, which fail when detected; LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



ISO / IEC 17025:2017 ACCREDITED
LABORATORY
Accreditation No. 73653



Neyajourbchian
Laboratory Director
10/05/2021



Cecilia Melgar
COA Review
10/05/2021

Airgraft - Black Dog - 1g Live Resin Cartridge

Sample ID: 2110CSALA7257.9182

 Matrix: Concentrates & Extracts
 Type: Vape Cartridge
 Sample Size: 15 units
 Batch Size: 986 units
 Batch#: FF00072321-AG

 Produced: 07/23/2021
 Collected: 10/01/2021
 Received: 10/02/2021
 Completed: 10/05/2021
 Test UID: 1A40603000038C5000074916
 Source UID: 1A4060300020919000000249

 Distributor
Secure Hauling
 Lic. # C11-0000118-LIC
 5900 Warehouse Way, Sacramento, CA, 95826

 Producer
DELIC LLC
 Lic. # CDPH-10004364
 1025 Joellis way, Suite 500, Sacramento, CA
 95815

Microbials

Pass

Testing method: PCR-SOP 401

Analyte	Result	Status
Aspergillus flavus	Not Detected	Pass
Aspergillus fumigatus	Not Detected	Pass
Aspergillus niger	Not Detected	Pass
Aspergillus terreus	Not Detected	Pass
Salmonella	Not Detected	Pass
Shiga toxin-producing E. Coli	Not Detected	Pass

Date Tested: 10/05/2021

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

Mycotoxins

Pass

Testing method: LCMS-SOP 301

Analyte	LOD	LOQ	Limit	Results	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
Aflatoxin B1	1.9646	3.9293		ND	Tested
Aflatoxin B2	2.947	3.9293		ND	Tested
Aflatoxin G1	2.4558	3.9293		ND	Tested
Aflatoxin G2	2.947	3.9293		ND	Tested
Total Aflatoxins	10.3143	15.7171	20	ND	Pass
Ochratoxin A	6.3851	15.2259	20	ND	Pass

Date Tested: 10/04/2021

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

Heavy Metals

Pass

Testing method: ICPMS-SOP 502

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.005	0.0499	0.2	<LOQ	Pass
Cadmium	0.003	0.0499	0.2	<LOQ	Pass
Lead	0.01	0.0499	0.5	<LOQ	Pass
Mercury	0.002	0.0499	0.1	<LOQ	Pass

Date Tested: 10/05/2021

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


 ISO / IEC 17025:2017 ACCREDITED
 LABORATORY
 Accreditation No. 73653

 Neya Jourabchian
 Laboratory Director
 10/05/2021

 Cecilia Melgar
 COA Review
 10/05/2021

Airgraft - Black Dog - 1g Live Resin Cartridge

Sample ID: 2110CSALA7257.9182

 Matrix: Concentrates & Extracts
 Type: Vape Cartridge
 Sample Size: 15 units
 Batch Size: 986 units
 Batch#: FF00072321-AG

 Produced: 07/23/2021
 Collected: 10/01/2021
 Received: 10/02/2021
 Completed: 10/05/2021
 Test UID: 1A40603000038C5000074916
 Source UID: 1A4060300020919000000249

 Distributor
Secure Hauling
 Lic. # C11-0000118-LIC
 5900 Warehouse Way, Sacramento, CA, 95826

 Producer
DELIC LLC
 Lic. # CDPH-10004364
 1025 Joellis way, Suite 500, Sacramento, CA
 95815

Residual Solvents

Pass

Testing method: HSGCMS-SOP 202

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloroethane	0.08	1.0	1	ND	Pass
Acetone	9.19	50.0	5000	<LOQ	Pass
Acetonitrile	17.49	58.35	410	ND	Pass
Benzene	0.09	1.0	1	ND	Pass
Butane	35.32	117.8	5000	ND	Pass
Chloroform	0.21	1.0	1	ND	Pass
Ethanol	14.96	50.0	5000	50.2	Pass
Ethyl acetate	12.8	50.0	5000	ND	Pass
Ethylene Oxide	0.3	1.0	1	ND	Pass
Ethyl ether	16.0	53.36	5000	ND	Pass
Heptane	42.11	140.48	5000	ND	Pass
Isopropyl alcohol	19.79	66.02	5000	<LOQ	Pass
Methanol	149.0	497.01	3000	ND	Pass
Methylene chloride	0.11	1.0	1	ND	Pass
Hexane	33.99	113.37	290	ND	Pass
Pentane	28.08	93.67	5000	ND	Pass
Propane	42.44	141.57	5000	ND	Pass
Toluene	23.99	80.03	890	ND	Pass
Trichloroethylene	0.06	1.0	1	ND	Pass
Total xylenes	65.49	218.45	2170	ND	Pass

Date Tested: 10/04/2021

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


 ISO / IEC 17025:2017 ACCREDITED
 LABORATORY
 Accreditation No. 73653

 Neya Jourabchian
 Laboratory Director
 10/05/2021

 Cecilia Melgar
 COA Review
 10/05/2021