

# Airgraft - Blue Hawaiian - 1g Live Resin Cartridge

Sample ID: 2110CSALA7257.9183

Matrix: Concentrates & Extracts  
Type: Vape Cartridge  
Sample Size: 15 units  
Batch Size: 994 units  
Batch#: FF00072121-AG

Produced: 07/21/2021  
Collected: 10/01/2021  
Received: 10/02/2021  
Completed: 10/05/2021  
Test UID: 1A40603000038C5000074917  
Source UID: 1A4060300020919000000251

Distributor  
**Secure Hauling**  
Lic. # C11-0000118-LIC  
5900 Warehouse Way, Sacramento, CA, 95826

Producer  
**DELIC LLC**  
Lic. # CDPH-10004364  
1025 Joellis way, Suite 500, Sacramento, CA  
95815



## Summary Pass

<b>78.2629%</b> Total Cannabinoids	<b>Pass</b> Pesticides	<b>Pass</b> Residual Solvents
<b>Pass</b> Microbials	<b>Pass</b> Mycotoxins	<b>Pass</b> Heavy Metals

## Cannabinoids Pass

Testing method: HPLC-SOP 101

Analyte	LOD	LOQ	Results	Results
	%	%	%	mg/g
Δ9-THC	0.0207	0.025	67.7531	677.5309
CBG	0.0229	0.025	5.9012	59.0124
CBGa	0.0187	0.025	1.5269	15.2685
CBC	0.0213	0.025	1.3550	13.5501
THCa	0.0184	0.025	0.7631	7.6312
THCV	0.0242	0.025	0.5444	5.4436
CBN	0.0245	0.025	0.1379	1.3792
CBCA *	0.0221	0.025	0.1217	1.2167
CBD	0.0175	0.025	0.1121	1.1212
CBDa	0.0133	0.025	0.0475	0.4753
CBDV	0.0204	0.025	ND	ND
CBDVA *	0.0238	0.025	ND	ND
CBT *	0.021	0.0975	ND	ND
THCVA *	0.0243	0.025	ND	ND
Δ8-THC	0.022	0.025	ND	ND

<b>68.4223%</b> Total THC	<b>0.1538%</b> Total CBD
------------------------------	-----------------------------

Package = 1 Pod, 1.0 grams; 684.2235 mg/package Total THC; 1.5381 mg/package Total CBD;

Date Tested: 10/04/2021

Total THC = THCa \* 0.877 + d9-THC

Total CBD = CBDa \* 0.877 + CBD

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

\* Denotes analytes pending ISO-17025 scope addition

## Terpenes Complete

Testing method: HS-GC-FID - SOP 201

Analyte	LOD	LOQ	Results	Results
	%	%	%	mg/g
δ-Limonene	0.0052	0.0158	2.11	21.05
β-Caryophyllene	0.0057	0.0173	1.97	19.67
β-Myrcene	0.0079	0.024	0.67	6.72
α-Humulene	0.0057	0.0173	0.51	5.12
α-Pinene	0.0058	0.0175	0.37	3.74
trans-Nerolidol	0.0072	0.0219	0.21	2.14
Linalool	0.0075	0.0227	0.18	1.81
Camphene	0.0054	0.0162	0.06	0.62
Ocimene	0.0036	0.0124	0.05	0.46
Guaiol	0.011	0.0333	0.04	0.41
α-Bisabolol	0.0097	0.0294	<LOQ	<LOQ
Terpinolene	0.0055	0.0168	0.02	0.25
α-Terpinene	0.0054	0.0165	0.02	0.22
β-Pinene	0.0048	0.0146	0.02	0.18
Caryophyllene Oxide	0.0288	0.0872	ND	ND
Isopulegol	0.0093	0.0282	ND	ND
γ-Terpinene	0.0055	0.0168	<LOQ	<LOQ
Eucalyptol	0.0058	0.0175	ND	ND
δ-3-Carene	0.0053	0.0159	ND	ND
Geraniol	0.0068	0.0205	ND	ND
p-Cymene	0.0053	0.0162	ND	ND
<b>Total</b>			<b>6.24</b>	<b>62.39</b>

Date Tested: 10/04/2021

<b>NT</b> Moisture Moisture Analyzer SOP-103	<b>NT</b> Water Activity Water Activity Meter SOP-102	<b>Pass</b> Foreign Matter Visual Inspection SOP-600 Date Tested: 10/04/2021
--	---	---



*Ney Jourabchian*  
Ney Jourabchian  
Laboratory Director  
10/05/2021

*Cecilia Melgar*  
Cecilia Melgar  
COA Review  
10/05/2021

# Airgraft - Blue Hawaiian - 1g Live Resin Cartridge

Sample ID: 2110CSALA7257.9183

Matrix: Concentrates & Extracts  
Type: Vape Cartridge  
Sample Size: 15 units  
Batch Size: 994 units  
Batch#: FF00072121-AG

Produced: 07/21/2021  
Collected: 10/01/2021  
Received: 10/02/2021  
Completed: 10/05/2021  
Test UID: 1A40603000038C5000074917  
Source UID: 1A4060300020919000000251

Distributor  
**Secure Hauling**  
Lic. # C11-0000118-LIC  
5900 Warehouse Way, Sacramento, CA, 95826

Producer  
**DELIC LLC**  
Lic. # CDPH-10004364  
1025 Joellis way, Suite 500, Sacramento, CA  
95815

## Pesticides

Pass

Testing method: LCMS & GCMS-SOP 301 and 302

Analyte	LOD	LOQ	Limit	Results	Status	Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.037	0.068	0.1	ND	Pass	Fludioxonil	0.05	0.078	0.1	ND	Pass
Acephate	0.035	0.078	0.1	ND	Pass	Hexythiazox	0.041	0.078	0.1	ND	Pass
Acequinocyl	0.033	0.078	0.1	ND	Pass	Imazalil *	0.047	0.078	0.047	ND	Pass
Acetamiprid	0.034	0.078	0.1	ND	Pass	Imidacloprid	0.033	0.078	5	ND	Pass
Aldicarb *	0.032	0.078	0.032	ND	Pass	Kresoxim Methyl	0.033	0.078	0.1	ND	Pass
Azoxystrobin	0.033	0.078	0.1	ND	Pass	Malathion	0.05	0.078	0.5	ND	Pass
Bifenazate	0.069	0.078	0.1	ND	Pass	Metalaxyl	0.036	0.078	2	ND	Pass
Bifenthrin	0.067	0.078	3	ND	Pass	Methiocarb *	0.05	0.078	0.05	ND	Pass
Boscalid	0.045	0.078	0.1	ND	Pass	Methomyl	0.04	0.078	1	ND	Pass
Captan	0.3188	0.625	0.7	ND	Pass	Methyl Parathion *	0.0387	0.0781	0.0387	ND	Pass
Carbaryl	0.04	0.078	0.5	ND	Pass	Mevinphos *	0.034	0.078	0.034	ND	Pass
Carbofuran *	0.034	0.078	0.034	ND	Pass	Myclobutanil	0.062	0.078	0.1	ND	Pass
Chlorantraniliprole	0.033	0.078	10	ND	Pass	Naled	0.052	0.078	0.1	ND	Pass
Chlordane *	0.0245	0.0781	0.0245	ND	Pass	Oxamyl	0.033	0.078	0.5	ND	Pass
Chlorfenapyr *	0.0178	0.0781	0.0178	ND	Pass	Paclobutrazol *	0.062	0.078	0.062	ND	Pass
Chlorpyrifos *	0.033	0.078	0.033	ND	Pass	Pentachloronitrobenzene	0.0358	0.0781	0.1	ND	Pass
Clofentezine	0.047	0.078	0.1	ND	Pass	Permethrin	0.05	0.078	0.5	ND	Pass
Coumaphos *	0.041	0.078	0.041	ND	Pass	Phosmet	0.033	0.078	0.1	ND	Pass
Cyfluthrin	0.148	0.156	2	ND	Pass	Piperonyl Butoxide	0.039	0.078	3	ND	Pass
Cypermethrin	0.079	0.156	1	ND	Pass	Prallethrin	0.041	0.078	0.1	ND	Pass
Daminozide *	0.043	0.078	0.043	ND	Pass	Propiconazole	0.04	0.078	0.1	ND	Pass
DDVP *	0.037	0.078	0.037	ND	Pass	Propoxur *	0.041	0.078	0.041	ND	Pass
Diazinon	0.031	0.078	0.1	ND	Pass	Pyrethrins	0.188	0.22	0.5	ND	Pass
Dimethoate *	0.028	0.078	0.028	ND	Pass	Pyridaben	0.059	0.078	0.1	ND	Pass
Dimethomorph	0.033	0.078	2	ND	Pass	Spinetoram	0.042	0.078	0.1	ND	Pass
Ethoprophos *	0.029	0.078	0.029	ND	Pass	Spinosad	0.038	0.079	0.1	ND	Pass
Etofenprox *	0.038	0.078	0.038	ND	Pass	Spiromesifen	0.038	0.078	0.1	ND	Pass
Etoxazole	0.034	0.078	0.1	ND	Pass	Spirotetramat	0.031	0.078	0.1	ND	Pass
Fenhexamid	0.072	0.078	0.1	ND	Pass	Spiroxamine *	0.031	0.078	0.031	ND	Pass
Fenoxycarb *	0.028	0.078	0.028	ND	Pass	Tebuconazole	0.034	0.078	0.1	ND	Pass
Fenpyroximate	0.025	0.078	0.1	ND	Pass	Thiacloprid *	0.033	0.078	0.033	ND	Pass
Fipronil *	0.057	0.078	0.057	ND	Pass	Thiamethoxam	0.039	0.078	5	ND	Pass
Flonicamid	0.043	0.078	0.1	ND	Pass	Trifloxystrobin	0.039	0.078	0.1	ND	Pass

Date Tested: 10/04/2021

\* Denotes Category I pesticides, which fail when detected; LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



ISO / IEC 17025:2017 ACCREDITED  
LABORATORY  
Accreditation No. 73653



Ney Jourabchian  
Laboratory Director  
10/05/2021



Cecilia Melgar  
COA Review  
10/05/2021

# Airgraft - Blue Hawaiian - 1g Live Resin Cartridge

Sample ID: 2110CSALA7257.9183

Matrix: Concentrates & Extracts  
Type: Vape Cartridge  
Sample Size: 15 units  
Batch Size: 994 units  
Batch#: FF00072121-AG

Produced: 07/21/2021  
Collected: 10/01/2021  
Received: 10/02/2021  
Completed: 10/05/2021  
Test UID: 1A40603000038C5000074917  
Source UID: 1A4060300020919000000251

Distributor  
**Secure Hauling**  
Lic. # C11-0000118-LIC  
5900 Warehouse Way, Sacramento, CA, 95826

Producer  
**DELIC LLC**  
Lic. # CDPH-10004364  
1025 Joellis way, Suite 500, Sacramento, CA  
95815

## Microbials

Pass

Testing method: PCR-SOP 401

Analyte	Result	Status
Aspergillus flavus	Not Detected	Pass
Aspergillus fumigatus	Not Detected	Pass
Aspergillus niger	Not Detected	Pass
Aspergillus terreus	Not Detected	Pass
Salmonella	Not Detected	Pass
Shiga toxin-producing E. Coli	Not Detected	Pass

Date Tested: 10/05/2021

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

## Mycotoxins

Pass

Testing method: LCMS-SOP 301

Analyte	LOD	LOQ	Limit	Results	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
Aflatoxin B1	2.0	3.9		ND	Tested
Aflatoxin B2	3.0	3.9		ND	Tested
Aflatoxin G1	2.4	3.9		ND	Tested
Aflatoxin G2	3.1	3.9		ND	Tested
Total Aflatoxins	10.5	15.6	20	ND	Pass
Ochratoxin A	6.4	15.5	20	ND	Pass

Date Tested: 10/04/2021

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

## Heavy Metals

Pass

Testing method: ICPMS-SOP 502

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.005	0.0499	0.2	<LOQ	Pass
Cadmium	0.003	0.0499	0.2	<LOQ	Pass
Lead	0.01	0.0499	0.5	<LOQ	Pass
Mercury	0.002	0.0499	0.1	<LOQ	Pass

Date Tested: 10/05/2021


LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



ISO / IEC 17025:2017 ACCREDITED  
LABORATORY  
Accreditation No. 73653



Neya Jourabchian  
Laboratory Director  
10/05/2021



Cecilia Melgar  
COA Review  
10/05/2021

## Airgraft - Blue Hawaiian - 1g Live Resin Cartridge

Sample ID: 2110CSALA7257.9183

 Matrix: Concentrates & Extracts  
 Type: Vape Cartridge  
 Sample Size: 15 units  
 Batch Size: 994 units  
 Batch#: FF00072121-AG

 Produced: 07/21/2021  
 Collected: 10/01/2021  
 Received: 10/02/2021  
 Completed: 10/05/2021  
 Test UID: 1A40603000038C5000074917  
 Source UID: 1A4060300020919000000251

 Distributor  
**Secure Hauling**  
 Lic. # C11-0000118-LIC  
 5900 Warehouse Way, Sacramento, CA, 95826

 Producer  
**DELIC LLC**  
 Lic. # CDPH-10004364  
 1025 Joellis way, Suite 500, Sacramento, CA  
 95815

### Residual Solvents

Pass

Testing method: HSGCMS-SOP 202

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloroethane	0.08	1.0	1	ND	Pass
Acetone	9.19	50.0	5000	<LOQ	Pass
Acetonitrile	17.49	58.35	410	ND	Pass
Benzene	0.09	1.0	1	ND	Pass
Butane	35.32	117.8	5000	ND	Pass
Chloroform	0.21	1.0	1	ND	Pass
Ethanol	14.96	50.0	5000	<LOQ	Pass
Ethyl acetate	12.8	50.0	5000	ND	Pass
Ethylene Oxide	0.3	1.0	1	ND	Pass
Ethyl ether	16.0	53.36	5000	ND	Pass
Heptane	42.11	140.48	5000	ND	Pass
Isopropyl alcohol	19.79	66.02	5000	<LOQ	Pass
Methanol	149.0	497.01	3000	ND	Pass
Methylene chloride	0.11	1.0	1	ND	Pass
Hexane	33.99	113.37	290	ND	Pass
Pentane	28.08	93.67	5000	ND	Pass
Propane	42.44	141.57	5000	ND	Pass
Toluene	23.99	80.03	890	ND	Pass
Trichloroethylene	0.06	1.0	1	ND	Pass
Total xylenes	65.49	218.45	2170	ND	Pass

Date Tested: 10/04/2021

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


 ISO / IEC 17025:2017 ACCREDITED  
 LABORATORY  
 Accreditation No. 73653



 Neya Jourabchian  
 Laboratory Director  
 10/05/2021



 Cecilia Melgar  
 COA Review  
 10/05/2021