

# Medusa

METRC Sample: 1A4060300004CF6000099499; METRC Batch: 1A4060300004CF5000001050

Sample ID: 2205CGL1516.3480	Produced: 05/13/2022	Distributor	Producer
Strain: Medusa	Collected: 05/18/2022	<b>MVN Productions</b>	<b>MVN Productions, LLC</b>
Matrix: Concentrates & Extracts	Received: 05/18/2022	Lic. # C11-0000742-LIC	Lic. # CDPH-10003419
Type: Other	Completed: 05/24/2022	13546 Desmond St.	13546 Desmond St. Pacoima, CA 91331
Sample Size: 15 units; Batch: 1,506 units	Batch#: MVN-MED-AGGB-F00004	Pacoima, CA 91331	



## Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	05/19/2022	Complete
Terpenes	05/23/2022	Complete
Residual Solvents	05/20/2022	Pass
Microbials	05/20/2022	Pass
Mycotoxins	05/20/2022	Pass
Pesticides	05/20/2022	Pass
Heavy Metals	05/19/2022	Pass
Foreign Matter	05/19/2022	Pass

## Cannabinoids

Complete

<b>910.484 mg/container</b> 91.048% Total THC	<b>ND</b> ND Total CBD	<b>974.911 mg/container</b> 97.491% Total Cannabinoids
---	------------------------------	--

Analyte	LOD	LOQ	Result	Result	Result	Result
	mg/g	mg/g	%	mg/g	mg/serving	mg/container
THCa	0.47	0.94	ND	ND	ND	ND
Δ9-THC	0.71	0.94	91.048	910.48	910.484	910.484
Δ8-THC	0.71	0.94	ND	ND	ND	ND
THCV	0.71	0.94	0.331	3.31	3.309	3.309
CBDa	0.47	0.94	ND	ND	ND	ND
CBD	0.71	0.94	ND	ND	ND	ND
CBDV	0.71	0.94	ND	ND	ND	ND
CBN	0.47	0.94	0.621	6.21	6.211	6.211
CBGa	0.47	0.94	ND	ND	ND	ND
CBG	0.71	0.94	4.075	40.75	40.745	40.745
CBC	0.47	0.94	1.416	14.16	14.161	14.161
<b>Total THC</b>			<b>91.048</b>	<b>910.484</b>	<b>910.484</b>	<b>910.484</b>
<b>Total CBD</b>			<b>ND</b>	<b>ND</b>	<b>ND</b>	<b>ND</b>
<b>Total</b>			<b>97.491</b>	<b>974.911</b>	<b>974.911</b>	<b>974.911</b>

Date Tested: 05/19/2022

1 Unit = 1 Vape Pod, 1g, 1 unit(s) per serving, 1 serving(s) per container.

Potency by UHPLC: CGL-P-720-009-B

Total THC = THCa \* 0.877 + Δ9-THC; Total CBD = CBDa \* 0.877 + CBD

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.




Samantha Lui - Laboratory Director  
05/24/2022

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



































This product has been tested by Caligreen Laboratories using valid testing methodologies and a quality system as required by state law. Water activity and moisture content method: CGL-WAMC-ROHAUS. The instruments used are the Rotronic HC2-AW-USB Water Activity and Temperature meter and OHAUS MB27 Moisture Analyzer. The SOP for foreign material is CGL-FM-DINO performed with the Dino-Lite A904126 digital microscope. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Analyte limits are regulatory limits set by the BCC. This constitutes the required decision rule. Values reported relate only to the product tested. Caligreen Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Caligreen Laboratories.

## Medusa

METRC Sample: 1A4060300004CF6000099499; METRC Batch: 1A4060300004CF5000001050

Sample ID: 2205CGL1516.3480	Produced: 05/13/2022	Distributor	Producer
Strain: Medusa	Collected: 05/18/2022	<b>MVN Productions</b>	<b>MVN Productions, LLC</b>
Matrix: Concentrates & Extracts	Received: 05/18/2022	Lic. # C11-0000742-LIC	Lic. # CDPH-10003419
Type: Other	Completed: 05/24/2022	13546 Desmond St.	13546 Desmond St. Pacoima, CA 91331
Sample Size: 15 units; Batch: 1,506 units	Batch#: MVN-MED-AGGB-F00004	Pacoima, CA 91331	

## Terpenes

Terpenes	LOD	LOQ	Mass	Mass		Terpenes	LOD	LOQ	Mass	Mass
	mg/g	mg/g	mg/g	%			mg/g	mg/g	mg/g	%
δ-Limonene	0.02	0.06	8.36	0.836		D-Isomenthone	0.01	0.12	ND	ND
β-Myrcene	0.02	0.06	3.59	0.359		Eucalyptol	0.02	0.06	ND	ND
Linalool	0.02	0.06	2.41	0.241		Fenchone	0.02	0.06	<LOQ	<LOQ
β-Caryophyllene	0.02	0.06	1.97	0.197		γ-Terpinene	0.02	0.06	ND	ND
β-Pinene	0.02	0.06	1.16	0.116		Geraniol	0.02	0.06	<LOQ	<LOQ
α-Pinene	0.02	0.06	0.70	0.070		Geranyl Acetate	0.02	0.06	ND	ND
Fenchol	0.02	0.06	0.70	0.070		Guaiol	0.02	0.06	ND	ND
α-Humulene	0.02	0.06	0.38	0.038		Isoborneol	0.02	0.06	ND	ND
cis-β-Farnesene	0.02	0.06	0.31	0.031		Isobornyl Acetate	0.02	0.06	ND	ND
α-Terpineol	0.02	0.06	0.27	0.027		Isopulegol	0.02	0.06	ND	ND
α-Cedrene	0.02	0.06	0.21	0.021		m-Cymene	0.02	0.06	ND	ND
Camphene	0.02	0.06	0.20	0.020		Menthol	0.02	0.06	ND	ND
Valencene	0.02	0.06	0.11	0.011		Menthone	0.01	0.05	ND	ND
Terpinolene	0.02	0.06	0.10	0.010		Neral	0.12	0.02	ND	ND
trans-Ocimene	0.01	0.04	0.07	0.007		Nerol	0.02	0.06	ND	ND
cis-Nerolidol	0.01	0.03	0.06	0.006		Nootkatone	0.02	0.06	ND	ND
2-Piperidone	0.02	0.06	ND	ND		o-Cymene	0.02	0.06	ND	ND
3-Carene	0.02	0.06	ND	ND		Octyl Acetate	0.02	0.06	ND	ND
α-Bisabolol	0.02	0.06	<LOQ	<LOQ		Phytane	0.02	0.06	ND	ND
α-Phellandrene	0.02	0.06	ND	ND		Piperitone	0.02	0.06	ND	ND
α-Terpinene	0.02	0.06	ND	ND		Pulegone	0.02	0.06	ND	ND
β-Cedrene	0.01	0.05	ND	ND		p-Cymene	0.02	0.06	ND	ND
Borneol	0.02	0.06	<LOQ	<LOQ		Sabinene	0.02	0.06	ND	ND
Camphor	0.02	0.06	ND	ND		Sabinene Hydrate	0.02	0.06	ND	ND
Carvacrol	0.02	0.06	ND	ND		Safranal	0.02	0.06	ND	ND
Carvone	0.02	0.06	ND	ND		Terpinen-4-ol	0.02	0.06	<LOQ	<LOQ
Caryophyllene Oxide	0.02	0.06	<LOQ	<LOQ		Thujone	0.02	0.06	ND	ND
Cedrol	0.02	0.06	ND	ND		Thymol	0.02	0.06	ND	ND
cis-Farnesol	0.16	0.03	ND	ND		trans-Farnesol	0.16	0.03	ND	ND
cis-Ocimene	0.00	0.02	ND	ND		trans-Nerolidol	0.01	0.04	<LOQ	<LOQ
Citral	0.01	0.04	ND	ND		Verbenone	0.02	0.06	ND	ND
Citronellol	0.02	0.06	<LOQ	<LOQ		<b>Total</b>			<b>20.62</b>	<b>2.062</b>

## Primary Aromas



Date Tested: 05/23/2022

Terpenes by HSGC-MS: CGL-P-720-011-B

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.




Samantha Lui - Laboratory Director  
05/24/2022

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



This product has been tested by Caligreen Laboratories using valid testing methodologies and a quality system as required by state law. Water activity and moisture content method: CGL-WAMC-ROHAUS. The instruments used are the Rotronic HC2-AW-USB Water Activity and Temperature meter and OHAUS MB27 Moisture Analyzer. The SOP for foreign material is CGL-FM-DINO performed with the Dino-Lite A904126 digital microscope. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Analyte limits are regulatory limits set by the BCC. This constitutes the required decision rule. Values reported relate only to the product tested. Caligreen Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Caligreen Laboratories.



Caligreen Laboratory  
13340 Saticoy Street Unit H  
North Hollywood, CA 91605

(818) 979-9474  
www.caligreenlaboratory.com  
Lic# C8-0000104-LIC

# Medusa

METRC Sample: 1A4060300004CF6000099499; METRC Batch: 1A4060300004CF5000001050

Sample ID: 2205CGL1516.3480	Produced: 05/13/2022	Distributor	Producer
Strain: Medusa	Collected: 05/18/2022	<b>MVN Productions</b>	<b>MVN Productions, LLC</b>
Matrix: Concentrates & Extracts	Received: 05/18/2022	Lic. # C11-0000742-LIC	Lic. # CDPH-10003419
Type: Other	Completed: 05/24/2022	13546 Desmond St.	13546 Desmond St. Pacoima, CA 91331
Sample Size: 15 units; Batch: 1,506 units	Batch#: MVN-MED-AGGB-F00004	Pacoima, CA 91331	

## Pesticides

Pass

Pesticides	LOD	LOQ	Limit	Mass	Status	Pesticides	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.0375	0.075	0.1	ND	Pass	Fludioxonil	0.01875	0.075	0.1	ND	Pass
Acephate	0.01875	0.075	0.1	ND	Pass	Hexythiazox	0.01875	0.075	0.1	ND	Pass
Acequinocyl	0.075	0.1	0.1	ND	Pass	Imazalil	0.01875	0.075	0.01875	ND	Pass
Acetamiprid	0.01875	0.075	0.1	ND	Pass	Imidacloprid	0.01875	0.075	5	ND	Pass
Aldicarb	0.01875	0.075	0.01875	ND	Pass	Kresoxim Methyl	0.01875	0.075	0.1	ND	Pass
Azoxystrobin	0.01875	0.075	0.1	ND	Pass	Malathion	0.01875	0.1	0.5	ND	Pass
Bifenazate	0.01875	0.075	0.1	<LOQ	Pass	Metalaxyl	0.01875	0.1	2	ND	Pass
Bifenthrin	0.01875	0.1	3	ND	Pass	Methiocarb	0.01875	0.075	0.01875	ND	Pass
Boscalid	0.01875	0.075	0.1	ND	Pass	Methomyl	0.01875	0.075	1	ND	Pass
Captan	0.01875	0.075	0.7	ND	Pass	Mevinphos	0.01875	0.075	0.01875	ND	Pass
Carbaryl	0.01875	0.1	0.5	ND	Pass	Myclobutanil	0.01875	0.075	0.1	ND	Pass
Carbofuran	0.01875	0.075	0.01875	ND	Pass	Naled	0.01875	0.075	0.1	ND	Pass
Chlorantraniliprole	0.01875	0.1	10	ND	Pass	Oxamyl	0.01875	0.075	0.5	ND	Pass
Chlordane	0.01875	0.075	0.01875	ND	Pass	Pacllobutrazol	0.01875	0.075	0.01875	ND	Pass
Chlorfenapyr	0.01875	0.075	0.01875	ND	Pass	Parathion Methyl	0.01875	0.075	0.01875	ND	Pass
Chlorpyrifos	0.01875	0.075	0.01875	ND	Pass	Pentachloronitrobenzene	0.01875	0.075	0.1	ND	Pass
Clofentezine	0.01875	0.075	0.1	ND	Pass	Permethrin	0.01875	0.1	0.5	ND	Pass
Coumaphos	0.01875	0.075	0.01875	ND	Pass	Phosmet	0.01875	0.075	0.1	ND	Pass
Cyfluthrin	0.01875	0.075	2	ND	Pass	Piperonyl Butoxide	0.01875	0.1	3	ND	Pass
Cypermethrin	0.01875	0.075	1	ND	Pass	Prallethrin	0.01875	0.075	0.1	ND	Pass
Daminozide	0.01875	0.075	0.01875	ND	Pass	Propiconazole	0.01875	0.075	0.1	ND	Pass
Diazinon	0.01875	0.075	0.1	ND	Pass	Propoxur	0.01875	0.075	0.01875	ND	Pass
Dichlorvos	0.01875	0.075	0.01875	ND	Pass	Pyrethrins	0.0375	0.1	0.5	ND	Pass
Dimethoate	0.01875	0.075	0.01875	ND	Pass	Pyridaben	0.01875	0.075	0.1	ND	Pass
Dimethomorph	0.01875	0.1	2	ND	Pass	Spinetoram	0.01875	0.075	0.1	ND	Pass
Ethoprophos	0.01875	0.075	0.01875	ND	Pass	Spinosad	0.01875	0.075	0.1	ND	Pass
Etofenprox	0.0375	0.075	0.0375	ND	Pass	Spiromesifen	0.01875	0.075	0.1	ND	Pass
Etoxazole	0.01875	0.075	0.1	ND	Pass	Spirotetramat	0.01875	0.075	0.1	ND	Pass
Fenhexamid	0.0375	0.075	0.1	ND	Pass	Spiroxamine	0.01875	0.075	0.01875	ND	Pass
Fenoxycarb	0.01875	0.075	0.01875	ND	Pass	Tebuconazole	0.01875	0.075	0.1	ND	Pass
Fenpyroximate	0.05625	0.075	0.1	ND	Pass	Thiacloprid	0.01875	0.075	0.01875	ND	Pass
Fipronil	0.01875	0.075	0.01875	ND	Pass	Thiamethoxam	0.01875	0.075	5	ND	Pass
Fonicamid	0.0375	0.075	0.1	ND	Pass	Trifloxystrobin	0.01875	0.075	0.1	ND	Pass

Date Tested: 05/20/2022

Pesticides by LC-MSMS: CGL-P-720-007-B; Pesticides by GC-MSMS: CGL-P-720-008-B

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



*Samantha Lui*

Samantha Lui - Laboratory Director  
05/24/2022

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



This product has been tested by Caligreen Laboratories using valid testing methodologies and a quality system as required by state law. Water activity and moisture content method: CGL-WAMC-ROHAUS. The instruments used are the Rotronic HC2-AW-USB Water Activity and Temperature meter and OHAUS MB27 Moisture Analyzer. The SOP for foreign material is CGL-FM-DINO performed with the Dino-Lite A904126 digital microscope. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Analyte limits are regulatory limits set by the BCC. This constitutes the required decision rule. Values reported relate only to the product tested. Caligreen Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Caligreen Laboratories.



## Medusa

METRC Sample: 1A4060300004CF6000099499; METRC Batch: 1A4060300004CF5000001050

Sample ID: 2205CGL1516.3480	Produced: 05/13/2022	Distributor	Producer
Strain: Medusa	Collected: 05/18/2022	<b>MVN Productions</b>	<b>MVN Productions, LLC</b>
Matrix: Concentrates & Extracts	Received: 05/18/2022	Lic. # C11-0000742-LIC	Lic. # CDPH-10003419
Type: Other	Completed: 05/24/2022	13546 Desmond St.	13546 Desmond St. Pacoima, CA 91331
Sample Size: 15 units; Batch: 1,506 units	Batch#: MVN-MED-AGGB-F00004	Pacoima, CA 91331	

## Microbials

Pass

Microbials	Result	Status
Aspergillus flavus	Not Detected in 1g	Pass
Aspergillus fumigatus	Not Detected in 1g	Pass
Aspergillus niger	Not Detected in 1g	Pass
Aspergillus terreus	Not Detected in 1g	Pass
Shiga toxin-producing E. Coli	Not Detected in 1g	Pass
Salmonella SPP	Not Detected in 1g	Pass

Date Tested: 05/20/2022  
 Microbials by qPCR: CGL-P-720-013-ATNTC = Too Numerous to Count

## Mycotoxins

Pass

Mycotoxins	LOD	LOQ	Limit	Result	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
B1	1.25	5		ND	Tested
B2	1.25	5		ND	Tested
G1	1.25	5		ND	Tested
G2	2.5	5		ND	Tested
Total Aflatoxins			20	ND	Pass
Ochratoxin A	6.6	16.6	20	ND	Pass

Date Tested: 05/20/2022  
 Mycotoxins by LC-MSMS: CGL-P-720-007-B  
 LOQ = Limit of Quantitation

## Heavy Metals

Pass

Metals	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.000124	0.05	0.2	<LOQ	Pass
Cadmium	0.000111	0.05	0.2	<LOQ	Pass
Lead	0.000119	0.05	0.5	<LOQ	Pass
Mercury	0.000097	0.05	0.1	ND	Pass

Date Tested: 05/19/2022  
 Heavy Metals by ICP-MS: CGL-P-720-012-B  
 LOQ = Limit of Quantitation



*Samantha Lui*

Samantha Lui - Laboratory Director  
 05/24/2022

Confident Cannabis  
 All Rights Reserved  
 support@confidentcannabis.com  
 (866) 506-5866  
 www.confidentcannabis.com



This product has been tested by Caligreen Laboratories using valid testing methodologies and a quality system as required by state law. Water activity and moisture content method: CGL-WAMC-ROHAUS. The instruments used are the Rotronic HC2-AW-USB Water Activity and Temperature meter and OHAUS MB27 Moisture Analyzer. The SOP for foreign material is CGL-FM-DINO performed with the Dino-Lite A904126 digital microscope. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Analyte limits are regulatory limits set by the BCC. This constitutes the required decision rule. Values reported relate only to the product tested. Caligreen Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Caligreen Laboratories.

## Medusa

METRC Sample: 1A4060300004CF6000099499; METRC Batch: 1A4060300004CF5000001050

Sample ID: 2205CGL1516.3480	Produced: 05/13/2022	Distributor	Producer
Strain: Medusa	Collected: 05/18/2022	<b>MVN Productions</b>	<b>MVN Productions, LLC</b>
Matrix: Concentrates & Extracts	Received: 05/18/2022	Lic. # C11-0000742-LIC	Lic. # CDPH-10003419
Type: Other	Completed: 05/24/2022	13546 Desmond St.	13546 Desmond St. Pacoima, CA 91331
Sample Size: 15 units; Batch: 1,506 units	Batch#: MVN-MED-AGGB-F00004	Pacoima, CA 91331	

## Residual Solvents

Pass

Solvents	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g	
1,2 Dichloroethane	0.2344	0.4688	1	ND	Pass
Acetone	23.438	187.5	5000	ND	Pass
Acetonitrile	23.438	187.5	410	ND	Pass
Benzene	0.2344	0.4688	1	ND	Pass
Butane	23.438	93.75	5000	ND	Pass
Chloroform	0.2344	0.4688	1	ND	Pass
Ethanol	23.438	187.5	5000	ND	Pass
Ethyl Acetate	23.438	187.5	5000	ND	Pass
Ethyl-Ether	23.438	187.5	5000	ND	Pass
Ethylene Oxide	0.2344	0.4688	1	ND	Pass
Heptane	23.438	187.5	5000	ND	Pass
Isopropanol	23.438	187.5	5000	ND	Pass
m+p Xylene	23.438	187.5		ND	Tested
Methanol	93.75	187.5	3000	ND	Pass
Methylene Chloride	0.2344	0.4688	1	ND	Pass
n-Hexane	23.438	187.5	290	ND	Pass
o-Xylene	23.438	187.5		ND	Tested
Pentane	23.438	187.5	5000	ND	Pass
Propane	23.438	93.75	5000	ND	Pass
Toluene	23.438	187.5	890	ND	Pass
Trichloroethene	0.2344	0.4688	1	ND	Pass
Xylenes	23.438	187.5	2170	ND	Pass

CALIGREEN  
LABORATORY

TESTED & TRUSTED

Date Tested: 05/20/2022

Solvents by HSGC-MS Method: SOP CGL-P-720-010-B

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



Samantha Lui - Laboratory Director  
05/24/2022

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



This product has been tested by Caligreen Laboratories using valid testing methodologies and a quality system as required by state law. Water activity and moisture content method: CGL-WAMC-ROHAUS. The instruments used are the Rotronic HC2-AW-USB Water Activity and Temperature meter and OHAUS MB27 Moisture Analyzer. The SOP for foreign material is CGL-FM-DINO performed with the Dino-Lite A904126 digital microscope. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Analyte limits are regulatory limits set by the BCC. This constitutes the required decision rule. Values reported relate only to the product tested. Caligreen Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Caligreen Laboratories.