

Strawberry Banana

METRC Batch: 1A40603000067EB000023668
METRC Sample: 1A4060300009F2A000016281
Sample ID: 2206ENC4942_7534
Strain: Strawberry Banana

Collected: 06/13/2022
Received: 06/13/2022
Completed: 06/15/2022
Sample Size: 13 units; Batch: 1,969 units

Distributor
Syndicate Lancaster

Lic. # C11-0000650-LIC
220 W Avenue H 6,
Lancaster, CA, 93543

Producer
Syndicate Lancaster

Lic. # CDPH-10003553
220 W Avenue H 6 Lancaster, CA 93543

Matrix: Concentrates & Extracts
Type: Distillate
Batch#: LR2AGSBB



Summary

Test	Date Tested	Instr. Method	Result
Batch			Pass
Cannabinoids	06/14/2022	LC-DAD	Pass
Pesticides	06/14/2022	LC-MS	Pass
Mycotoxins	06/14/2022	LC-MS	Pass
Residual Solvents	06/14/2022	HS-GC-MS	Pass
Microbial Impurities	06/15/2022	qPCR	Pass
Heavy Metals	06/15/2022	ICP-MS	Pass
Foreign Matter	06/14/2022	Visual Inspection	Pass

Cannabinoids

Method: SOP EL-CANNABINOIDS

88.272 %

Total THC

0.188 %

Total CBD

94.694 %

Total Cannabinoids

Analytes	LOD	LOQ	Result	Result	Result
	mg/g	mg/g	%	mg/g	mg/unit
THCa	0.243	0.738	ND	ND	ND
Δ9-THC	0.261	0.790	88.272	882.72	882.72
Δ8-THC	0.288	0.873	ND	ND	ND
THCVa	0.281	0.851	ND	ND	ND
THCV	0.290	0.880	0.444	4.44	4.44
CBDa	0.255	0.774	ND	ND	ND
CBD	0.246	0.745	0.188	1.88	1.88
CBN	0.232	0.702	0.498	4.98	4.98
CBGa	0.277	0.840	ND	ND	ND
CBG	0.256	0.774	2.969	29.69	29.69
CBCa	0.226	0.685	ND	ND	ND
CBC	0.265	0.804	2.323	23.23	23.23
Total THC			88.272	882.72	882.720
Total CBD			0.188	1.88	1.876
Total Cannabinoids			94.694	946.94	946.937

1 Unit = 1g;

Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; Total Cannabinoids = (cannabinoid acid form * 0.877) + cannabinoid; LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected. The reported result is based on a sample weight with the applicable moisture content for that sample. Foreign Material Method: SOP EL-FOREIGN; Moisture and Water Activity Method: SOP EL-WATER



Evelyn Alvarez
Evelyn Alvarez
QA Director | 06/15/2022



Strawberry Banana

METRC Batch: 1A40603000067EB000023668
METRC Sample: 1A4060300009F2A000016281
Sample ID: 2206ENC4942_7534
Strain: Strawberry Banana

Collected: 06/13/2022
Received: 06/13/2022
Completed: 06/15/2022
Sample Size: 13 units; Batch: 1,969 units

Distributor
Syndicate Lancaster

Lic. # C11-0000650-LIC
220 W Avenue H 6,
Lancaster, CA, 93543

Producer
Syndicate Lancaster

Lic. # CDPH-10003553
220 W Avenue H 6 Lancaster, CA 93543

Matrix: Concentrates & Extracts
Type: Distillate
Batch#: LR2AGSBB

Pesticides

Method: EL-PESTMYCOLCMS

Analytes	LOD	LOQ	Limit	Result	Status	Analytes	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.005	0.02	0.10	ND	Pass	Fludioxonil	0.01	0.05	0.10	ND	Pass
Acephate	0.002	0.01	0.10	ND	Pass	Hexythiazox	0.005	0.02	0.10	ND	Pass
Acequinocyl	0.01	0.02	0.10	ND	Pass	Imazalil	0.05	0.1	0.05	ND	Pass
Acetamiprid	0.005	0.02	0.10	ND	Pass	Imidacloprid	0.005	0.02	5.00	ND	Pass
Aldicarb	0.05	0.1	0.05	ND	Pass	Kresoxim Methyl	0.005	0.02	0.10	ND	Pass
Azoxystrobin	0.005	0.02	0.10	ND	Pass	Malathion	0.02	0.05	0.50	ND	Pass
Bifenazate	0.005	0.01	0.10	ND	Pass	Metalaxyl	0.002	0.005	2.00	ND	Pass
Bifenthrin	0.02	0.05	3.00	ND	Pass	Methiocarb	0.05	0.1	0.05	ND	Pass
Boscalid	0.02	0.05	0.10	ND	Pass	Methomyl	0.01	0.02	1.00	ND	Pass
Captan	0.2	0.3	0.70	ND	Pass	Parathion Methyl	0.02	0.05	0.05	ND	Pass
Carbaryl	0.02	0.05	0.50	ND	Pass	Mevinphos	0.02	0.05	0.02	ND	Pass
Carbofuran	0.05	0.1	0.05	ND	Pass	Myclobutanil	0.005	0.01	0.10	ND	Pass
Chlorantraniliprole	0.002	0.01	10.00	ND	Pass	Naled	0.01	0.02	0.10	ND	Pass
Chlordane	0.05	0.1	0.05	ND	Pass	Oxamyl	0.005	0.01	0.50	ND	Pass
Chlorfenapyr	0.05	0.1	0.05	ND	Pass	Paclobutrazol	0.05	0.1	0.05	ND	Pass
Chlorpyrifos	0.05	0.1	0.05	ND	Pass	PCNB	0.02	0.05	0.10	ND	Pass
Clofentezine	0.01	0.02	0.10	ND	Pass	Permethrin	0.02	0.05	0.50	ND	Pass
Coumaphos	0.02	0.05	0.02	ND	Pass	Phosmet	0.01	0.02	0.10	ND	Pass
Cyfluthrin	0.05	0.1	2.00	ND	Pass	Piperonyl Butoxide	0.02	0.05	3.00	ND	Pass
Cypermethrin	0.1	0.2	1.00	ND	Pass	Prallethrin	0.005	0.02	0.10	ND	Pass
Daminozide	0.02	0.05	0.02	ND	Pass	Propiconazole	0.005	0.01	0.10	ND	Pass
Diazinon	0.002	0.01	0.10	ND	Pass	Propoxure	0.05	0.1	0.05	ND	Pass
Dichlorvos	0.02	0.05	0.02	ND	Pass	Pyrethrins	0.02	0.05	0.50	<LOQ	Pass
Dimethoate	0.02	0.05	0.02	ND	Pass	Pyridaben	0.005	0.01	0.10	ND	Pass
Dimethomorph	0.005	0.02	2.00	ND	Pass	Spinetoram	0.005	0.01	0.10	ND	Pass
Ethoprophos	0.05	0.1	0.05	ND	Pass	Spinosad	0.005	0.01	0.10	ND	Pass
Etofenprox	0.05	0.1	0.05	ND	Pass	Spiromesifen	0.01	0.02	0.10	ND	Pass
Etoazole	0.005	0.02	0.10	ND	Pass	Spirotetramat	0.005	0.01	0.10	ND	Pass
Fenhexamid	0.005	0.02	0.10	ND	Pass	Spiroxamine	0.05	0.1	0.05	ND	Pass
Fenoxycarb	0.05	0.1	0.05	ND	Pass	Tebuconazole	0.005	0.01	0.10	ND	Pass
Fenpyroximate	0.005	0.02	0.10	ND	Pass	Thiacloprid	0.02	0.05	0.02	ND	Pass
Fipronil	0.05	0.1	0.05	ND	Pass	Thiamethoxam	0.005	0.01	5.00	ND	Pass
Flonicamid	0.01	0.02	0.10	ND	Pass	Trifloxystrobin	0.005	0.01	0.10	ND	Pass

Date Tested: 06/14/2022

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



Evelyn Alvarez
Evelyn Alvarez
QA Director | 06/15/2022



Strawberry Banana

METRC Batch: 1A40603000067EB000023668
METRC Sample: 1A4060300009F2A000016281
Sample ID: 2206ENC4942_7534
Strain: Strawberry Banana

Collected: 06/13/2022
Received: 06/13/2022
Completed: 06/15/2022
Sample Size: 13 units; Batch: 1,969 units

Distributor
Syndicate Lancaster

Producer
Syndicate Lancaster

Lic. # C11-0000650-LIC
220 W Avenue H 6,
Lancaster, CA, 93543

Lic. # CDPH-10003553
220 W Avenue H 6 Lancaster, CA 93543

Matrix: Concentrates & Extracts
Type: Distillate
Batch#: LR2AGSBB

Mycotoxins

Method: EL-PESTMYCOLCMS

Analytes	LOD	LOQ	Limit	Result	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
Aflatoxin B1	2.00	4.00		ND	Tested
Aflatoxin B2	2.00	4.00		ND	Tested
Aflatoxin G1	2.00	4.00		ND	Tested
Aflatoxin G2	2.00	4.00		ND	Tested
Ochratoxin A	1.00	2.00	20.00	ND	Pass
Total Aflatoxins			20.00	ND	Pass

Date Tested: 06/14/2022

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

Residual Solvents

Method: EL-RES_SOLVENTS

Analytes	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g	
Acetone	5.50	16.68	5000	<LOQ	Pass
Acetonitrile	4.56	13.82	410	ND	Pass
Benzene	0.09	0.28	1	ND	Pass
Butane	3.33	10.00	5000	ND	Pass
Chloroform	0.10	0.29	1	ND	Pass
Ethanol	3.33	10.00	5000	170.78	Pass
Ethyl-Acetate	3.33	10.00	5000	<LOQ	Pass
Ethyl-Ether	3.33	10.00	5000	ND	Pass
Ethylene Oxide	0.08	0.24	1	ND	Pass
Heptane	3.33	10.00	5000	ND	Pass
n-Hexane	3.33	10.00	290	ND	Pass
Isopropanol	3.33	10.00	5000	ND	Pass
Methanol	8.85	26.80	3000	ND	Pass
Methylene-Chloride	0.10	0.31	1	ND	Pass
1,2-Dichloro-Ethane	0.10	0.29	1	ND	Pass
Pentane	3.33	10.00	5000	ND	Pass
Propane	3.33	10.00	5000	ND	Pass
Toluene	3.33	10.00	890	ND	Pass
Xylenes	6.66	20.00	2170	ND	Pass
Trichloroethene	0.10	0.29	1	ND	Pass

Date Tested: 06/14/2022

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



Evelyn Alvarez
Evelyn Alvarez
QA Director | 06/15/2022



Strawberry Banana

METRC Batch: 1A40603000067EB000023668
METRC Sample: 1A4060300009F2A000016281
Sample ID: 2206ENC4942_7534
Strain: Strawberry Banana

Collected: 06/13/2022
Received: 06/13/2022
Completed: 06/15/2022
Sample Size: 13 units; Batch: 1,969 units

Distributor
Syndicate Lancaster

Producer
Syndicate Lancaster

Lic. # C11-0000650-LIC
220 W Avenue H 6,
Lancaster, CA, 93543

Lic. # CDPH-10003553
220 W Avenue H 6 Lancaster, CA 93543

Matrix: Concentrates & Extracts
Type: Distillate
Batch#: LR2AGSBB

Microbial Impurities

Method: SOP EL-MICROBIALS

Analytes	Result	Status
Aspergillus flavus	Not Detected in 1g	Pass
Aspergillus fumigatus	Not Detected in 1g	Pass
Aspergillus niger	Not Detected in 1g	Pass
Aspergillus terreus	Not Detected in 1g	Pass
Shiga toxin-producing Escherichia coli	Not Detected in 1g	Pass
Salmonella spp	Not Detected in 1g	Pass

Date Tested: 06/15/2022

Heavy Metals

Method: SOP EL-HEAVYMETALS

Analytes	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.012	0.036	0.200	ND	Pass
Cadmium	0.015	0.044	0.200	ND	Pass
Lead	0.055	0.167	0.500	ND	Pass
Mercury	0.005	0.015	0.100	ND	Pass

Date Tested: 06/15/2022

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



Evelyn Alvarez
Evelyn Alvarez
QA Director | 06/15/2022

