



CERTIFICATE OF ANALYSIS

PRODUCED: FEB 05, 2023

SAMPLE: YULA - KING LOUIE OG - AIRGRAFT PODS - 1G (DISTILLATE) // CLIENT: MVN PRODUCTIONS, LLC // BATCH: PASS



**BATCH NO.:** YULA - KLOG - AGP - F00015  
**SRC PKG:** 1A4060300004CF5000001567  
**MATRIX:** DISTILLATE  
**CATEGORY:** INHALABLE  
**SAMPLE ID:** VAL-230203-025  
**COLLECTED ON:** FEB 03, 2023  
**RECEIVED ON:** FEB 03, 2023  
**BATCH/SAMPLE SIZE:** 1505 UNITS / 13 UNITS  
**SAMPLED BY:** SAAM SHAHBAZI  
**RECEIVED BY:** GERARD YAMBAO  
**PACKAGE SIZE:** 1 G

CANNABINOID OVERVIEW

|                      |           |
|----------------------|-----------|
| TOTAL THC:           | 91.6926 % |
| TOTAL CBD:           | 0 %       |
| TOTAL CANNABINOIDS:  | 91.6926 % |
| SUM OF CANNABINOIDS: | 91.6926 % |

MANUFACTURER INFO

**MANUFACTURER**  
 MVN PRODUCTIONS, LLC  
 13546 DESMOND STREET  
 LOS ANGELES, CA 91331  
**LICENSE**  
 CDPH-10003419  
 ADULT-USE AND MEDICINAL -  
 MANUFACTURING LICENSE

DISTRIBUTOR INFO

**DISTRIBUTOR**  
 MVN PRODUCTIONS, LLC  
 13546 DESMOND STREET  
 LOS ANGELES, CA 91331  
**LICENSE**  
 C11-0000742-LIC  
 ADULT-USE AND MEDICINAL -  
 DISTRIBUTOR LICENSE

BATCH RESULT: PASS

|           |      |            |      |
|-----------|------|------------|------|
| POTENCY   | PASS | MYCOTOXINS | PASS |
| FOREIGN   | PASS | PESTICIDES | PASS |
| METALS    | PASS | SOLVENTS   | PASS |
| MICROBIAL | PASS |            |      |

VA/SOP-500.01: POTENCY TESTING WITH HPLC-UV // FEB 05, 2023

| ANALYTE             | LIMIT | AMT | AMT | LOD/LOQ (mg/g) | PASS/FAIL |
|---------------------|-------|-----|-----|----------------|-----------|
| CBC                 |       | ND  | ND  | 2.0342/6.7533  | N/A       |
| CBD                 |       | ND  | ND  | 1.9836/6.7533  | N/A       |
| CBDA                |       | ND  | ND  | 1.5619/6.7533  | N/A       |
| CBDV                |       | ND  | ND  | 1.7411/6.7533  | N/A       |
| CBG                 |       | ND  | ND  | 1.8926/6.7533  | N/A       |
| CBGA                |       | ND  | ND  | 2.1273/6.7533  | N/A       |
| CBN                 |       | ND  | ND  | 1.7429/6.7533  | N/A       |
| Δ <sup>9</sup> -THC |       | ND  | ND  | 1.9922/6.7533  | N/A       |

| ANALYTE                 | LIMIT | AMT         | AMT          | LOD/LOQ (mg/g) | PASS/FAIL |
|-------------------------|-------|-------------|--------------|----------------|-----------|
| Δ <sup>9</sup> -THC     |       | 91.6926 %   | 916.926 mg/g | 2.0346/6.7533  | N/A       |
| THCA                    |       | ND          | ND           | 1.8320/6.7533  | N/A       |
| TOTAL THC**             |       | 91.6926 %   | 916.926 mg/g |                | N/A       |
| TOTAL CBD**             |       | ND          | ND           |                | N/A       |
| CBD/PKG                 |       | ND          | ND           |                | N/A       |
| Δ <sup>9</sup> -THC/PKG |       | 916.9260 mg |              |                | PASS      |
| TOTAL THC/PKG**         |       | 916.9260 mg |              |                | N/A       |
| TOTAL CBD/PKG**         |       | ND          |              |                | N/A       |

\*\* TOTAL THC = DELTA-8-THC + (DELTA-8-THCA X 0.877) + DELTA-9-THC + (THCA X 0.877)  
 \*\* TOTAL CBD = CBD + (CBDA X 0.877)



ALL LQC SAMPLES REQUIRED BY SECTION 15730 OF CALIFORNIA CODE OF REGULATIONS TITLE 4 DIVISION 19 DEPARTMENT OF CANNABIS CONTROL WERE PERFORMED AND MET THE ACCEPTANCE CRITERIA. THE RESULTS REPORTED ON THIS CERTIFICATE OF ANALYSIS RELATE ONLY TO THE SAMPLE ANALYZED.

RESULTS CERTIFIED BY: PAUL HAMRAH, MS,  
 PHARM D  
 LAB DIRECTOR, VERITY ANALYTICS  
 FEB 05, 2023

## VA/SOP-610.01: RESIDUAL PESTICIDES TESTING WITH GC-MS // FEB 05, 2023

| ANALYTE         | LIMIT   | AMT (µg/g) | LOD/LOQ (µg/g) | PASS/FAIL | ANALYTE                  | LIMIT    | AMT (µg/g) | LOD/LOQ (µg/g) | PASS/FAIL |
|-----------------|---------|------------|----------------|-----------|--------------------------|----------|------------|----------------|-----------|
| CHLORDANE       | Any amt | ND         |                | PASS      | CHLORFENAPYR             | Any amt  | ND         | 0.0023/0.0820  | PASS      |
| CHLORDANE CIS   |         | ND         | 0.0010/0.0800  | N/A       | PENTACHLORONI-TROBENZENE | 0.1 µg/g | ND         | 0.0017/0.0800  | PASS      |
| CHLORDANE TRANS |         | ND         | 0.0010/0.0800  | N/A       |                          |          |            |                |           |

## VA/SOP-600.02: RESIDUAL PESTICIDES TESTING WITH LC-MS // FEB 05, 2023

| ANALYTE             | LIMIT    | AMT (µg/g) | LOD/LOQ (µg/g) | PASS/FAIL | ANALYTE                 | LIMIT    | AMT (µg/g) | LOD/LOQ (µg/g) | PASS/FAIL |
|---------------------|----------|------------|----------------|-----------|-------------------------|----------|------------|----------------|-----------|
| ABAMECTIN           | 0.1 µg/g | ND         | 0.0169/0.0510  | PASS      | IMAZALIL                | Any amt  | ND         | 0.0109/0.0331  | PASS      |
| ACEPHATE            | 0.1 µg/g | ND         | 0.0165/0.0500  | PASS      | IMIDACLOPRID            | 5 µg/g   | ND         | 0.0149/0.0452  | PASS      |
| ACEQUINOCYL         | 0.1 µg/g | ND         | 0.0240/0.0727  | PASS      | KRESOXIM-METHYL         | 0.1 µg/g | ND         | 0.0165/0.0499  | PASS      |
| ACETAMIPRID         | 0.1 µg/g | ND         | 0.0054/0.0165  | PASS      | MALATHION               | 0.5 µg/g | ND         | 0.0082/0.0249  | PASS      |
| ALDICARB            | Any amt  | ND         | 0.0232/0.0703  | PASS      | METALAXYL               | 2 µg/g   | ND         | 0.0076/0.0231  | PASS      |
| α-CYFLUTHRIN        |          | ND         | 0.0473/0.1434  | N/A       | METHIOCARB              | Any amt  | ND         | 0.0073/0.0221  | PASS      |
| α-CYPERMETHRIN      |          | ND         | 0.0137/0.0416  | N/A       | METHOMYL                | 1 µg/g   | ND         | 0.0058/0.0177  | PASS      |
| AZOXYSTROBIN        | 0.1 µg/g | ND         | 0.0066/0.0201  | PASS      | METHYL PARATHION        | Any amt  | ND         | 0.0062/0.0188  | PASS      |
| β-CYFLUTHRIN        |          | ND         | 0.0647/0.1962  | N/A       | MEVINPHOS               | Any amt  | ND         | 0.0068/0.0204  | PASS      |
| β-CYPERMETHRIN      |          | ND         | 0.0286/0.0865  | N/A       | MYCLOBUTANIL            | 0.1 µg/g | ND         | 0.0098/0.0296  | PASS      |
| BIFENAZATE          | 0.1 µg/g | ND         | 0.0069/0.0210  | PASS      | NALED                   | 0.1 µg/g | ND         | 0.0099/0.0300  | PASS      |
| BIFENTHRIN          | 3 µg/g   | ND         | 0.0128/0.0388  | PASS      | OXAMYL                  | 0.5 µg/g | ND         | 0.0102/0.0309  | PASS      |
| BOSCALID            | 0.1 µg/g | ND         | 0.0087/0.0264  | PASS      | PACLOBUTRAZOL           | Any amt  | ND         | 0.0087/0.0263  | PASS      |
| CAPTAN              | 0.7 µg/g | ND         | 0.0018/0.0054  | PASS      | PERMETHRIN              | 0.5 µg/g | ND         | 0.0128/0.0386  | PASS      |
| CARBARYL            | 0.5 µg/g | ND         | 0.0061/0.0184  | PASS      | PHOSMET                 | 0.1 µg/g | ND         | 0.0085/0.0257  | PASS      |
| CARBOFURAN          | Any amt  | ND         | 0.0055/0.0166  | PASS      | PIPERONYLBUTOXIDE       | 3 µg/g   | ND         | 0.0104/0.0314  | PASS      |
| CHLORANTRANILIPROLE | 10 µg/g  | ND         | 0.0094/0.0284  | PASS      | PRALLETHRIN             | 0.1 µg/g | ND         | 0.0214/0.0647  | PASS      |
| CHLORPYRIFOS        | Any amt  | ND         | 0.0136/0.0411  | PASS      | PROPICONAZOLE           | 0.1 µg/g | ND         | 0.0134/0.0405  | PASS      |
| CLOFENTEZINE        | 0.1 µg/g | ND         | 0.0127/0.0384  | PASS      | PROPOXUR                | Any amt  | ND         | 0.0054/0.0164  | PASS      |
| COUMAPHOS           | Any amt  | ND         | 0.0168/0.0508  | PASS      | PYRETHRINS              | 0.5 µg/g | ND         |                | PASS      |
| CYFLUTHRIN          | 2 µg/g   | ND         |                | PASS      | PYRETHRINS PYRETHRIN I  |          | ND         | 0.0300/0.0908  | N/A       |
| CYPERMETHRIN        | 1 µg/g   | ND         |                | PASS      | PYRETHRINS PYRETHRIN II |          | ND         | 0.0410/0.1242  | N/A       |
| DAMINOZIDE          | Any amt  | ND         | 0.0193/0.0583  | PASS      | PYRIDABEN               | 0.1 µg/g | ND         | 0.0066/0.0199  | PASS      |
| DIAZINON            | 0.1 µg/g | ND         | 0.0088/0.0268  | PASS      | SPINETORAM              | 0.1 µg/g | ND         |                | PASS      |
| DICHLORVOS          | Any amt  | ND         | 0.0108/0.0327  | PASS      | SPINETORAM J            |          | ND         | 0.0154/0.0466  | N/A       |
| DIMETHOATE          | Any amt  | ND         | 0.0079/0.0238  | PASS      | SPINETORAM L            |          | ND         | 0.0171/0.0517  | N/A       |
| DIMETHOMORPH        | 2 µg/g   | ND         | 0.0148/0.0448  | PASS      | SPINOSAD                | 0.1 µg/g | ND         |                | PASS      |
| ETHOPROPHOS         | Any amt  | ND         | 0.0089/0.0271  | PASS      | SPINOSAD A              |          | ND         | 0.0103/0.0313  | N/A       |
| ETOFENPROX          | Any amt  | ND         | 0.0076/0.0229  | PASS      | SPINOSAD D              |          | ND         | 0.0225/0.0680  | N/A       |
| ETOXAZOLE           | 0.1 µg/g | ND         | 0.0069/0.0210  | PASS      | SPIROMESIFEN            | 0.1 µg/g | ND         | 0.0118/0.0357  | PASS      |
| FENHEXAMID          | 0.1 µg/g | ND         | 0.0204/0.0619  | PASS      | SPIROTETRAMAT           | 0.1 µg/g | ND         | 0.0073/0.0222  | PASS      |
| FENOXYCARB          | Any amt  | ND         | 0.0093/0.0283  | PASS      | SPIROXAMINE             | Any amt  | ND         | 0.0061/0.0184  | PASS      |
| FENPYROXIMATE       | 0.1 µg/g | ND         | 0.0105/0.0319  | PASS      | TEBUCONAZOLE            | 0.1 µg/g | ND         | 0.0125/0.0379  | PASS      |
| FIPRONIL            | Any amt  | ND         | 0.0107/0.0324  | PASS      | THIACLOPRID             | Any amt  | ND         | 0.0083/0.0251  | PASS      |
| FLONICAMID          | 0.1 µg/g | ND         | 0.0087/0.0264  | PASS      | THIAMETHOXAM            | 5 µg/g   | ND         | 0.0099/0.0300  | PASS      |
| FLUDIOXONIL         | 0.1 µg/g | ND         | 0.0282/0.0854  | PASS      | TRIFLOXYSTROBIN         | 0.1 µg/g | ND         | 0.0195/0.0590  | PASS      |
| HEXYTHIAZOX         | 0.1 µg/g | ND         | 0.0072/0.0218  | PASS      |                         |          |            |                |           |



## VA/SOP-1000.01: MICROBIAL TESTING WITH PATHOGENDX // FEB 05, 2023

| ANALYTE               | LIMIT             | AMT (CFU) | PASS/FAIL | ANALYTE                       | LIMIT             | AMT (CFU) | PASS/FAIL |
|-----------------------|-------------------|-----------|-----------|-------------------------------|-------------------|-----------|-----------|
| ASPERGILLUS FLAVUS    | Any amt in 1 gram | ND        | PASS      | ASPERGILLUS TERREUS           | Any amt in 1 gram | ND        | PASS      |
| ASPERGILLUS FUMIGATUS | Any amt in 1 gram | ND        | PASS      | SALMONELLA SPP.               | Any amt in 1 gram | ND        | PASS      |
| ASPERGILLUS NIGER     | Any amt in 1 gram | ND        | PASS      | SHIGA TOXIN-PRODUCING E. COLI | Any amt in 1 gram | ND        | PASS      |

## VA/SOP-600.02: MYCOTOXINS TESTING WITH LC-MS // FEB 05, 2023

| ANALYTE      | LIMIT | AMT (µg/kg) | LOD/LOQ (µg/kg) | PASS/FAIL | ANALYTE      | LIMIT    | AMT (µg/kg) | LOD/LOQ (µg/kg) | PASS/FAIL |
|--------------|-------|-------------|-----------------|-----------|--------------|----------|-------------|-----------------|-----------|
| AFLATOXIN B1 |       | ND          | 1.4732/4.4732   | N/A       | AFLATOXIN G2 |          | ND          | 1.8750/5.6518   | N/A       |
| AFLATOXIN B2 |       | ND          | 1.9018/5.7321   | N/A       | AFLATOXINS   | 20 µg/kg | ND          |                 | PASS      |
| AFLATOXIN G1 |       | ND          | 2.5179/7.6339   | N/A       | OCHRATOXIN A | 20 µg/kg | ND          | 5.3839/16.3125  | PASS      |

## VA/SOP-700.01: HEAVY METALS TESTING WITH ICP-MS // FEB 05, 2023

| ANALYTE | LIMIT    | AMT (µg/g) | LOD/LOQ (µg/g)  | PASS/FAIL | ANALYTE | LIMIT    | AMT (µg/g) | LOD/LOQ (µg/g)  | PASS/FAIL |
|---------|----------|------------|-----------------|-----------|---------|----------|------------|-----------------|-----------|
| ARSENIC | 0.2 µg/g | ND         | 0.00010/0.00032 | PASS      | LEAD    | 0.5 µg/g | ND         | 0.00026/0.00078 | PASS      |
| CADMIUM | 0.2 µg/g | ND         | 0.00008/0.00023 | PASS      | MERCURY | 0.1 µg/g | ND         | 0.00004/0.00012 | PASS      |

## VA/SOP-190.01: FOREIGN MATERIAL INSPECTION WITH MICROSCOPE // FEB 05, 2023

| ANALYTE                                  | LIMIT  | AMT (%) | PASS/FAIL | ANALYTE                   | LIMIT | AMT (%) | PASS/FAIL |
|--|--------|---------|-----------|---------------------------|-------|---------|-----------|
| IMBEDDED FOREIGN MATERIAL                | 25 %   | ND      | PASS      | MOLD                      | 25 %  | ND      | PASS      |
| INSECT FRAGMENTS, HAIR, MAMMAL EXCREMENT | 1 Unit | ND      | PASS      | SAND, SOIL, CINDERS, DIRT | 25 %  | ND      | PASS      |

## VA/SOP-800.01: RESIDUAL SOLVENTS TESTING WITH GC-MS // FEB 05, 2023

| ANALYTE            | LIMIT     | AMT (µg/g) | LOD/LOQ (µg/g) | PASS/FAIL | ANALYTE            | LIMIT     | AMT (µg/g) | LOD/LOQ (µg/g)  | PASS/FAIL |
|--------------------|-----------|------------|----------------|-----------|--------------------|-----------|------------|-----------------|-----------|
| 1,2-DICHLOROETHANE | 1 µg/g    | ND         | 0.1200/0.3440  | PASS      | HEXANE             | 290 µg/g  | ND         | 7.3600/26.8440  | PASS      |
| ACETONE            | 5000 µg/g | ND         | 8.5600/26.8440 | PASS      | ISOPROPYL ALCOHOL  | 5000 µg/g | ND         | 7.8000/26.8440  | PASS      |
| ACETONITRILE       | 410 µg/g  | ND         | 7.6000/26.8440 | PASS      | METHANOL           | 3000 µg/g | ND         | 5.8800/21.4748  | PASS      |
| BENZENE            | 1 µg/g    | ND         | 0.1200/0.3440  | PASS      | METHYLENE CHLORIDE | 1 µg/g    | ND         | 0.1600/0.5368   | PASS      |
| BUTANE             | 5000 µg/g | ND         | 8.2000/26.8440 | PASS      | PENTANE            | 5000 µg/g | ND         | 10.1600/33.5544 | PASS      |
| CHLOROFORM         | 1 µg/g    | ND         | 0.1200/0.4292  | PASS      | PROPANE            | 5000 µg/g | ND         | 10.2800/33.5544 | PASS      |
| ETHANOL            | 5000 µg/g | ND         | 7.8800/26.8440 | PASS      | TOLUENE            | 890 µg/g  | ND         | 6.1200/21.4748  | PASS      |
| ETHYL ACETATE      | 5000 µg/g | ND         | 6.0000/21.4748 | PASS      | TRICHLOROETHYLENE  | 1 µg/g    | ND         | 0.1200/0.3440   | PASS      |
| ETHYLENE OXIDE     | 1 µg/g    | ND         | 0.1600/0.5368  | PASS      | O-XYLENE           |           | ND         | 3.0800/10.7200  | N/A       |
| ETHYL ETHER        | 5000 µg/g | ND         | 8.4400/26.8440 | PASS      | P- AND M-XYLENE    |           | ND         | 3.2000/10.7200  | N/A       |
| HEPTANE            | 5000 µg/g | ND         | 7.0800/21.4748 | PASS      | TOTAL XYLENES      | 2170 µg/g | ND         |                 | PASS      |

