



CERTIFICATE OF ANALYSIS

PRODUCED: FEB 05, 2023

SAMPLE: YULA - TANGERINE CREAM - AIRGRAFT PODS - 1G (DISTILLATE) // CLIENT: MVN PRODUCTIONS, LLC // BATCH: PASS



BATCH NO.: YULA - TANC- AGP- F00014
 SRC PKG: 1A4060300004CF5000001566
 MATRIX: DISTILLATE
 CATEGORY: INHALABLE
 SAMPLE ID: VAL-230202-007
 COLLECTED ON: FEB 02, 2023
 RECEIVED ON: FEB 02, 2023
 BATCH/SAMPLE SIZE: 1447 UNITS / 13 UNITS
 SAMPLED BY: SAAM SHAHBAZI
 RECEIVED BY: GERARD YAMBAAO
 PACKAGE SIZE: 1 G

CANNABINOID OVERVIEW

TOTAL THC:	90.6563 %
TOTAL CBD:	0 %
TOTAL CANNABINOIDS:	90.6563 %
SUM OF CANNABINOIDS:	90.6563 %

MANUFACTURER INFO

MANUFACTURER
 MVN PRODUCTIONS, LLC
 13546 DESMOND STREET
 LOS ANGELES, CA 91331

LICENSE
 CDPH-10003419
 ADULT-USE AND MEDICINAL -
 MANUFACTURING LICENSE

DISTRIBUTOR INFO

DISTRIBUTOR
 MVN PRODUCTIONS, LLC
 13546 DESMOND STREET
 LOS ANGELES, CA 91331

LICENSE
 C11-0000742-LIC
 ADULT-USE AND MEDICINAL -
 DISTRIBUTOR LICENSE

BATCH RESULT: PASS

POTENCY	PASS	MYCOTOXINS	PASS
FOREIGN	PASS	PESTICIDES	PASS
METALS	PASS	SOLVENTS	PASS
MICROBIAL	PASS		

VA/SOP-500.01: POTENCY TESTING WITH HPLC-UV // FEB 03, 2023

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (mg/g)	PASS/FAIL
CBC		ND	ND	1.7404/5.7778	N/A
CBD		ND	ND	1.6970/5.7778	N/A
CBDA		ND	ND	1.3363/5.7778	N/A
CBDV		ND	ND	1.4896/5.7778	N/A
CBG		ND	ND	1.6193/5.7778	N/A
CBGA		ND	ND	1.8200/5.7778	N/A
CBN		ND	ND	1.4911/5.7778	N/A
Δ ⁹ -THC		ND	ND	1.7044/5.7778	N/A

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (mg/g)	PASS/FAIL
Δ ⁹ -THC		90.6563 %	906.563 mg/g	1.7407/5.7778	N/A
THCA		ND	ND	1.5674/5.7778	N/A
TOTAL THC**		90.6563 %	906.563 mg/g		N/A
TOTAL CBD**		ND	ND		N/A
CBD/PKG		ND	ND		N/A
Δ ⁹ -THC/PKG		906.5630 mg			PASS
TOTAL THC/PKG**		906.5630 mg			N/A
TOTAL CBD/PKG**		ND			N/A

** TOTAL THC = DELTA-8-THC + (DELTA-8-THCA X 0.877) + DELTA-9-THC + (THCA X 0.877)
 ** TOTAL CBD = CBD + (CBDA X 0.877)



ALL LQC SAMPLES REQUIRED BY SECTION 15730 OF CALIFORNIA CODE OF REGULATIONS TITLE 4 DIVISION 19 DEPARTMENT OF CANNABIS CONTROL WERE PERFORMED AND MET THE ACCEPTANCE CRITERIA. THE RESULTS REPORTED ON THIS CERTIFICATE OF ANALYSIS RELATE ONLY TO THE SAMPLE ANALYZED.

RESULTS CERTIFIED BY: PAUL HAMRAH, MS,
 PHARMD
 LAB DIRECTOR, VERITY ANALYTICS
 FEB 05, 2023

VA/SOP-600.02: RESIDUAL PESTICIDES TESTING WITH LC-MS // FEB 04, 2023

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL	ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
ABAMECTIN	0.1 µg/g	ND	0.0178/0.0539	PASS	IMAZALIL	Any amt	ND	0.0116/0.0350	PASS
ACEPHATE	0.1 µg/g	ND	0.0174/0.0528	PASS	IMIDACLOPRID	5 µg/g	ND	0.0158/0.0477	PASS
ACEQUINOCYL	0.1 µg/g	ND	0.0254/0.0768	PASS	KRESOXIM-METHYL	0.1 µg/g	ND	0.0174/0.0528	PASS
ACETAMIPRID	0.1 µg/g	ND	0.0058/0.0174	PASS	MALATHION	0.5 µg/g	ND	0.0087/0.0263	PASS
ALDICARB	Any amt	ND	0.0245/0.0743	PASS	METALAXYL	2 µg/g	ND	0.0081/0.0244	PASS
α-CYFLUTHRIN		ND	0.0500/0.1515	N/A	METHIOCARB	Any amt	ND	0.0077/0.0234	PASS
α-CYPERMETHRIN		ND	0.0145/0.0440	N/A	METHOMYL	1 µg/g	ND	0.0062/0.0187	PASS
AZOXYSTROBIN	0.1 µg/g	ND	0.0070/0.0213	PASS	METHYL PARATHION	Any amt	ND	0.0066/0.0199	PASS
β-CYFLUTHRIN		ND	0.0684/0.2073	N/A	MEVINPHOS	Any amt	ND	0.0071/0.0216	PASS
β-CYPERMETHRIN		ND	0.0302/0.0914	N/A	MYCLOBUTANIL	0.1 µg/g	ND	0.0103/0.0313	PASS
BIFENAZATE	0.1 µg/g	ND	0.0073/0.0222	PASS	NALED	0.1 µg/g	ND	0.0104/0.0317	PASS
BIFENTHRIN	3 µg/g	ND	0.0135/0.0410	PASS	OXAMYL	0.5 µg/g	ND	0.0108/0.0327	PASS
BOSCALID	0.1 µg/g	ND	0.0092/0.0279	PASS	PACLOBUTRAZOL	Any amt	ND	0.0092/0.0278	PASS
CAPTAN	0.7 µg/g	ND	0.0019/0.0057	PASS	PERMETHRIN	0.5 µg/g	ND	0.0135/0.0408	PASS
CARBARYL	0.5 µg/g	ND	0.0064/0.0195	PASS	PHOSMET	0.1 µg/g	ND	0.0089/0.0271	PASS
CARBOFURAN	Any amt	ND	0.0058/0.0175	PASS	PIPERONYLBUTOXIDE	3 µg/g	ND	0.0110/0.0332	PASS
CHLORANTRANILIPROLE	10 µg/g	ND	0.0099/0.0300	PASS	PRALLETHRIN	0.1 µg/g	ND	0.0226/0.0684	PASS
CHLORPYRIFOS	Any amt	ND	0.0144/0.0435	PASS	PROPICONAZOLE	0.1 µg/g	ND	0.0141/0.0428	PASS
CLOFENTEZINE	0.1 µg/g	ND	0.0134/0.0406	PASS	PROPOXUR	Any amt	ND	0.0057/0.0173	PASS
COUMAPHOS	Any amt	ND	0.0177/0.0537	PASS	PYRETHRINS	0.5 µg/g	ND		PASS
CYFLUTHRIN	2 µg/g	ND		PASS	PYRETHRINS PYRETHRIN I		ND	0.0317/0.0960	N/A
CYPERMETHRIN	1 µg/g	ND		PASS	PYRETHRINS PYRETHRIN II		ND	0.0433/0.1313	N/A
DAMINOZIDE	Any amt	ND	0.0204/0.0616	PASS	PYRIDABEN	0.1 µg/g	ND	0.0069/0.0210	PASS
DIAZINON	0.1 µg/g	ND	0.0093/0.0283	PASS	SPINETORAM	0.1 µg/g	ND		PASS
DICHLORVOS	Any amt	ND	0.0114/0.0346	PASS	SPINETORAM J		ND	0.0163/0.0492	N/A
DIMETHOATE	Any amt	ND	0.0083/0.0251	PASS	SPINETORAM L		ND	0.0180/0.0547	N/A
DIMETHOMORPH	2 µg/g	ND	0.0156/0.0473	PASS	SPINOSAD	0.1 µg/g	ND		PASS
ETHOPROPHOS	Any amt	ND	0.0094/0.0286	PASS	SPINOSAD A		ND	0.0109/0.0330	N/A
ETOFENPROX	Any amt	ND	0.0080/0.0242	PASS	SPINOSAD D		ND	0.0237/0.0718	N/A
ETOXAZOLE	0.1 µg/g	ND	0.0073/0.0222	PASS	SPIROMESIFEN	0.1 µg/g	ND	0.0124/0.0377	PASS
FENHEXAMID	0.1 µg/g	ND	0.0216/0.0654	PASS	SPIROTETRAMAT	0.1 µg/g	ND	0.0078/0.0235	PASS
FENOXYCARB	Any amt	ND	0.0099/0.0299	PASS	SPIROXAMINE	Any amt	ND	0.0064/0.0195	PASS
FENPYROXIMATE	0.1 µg/g	ND	0.0111/0.0337	PASS	TEBUCONAZOLE	0.1 µg/g	ND	0.0132/0.0400	PASS
FIPRONIL	Any amt	ND	0.0113/0.0342	PASS	THIACLOPRID	Any amt	ND	0.0088/0.0265	PASS
FLONICAMID	0.1 µg/g	ND	0.0092/0.0279	PASS	THIAMETHOXAM	5 µg/g	ND	0.0104/0.0316	PASS
FLUDIOXONIL	0.1 µg/g	ND	0.0298/0.0902	PASS	TRIFLOXYSTROBIN	0.1 µg/g	ND	0.0206/0.0623	PASS
HEXYTHIAZOX	0.1 µg/g	ND	0.0076/0.0230	PASS					

VA/SOP-610.01: RESIDUAL PESTICIDES TESTING WITH GC-MS // FEB 04, 2023

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL	ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
CHLORDANE	Any amt	ND		PASS	CHLORFENAPYR	Any amt	ND	0.0023/0.0820	PASS
CHLORDANE CIS		ND	0.0010/0.0800	N/A	PENTACHLORONITROBENZENE	0.1 µg/g	ND	0.0017/0.0800	PASS
CHLORDANE TRANS		ND	0.0010/0.0800	N/A					



VA/SOP-1000.01: MICROBIAL TESTING WITH PATHOGENDX // FEB 04, 2023

ANALYTE	LIMIT	AMT (CFU)	PASS/FAIL	ANALYTE	LIMIT	AMT (CFU)	PASS/FAIL
ASPERGILLUS FLAVUS	Any amt in 1 gram	ND	PASS	ASPERGILLUS TERREUS	Any amt in 1 gram	ND	PASS
ASPERGILLUS FUMIGATUS	Any amt in 1 gram	ND	PASS	SALMONELLA SPP.	Any amt in 1 gram	ND	PASS
ASPERGILLUS NIGER	Any amt in 1 gram	ND	PASS	SHIGA TOXIN-PRODUCING E. COLI	Any amt in 1 gram	ND	PASS

VA/SOP-600.02: MYCOTOXINS TESTING WITH LC-MS // FEB 04, 2023

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL	ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
AFLATOXIN B1		ND	1.5566/4.7264	N/A	AFLATOXIN G2		ND	1.9811/5.9717	N/A
AFLATOXIN B2		ND	2.0094/6.0566	N/A	AFLATOXINS	20 µg/kg	ND		PASS
AFLATOXIN G1		ND	2.6604/8.0660	N/A	OCHRATOXIN A	20 µg/kg	ND	5.6887/17.2359	PASS

VA/SOP-700.01: HEAVY METALS TESTING WITH ICP-MS // FEB 04, 2023

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL	ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
ARSENIC	0.2 µg/g	ND	0.49600/1.50800	PASS	LEAD	0.5 µg/g	ND	0.31600/0.95200	PASS
CADMIUM	0.2 µg/g	ND	0.17200/0.52000	PASS	MERCURY	0.1 µg/g	ND	0.21600/0.64800	PASS

VA/SOP-190.01: FOREIGN MATERIAL INSPECTION WITH MICROSCOPE // FEB 05, 2023

ANALYTE	LIMIT	AMT (%)	PASS/FAIL	ANALYTE	LIMIT	AMT (%)	PASS/FAIL
IMBEDDED FOREIGN MATERIAL	25 %	ND	PASS	MOLD	25 %	ND	PASS
INSECT FRAGMENTS, HAIR, MAMMAL EXCREMENT	1 Unit	ND	PASS	SAND, SOIL, CINDERS, DIRT	25 %	ND	PASS

VA/SOP-800.01: RESIDUAL SOLVENTS TESTING WITH GC-MS // FEB 04, 2023

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL	ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
1,2-DICHLOROETHANE	1 µg/g	ND	0.1200/0.3440	PASS	HEXANE	290 µg/g	ND	7.3600/26.8440	PASS
ACETONE	5000 µg/g	ND	8.5600/26.8440	PASS	ISOPROPYL ALCOHOL	5000 µg/g	ND	7.8000/26.8440	PASS
ACETONITRILE	410 µg/g	< LOQ	7.6000/26.8440	PASS	METHANOL	3000 µg/g	49.8424	5.8800/21.4748	PASS
BENZENE	1 µg/g	ND	0.1200/0.3440	PASS	METHYLENE CHLORIDE	1 µg/g	ND	0.1600/0.5368	PASS
BUTANE	5000 µg/g	ND	8.2000/26.8440	PASS	PENTANE	5000 µg/g	< LOQ	10.1600/33.5544	PASS
CHLOROFORM	1 µg/g	ND	0.1200/0.4292	PASS	PROPANE	5000 µg/g	ND	10.2800/33.5544	PASS
ETHANOL	5000 µg/g	129.2480	7.8800/26.8440	PASS	TOLUENE	890 µg/g	ND	6.1200/21.4748	PASS
ETHYL ACETATE	5000 µg/g	ND	6.0000/21.4748	PASS	TRICHLOROETHYLENE	1 µg/g	ND	0.1200/0.3440	PASS
ETHYLENE OXIDE	1 µg/g	ND	0.1600/0.5368	PASS	O-XYLENE		ND	3.0800/10.7200	N/A
ETHYL ETHER	5000 µg/g	ND	8.4400/26.8440	PASS	P- AND M-XYLENE		ND	3.2000/10.7200	N/A
HEPTANE	5000 µg/g	ND	7.0800/21.4748	PASS	TOTAL XYLENES	2170 µg/g	ND		PASS

