

CERTIFICATE OF ANALYSIS

PRODUCED: MAY 17, 2023

SAMPLE: BLUEBERRY SKITTLES GOLD BLEND AIRGRAFT POD (DISTILLATE) // CLIENT: MVN PRODUCTIONS, LLC // BATCH: PASS



BATCH NO.: MVN - BBS - AGP - F00017
SRC PKG: 1A4060300004CF5000001730
MATRIX: DISTILLATE
CATEGORY: INHALABLE
SAMPLE ID: VAL-230515-007
COLLECTED ON: MAY 15, 2023
RECEIVED ON: MAY 15, 2023
BATCH/SAMPLE SIZE: 1382 UNITS / 13 UNITS
SAMPLED BY: SAAM SHAHBAZI
RECEIVED BY: PARI ROSTAMZADEH
PACKAGE SIZE: 1 G

CANNABINOID OVERVIEW

TOTAL THC:	92.1211 %
TOTAL CBD:	0 %
TOTAL CANNABINOIDS:	92.1211 %
SUM OF CANNABINOIDS:	92.1211 %

MANUFACTURER INFO

MANUFACTURER

MVN PRODUCTIONS, LLC
13546 DESMOND STREET
LOS ANGELES, CA 91331

LICENSE

CDPH-10003419
ADULT-USE AND MEDICINAL -
MANUFACTURING LICENSE

DISTRIBUTOR INFO

DISTRIBUTOR

MVN PRODUCTIONS, LLC
13546 DESMOND STREET
LOS ANGELES, CA 91331

LICENSE

C11-0000742-LIC
ADULT-USE AND MEDICINAL -
DISTRIBUTOR LICENSE

BATCH RESULT: PASS

POTENCY	PASS	MYCOTOXINS	PASS
FOREIGN	PASS	PESTICIDES	PASS
METALS	PASS	SOLVENTS	PASS
MICROBIAL	PASS	TERPENES	TESTED

VA/SOP-500.01: POTENCY TESTING WITH HPLC-UV // MAY 16, 2023

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (mg/g)	PASS/FAIL
CBC		ND	ND	0.3020/1.0026	N/A
CBD		ND	ND	0.2945/1.0026	N/A
CBDA		ND	ND	0.2319/1.0026	N/A
CBDV		ND	ND	0.2585/1.0026	N/A
CBG		ND	ND	0.2810/1.0026	N/A
CBGA		ND	ND	0.3158/1.0026	N/A
CBN		ND	ND	0.2587/1.0026	N/A
Δ ⁸ -THC		ND	ND	0.2958/1.0026	N/A

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (mg/g)	PASS/FAIL
Δ ⁹ -THC	92.1211 %	921.211 %	921.211 mg/g	0.3021/1.0026	N/A
THCA		ND	ND	0.2720/1.0026	N/A
TOTAL THC**	92.1211 %	921.211 %	921.211 mg/g		N/A
TOTAL CBD**		ND	ND		N/A
CBD/PKG		ND	ND		N/A
Δ ⁹ -THC/PKG	1100 mg	921.2110 mg			PASS
TOTAL THC/PKG**		921.2110 mg			N/A
TOTAL CBD/PKG**		ND			N/A

** TOTAL THC = DELTA-8-THC + (DELTA-8-THCA X 0.877) + DELTA-9-THC + (THCA X 0.877)

** TOTAL CBD = CBD + (CBDA X 0.877)

ALL LQC SAMPLES REQUIRED BY SECTION 15730 OF CALIFORNIA CODE OF REGULATIONS TITLE 4 DIVISION 19 DEPARTMENT OF CANNABIS CONTROL WERE PERFORMED AND MET THE ACCEPTANCE CRITERIA. THE RESULTS REPORTED ON THIS CERTIFICATE OF ANALYSIS RELATE ONLY TO THE SAMPLE ANALYZED.

RESULTS CERTIFIED BY: PAUL HAMRAH, MS,
PHARM D
LAB DIRECTOR, VERITY ANALYTICS
MAY 17, 2023



VA/SOP-900.01: TERPENOID TESTING WITH GC-FID // MAY 18, 2023

ANALYTE	AMT	AMT	LOD/LOQ (µg/g)	PASS/FAIL
TOTAL TERPENES	4.1155 %	41.155 mg/g		N/A
D-LIMONENE	1.0172 %	10.172 mg/g	137.6825/412.6984	N/A
β-CARYOPHYLLENE	0.8486 %	8.486 mg/g	145.6508/436.5079	N/A
LINALOOL	0.8188 %	8.188 mg/g	245.3810/736.5079	N/A
β-MYRCENE	0.3548 %	3.548 mg/g	144.6032/433.3333	N/A
CIS-NEROLIDOL	0.3151 %	3.151 mg/g	72.5556/217.4603	N/A
TRANS-NEROLIDOL	0.4080 %	4.080 mg/g	69.3175/207.9365	N/A
α-HUMULENE	0.3530 %	3.530 mg/g	200.6191/601.5873	N/A
(-)-α-BISABOLOL	ND	ND		N/A
(-)-β-PINENE	ND	ND		N/A
(-)-ISOPULEGOL	ND	ND		N/A
1,8-CINEOLE	ND	ND		N/A

ANALYTE	AMT	AMT	LOD/LOQ (µg/g)	PASS/FAIL
α-PINENE	ND	ND	63.6191/190.4762	N/A
α-TERPINENE	ND	ND	121.4127/363.4921	N/A
CAMPHERE	ND	ND	91.8730/276.1905	N/A
CARYOPHYLLENE OXIDE	ND	ND		N/A
CIS-β-OCIMENE	ND	ND		N/A
Δ ³ -CARENE	ND	ND	115.2064/346.0318	N/A
γ-TERPINENE	ND	ND	75.6825/226.9841	N/A
GERANIOL	ND	ND	948.4127/2846.0318	N/A
GUAIOL	ND	ND	96.7143/290.4762	N/A
P-CYMENTHENE	ND	ND	100.7619/301.5873	N/A
TERPINOLENE	ND	ND	187.3651/561.9048	N/A
TRANS-β-OCIMENE	ND	ND		N/A

VA/SOP-600.02: RESIDUAL PESTICIDES TESTING WITH LC-MS // MAY 16, 2023

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
ABAMECTIN	0.1 µg/g	ND	0.0189/0.0572	PASS
ACEPHATE	0.1 µg/g	ND	0.0185/0.0560	PASS
ACEQUINOCYL	0.1 µg/g	ND	0.0269/0.0815	PASS
ACETAMIPRID	0.1 µg/g	ND	0.0061/0.0184	PASS
ALDICARB	Any amt	ND	0.0260/0.0788	PASS
α-CYFLUTHRIN		ND	0.0530/0.1606	N/A
α-CYPERMETHRIN		ND	0.0154/0.0466	N/A
AZOXYSTROBIN	0.1 µg/g	ND	0.0074/0.0225	PASS
β-CYFLUTHRIN		ND	0.0725/0.2197	N/A
β-CYPERMETHRIN		ND	0.0320/0.0969	N/A
BIFENAZATE	0.1 µg/g	ND	0.0078/0.0235	PASS
BIFENTHRIN	3 µg/g	ND	0.0143/0.0434	PASS
BOSCALID	0.1 µg/g	ND	0.0098/0.0296	PASS
CAPTAN	0.7 µg/g	ND	0.0020/0.0060	PASS
CARBARYL	0.5 µg/g	ND	0.0068/0.0206	PASS
CARBOFURAN	Any amt	ND	0.0061/0.0185	PASS
CHLORANTRANIL-IPROLE	10 µg/g	ND	0.0105/0.0318	PASS
CHLORPYRIFOS	Any amt	ND	0.0152/0.0461	PASS
CLOFENTHIZINE	0.1 µg/g	ND	0.0142/0.0431	PASS
COUMAPHOS	Any amt	ND	0.0188/0.0569	PASS
CYFLUTHRIN	2 µg/g	ND		PASS
CYPERMETHRIN	1 µg/g	ND		PASS
DAMINOZIDE	Any amt	ND	0.0216/0.0653	PASS
DIAZINON	0.1 µg/g	ND	0.0099/0.0300	PASS
DICHLORVOS	Any amt	ND	0.0121/0.0367	PASS
DIMETHOATE	Any amt	ND	0.0088/0.0266	PASS
DIMETHOMORPH	2 µg/g	ND	0.0165/0.0501	PASS
ETHOPROPHOS	Any amt	ND	0.0100/0.0303	PASS
ETOXENPROX	Any amt	ND	0.0085/0.0257	PASS
ETOXAZOLE	0.1 µg/g	ND	0.0078/0.0235	PASS
FENHEXAMID	0.1 µg/g	ND	0.0229/0.0693	PASS
FENOXYCARB	Any amt	ND	0.0104/0.0317	PASS
FENPYROXIMATE	0.1 µg/g	ND	0.0118/0.0358	PASS
FIPRONIL	Any amt	ND	0.0120/0.0363	PASS
FLONICAMID	0.1 µg/g	ND	0.0098/0.0296	PASS
FLUDIOXONIL	0.1 µg/g	ND	0.0316/0.0956	PASS
HEXYTHIAZOX	0.1 µg/g	ND	0.0080/0.0244	PASS

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
IMAZALIL	Any amt	ND	0.0122/0.0371	PASS
IMIDACLOPRID	5 µg/g	ND	0.0167/0.0506	PASS
KRESOXIM-METHYL	0.1 µg/g	ND	0.0185/0.0559	PASS
MALATHION	0.5 µg/g	ND	0.0092/0.0279	PASS
METALAXYL	2 µg/g	ND	0.0086/0.0259	PASS
METHIOCARB	Any amt	ND	0.0082/0.0248	PASS
METHOMYL	1 µg/g	ND	0.0065/0.0198	PASS
METHYL PARATHION	Any amt	ND	0.0070/0.0211	PASS
MEVINPHOS	Any amt	ND	0.0076/0.0229	PASS
MYCLOBUTANIL	0.1 µg/g	ND	0.0109/0.0331	PASS
NALED	0.1 µg/g	ND	0.0111/0.0336	PASS
OXAMYL	0.5 µg/g	ND	0.0114/0.0347	PASS
PACLOBUTRAZOL	Any amt	ND	0.0097/0.0295	PASS
PERMETHRIN	0.5 µg/g	ND	0.0143/0.0433	PASS
PHOSMET	0.1 µg/g	ND	0.0095/0.0287	PASS
PIPERONYLBUTOXIDE	3 µg/g	ND	0.0116/0.0352	PASS
PRALLETHRIN	0.1 µg/g	ND	0.0239/0.0725	PASS
PROPICONAZOLE	0.1 µg/g	ND	0.0150/0.0454	PASS
PROXUR	Any amt	ND	0.0061/0.0184	PASS
PYRETHRINS	0.5 µg/g	ND		PASS
PYRETHRINS PYRETHRIN I		ND	0.0336/0.1017	N/A
PYRETHRINS PYRETHRIN II		ND	0.0459/0.1391	N/A
PYRIDABEN	0.1 µg/g	ND	0.0074/0.0223	PASS
SPINETORAM	0.1 µg/g	ND		PASS
SPINETORAM J		ND	0.0172/0.0522	N/A
SPINETORAM L		ND	0.0191/0.0579	N/A
SPINOSAD	0.1 µg/g	ND		PASS
SPINOSAD A		ND	0.0116/0.0350	N/A
SPINOSAD D		ND	0.0251/0.0761	N/A
SPIROMESIFEN	0.1 µg/g	ND	0.0132/0.0399	PASS
SPIROTETRAMAT	0.1 µg/g	ND	0.0082/0.0249	PASS
SPIROXAMINE	Any amt	ND	0.0068/0.0206	PASS
TEBUCONAZOLE	0.1 µg/g	ND	0.0140/0.0424	PASS
THIACLOPRID	Any amt	ND	0.0093/0.0281	PASS
THIAMETHOXAM	5 µg/g	ND	0.0111/0.0335	PASS
TRIFLOXYSTROBIN	0.1 µg/g	ND	0.0218/0.0660	PASS

VA/SOP-610.01: RESIDUAL PESTICIDES TESTING WITH GC-MS // MAY 17, 2023

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
CHLORDANE	Any amt	ND		PASS
CHLORDANE CIS		ND	0.0010/0.0800	N/A
CHLORDANE TRANS		ND	0.0010/0.0800	N/A

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
CHLORFENAPYR	Any amt	ND	0.0023/0.0820	PASS
PENTACHLORONITROBENZENE	0.1 µg/g	ND	0.0017/0.0800	PASS



VA/SOP-1000.01: MICROBIAL TESTING WITH PATHOGENDX // MAY 17, 2023

ANALYTE	LIMIT	AMT (CFU)	PASS/FAIL	ANALYTE	LIMIT	AMT (CFU)	PASS/FAIL
ASPERGILLUS FLAVUS	Any amt in 1 gram	ND	PASS	ASPERGILLUS TERREUS	Any amt in 1 gram	ND	PASS
ASPERGILLUS FUMIGATUS	Any amt in 1 gram	ND	PASS	SALMONELLA SPP.	Any amt in 1 gram	ND	PASS
ASPERGILLUS NIGER	Any amt in 1 gram	ND	PASS	SHIGA TOXIN-PRODUCING E. COLI	Any amt in 1 gram	ND	PASS

VA/SOP-600.02: MYCOTOXINS TESTING WITH LC-MS // MAY 16, 2023

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL	ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
AFLATOXIN B1		ND	1.6500/5.0100	N/A	AFLATOXIN G2		ND	2.1000/6.3300	N/A
AFLATOXIN B2		ND	2.1300/6.4200	N/A	AFLATOXINS	20 µg/kg	ND		PASS
AFLATOXIN G1		ND	2.8200/8.5500	N/A	OCHRATOXIN A	20 µg/kg	ND	6.0300/18.2700	PASS

VA/SOP-700.01: HEAVY METALS TESTING WITH ICP-MS // MAY 16, 2023

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL	ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
ARSENIC	0.2 µg/g	ND	0.42034/1.27797	PASS	LEAD	0.5 µg/g	ND	0.26780/0.80678	PASS
CADMIUM	0.2 µg/g	ND	0.14576/0.44068	PASS	MERCURY	0.1 µg/g	ND	0.18305/0.54915	PASS

VA/SOP-190.01: FOREIGN MATERIAL INSPECTION WITH MICROSCOPE // MAY 17, 2023

ANALYTE	LIMIT	AMT (%)	PASS/FAIL	ANALYTE	LIMIT	AMT (%)	PASS/FAIL
IMBEDDED FOREIGN MATERIAL	25 %	ND	PASS	MOLD	25 %	ND	PASS
INSECT FRAGMENTS, HAIR, MAMMAL EXCREMENT	1 Unit	ND	PASS	SAND, SOIL, CINDERS, DIRT	25 %	ND	PASS

VA/SOP-800.01: RESIDUAL SOLVENTS TESTING WITH GC-MS // MAY 16, 2023

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL	ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
1,2-DICHLOROETHANE	1 µg/g	ND	0.1107/0.3173	PASS	HEXANE	290 µg/g	ND	6.7897/24.7638	PASS
ACETONE	5000 µg/g	ND	7.8967/24.7638	PASS	ISOPROPYL ALCOHOL	5000 µg/g	ND	7.1956/24.7638	PASS
ACETONITRILE	410 µg/g	ND	7.0111/24.7638	PASS	METHANOL	3000 µg/g	ND	5.4244/19.8107	PASS
BENZENE	1 µg/g	ND	0.1107/0.3173	PASS	METHYLENE CHLORIDE	1 µg/g	ND	0.1476/0.4952	PASS
BUTANE	5000 µg/g	ND	7.5646/24.7638	PASS	PENTANE	5000 µg/g	ND	9.3727/30.9542	PASS
CHLOROFORM	1 µg/g	ND	0.1107/0.3959	PASS	PROPANE	5000 µg/g	ND	9.4834/30.9542	PASS
ETHANOL	5000 µg/g	ND	7.2694/24.7638	PASS	TOLUENE	890 µg/g	ND	5.6458/19.8107	PASS
ETHYL ACETATE	5000 µg/g	ND	5.5351/19.8107	PASS	TRICHLOROETHYLENE	1 µg/g	ND	0.1107/0.3173	PASS
ETHYLENE OXIDE	1 µg/g	ND	0.1476/0.4952	PASS	O-XYLENE		ND	2.8413/9.8893	N/A
ETHYL ETHER	5000 µg/g	ND	7.7860/24.7638	PASS	P- AND M-XYLENE		ND	2.9520/9.8893	N/A
HEPTANE	5000 µg/g	ND	6.5314/19.8107	PASS	TOTAL XYLENES	2170 µg/g	ND		PASS

