



Fleur de Lis Analytical Laboratories
1515 N Broadway Ave
Saint Louis, MO 63102

(314) 410-5851
<http://FDLAnalytical.com>
Lic# TES000012

Regulatory Compliance Testing

1 of 5

Green Crack Airgraft 1.0g

METRC Sample: 1A40C0300004FB2000000600; METRC Batch: 1A40C0300004FB2000000590

Sample ID: 2310FDLA0197.0793

Produced: 10/06/2023

Client

Strain: Green Crack Airgraft 1.0g

Collected: 10/08/2023

Standard Wellness Missouri

Matrix: Concentrates & Extracts

Received: 10/08/2023

Lic. # MAN000012

Type: Vape

Completed: 10/11/2023

44243 Highway V

Sample Size: ; Batch: 544 g

Batch#:

Vandalia, MO 63382



Summary

Test	Method	Date Tested	Result
Batch			Pass
Cannabinoids	STL-LAB-00023	10/09/2023	Complete
Terpenes	STL-LAB-00022	10/09/2023	Complete
Residual Solvents	STL-LAB-00020	10/09/2023	Pass
Microbials	STL-LAB-00025	10/09/2023	Pass
Mycotoxins	STL-LAB-00015	10/09/2023	Pass
Pesticides	STL-LAB-00015	10/09/2023	Pass
Heavy Metals	STL-LAB-00021	10/08/2023	Pass
Foreign Matter	STL-LAB-00027	10/10/2023	Pass

Cannabinoids

Complete

82.09%	ND	86.49%
Total THC	Total CBD	Total Cannabinoids

Analyte	LOQ	LOD	Result	Result
	%	%	%	mg/g
THCa	0.20	0.10	0.50	5.0
Δ9-THC	0.20	0.10	81.65	816.5
Δ8-THC	0.20	0.10	ND	ND
THCV	0.20	0.10	0.49	4.9
CBDa	0.20	0.10	ND	ND
CBD	0.20	0.10	ND	ND
CBDV	0.20	0.10	ND	ND
CBN	0.20	0.10	0.62	6.2
CBGa	0.20	0.10	ND	ND
CBG	0.20	0.10	2.46	24.6
CBC	0.20	0.10	0.77	7.7
Total THC			82.09	820.90
Total CBD			ND	ND
Total			86.49	864.9

Date Tested: 10/09/2023

Total THC = THCa * 0.877 + Δ9-THC
Total CBD = CBDa * 0.877 + CBD

NT Not Tested Moisture Content	NT Not Tested Water Activity	Pass Foreign Matter
--------------------------------------	------------------------------------	------------------------



Thomas Shifflett

Thomas Shifflett
Director of Quality
10/11/2023

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com





Fleur de Lis Analytical Laboratories
1515 N Broadway Ave
Saint Louis, MO 63102

(314) 410-5851
http://FDLAnalytical.com
Lic# TE5000012

Regulatory Compliance Testing

2 of 5

Green Crack Airgraft 1.0g

METRC Sample: 1A40C0300004FB2000000600; METRC Batch: 1A40C0300004FB2000000590

Sample ID: 2310FDLA0197.0793	Produced: 10/06/2023	Client
Strain: Green Crack Airgraft 1.0g	Collected: 10/08/2023	Standard Wellness Missouri
Matrix: Concentrates & Extracts	Received: 10/08/2023	Lic. # MAN000012
Type: Vape	Completed: 10/11/2023	44243 Highway V
Sample Size: ; Batch: 544 g	Batch#:	Vandalia, MO 63382

Pesticides

Pass

Analyte	LOD	LOQ	Limit	Mass	Status	Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.06	0.125	0.5	ND	Pass	Imazalil	0.025	0.05	0.2	ND	Pass
Acephate	0.05	0.1	0.4	ND	Pass	Imidacloprid	0.05	0.1	0.4	ND	Pass
Acequinocyl	0.25	0.5	2	<LOQ	Pass	Kresoxim Methyl	0.05	0.1	0.4	ND	Pass
Acetamiprid	0.025	0.05	0.2	ND	Pass	Malathion	0.025	0.05	0.2	ND	Pass
Aldicarb	0.05	0.1	0.4	ND	Pass	Metalaxyl	0.025	0.05	0.2	ND	Pass
Azoxystrobin	0.025	0.05	0.2	ND	Pass	Methiocarb	0.025	0.05	0.2	ND	Pass
Bifenazate	0.025	0.05	0.2	ND	Pass	Methomyl	0.05	0.1	0.4	ND	Pass
Bifenthrin	0.025	0.05	0.2	ND	Pass	Methyl Parathion	0.05	0.1	0.2	ND	Pass
Boscalid	0.05	0.1	0.4	ND	Pass	MGK-264	0.025	0.05	0.2	ND	Pass
Carbaryl	0.025	0.05	0.2	ND	Pass	Myclobutanil	0.025	0.05	0.2	ND	Pass
Carbofuran	0.025	0.05	0.2	ND	Pass	Naled	0.06	0.125	0.5	ND	Pass
Chlorantraniliprole	0.025	0.05	0.2	ND	Pass	Oxamyl	0.125	0.25	1	ND	Pass
Chlorfenapyr	0.125	0.25	1	ND	Pass	Paclobutrazol	0.05	0.1	0.4	ND	Pass
Chlormequat chloride	0.025	0.05	0.2	ND	Pass	Permethrins	0.025	0.05	0.2	ND	Pass
Chlorpyrifos	0.025	0.05	0.2	ND	Pass	Phosmet	0.025	0.05	0.2	ND	Pass
Clofentezine	0.025	0.05	0.2	ND	Pass	Piperonyl	0.25	0.5	2	ND	Pass
Cyfluthrin	0.125	0.25	1	ND	Pass	Butoxide					
Cypermethrin	0.125	0.25	1	ND	Pass	Prallethrin	0.025	0.05	0.2	ND	Pass
Daminozide	0.125	0.25	1	ND	Pass	Propiconazole	0.05	0.1	0.4	ND	Pass
Diazinon	0.025	0.05	0.2	ND	Pass	Propoxur	0.025	0.05	0.2	ND	Pass
Dichlorvos	0.125	0.25	1	ND	Pass	Pyrethrins	0.125	0.25	1	ND	Pass
Dimethoate	0.025	0.05	0.2	ND	Pass	Pyridaben	0.025	0.05	0.2	ND	Pass
Ethoprophos	0.025	0.05	0.2	ND	Pass	Spinosad	0.025	0.05	0.2	ND	Pass
Etofenprox	0.05	0.1	0.4	ND	Pass	Spiromesifen	0.025	0.05	0.2	ND	Pass
Etoxazole	0.025	0.05	0.2	ND	Pass	Spirotetramat	0.025	0.05	0.2	ND	Pass
Fenoxycarb	0.025	0.05	0.2	ND	Pass	Spiroxamine	0.05	0.1	0.4	ND	Pass
Fenpyroximate	0.05	0.1	0.4	ND	Pass	Tebuconazole	0.05	0.1	0.4	ND	Pass
Fipronil	0.05	0.1	0.4	ND	Pass	Thiacloprid	0.025	0.05	0.2	ND	Pass
Flonicamid	0.125	0.25	1	ND	Pass	Thiamethoxam	0.025	0.05	0.2	ND	Pass
Fludioxonil	0.05	0.1	0.4	<LOQ	Pass	Trifloxystrobin	0.025	0.05	0.2	ND	Pass
Hexythiazox	0.125	0.25	1	ND	Pass	Vitamin E			0.2	NR	NT
						Acetate					

Date Tested: 10/09/2023



Thomas Shifflett

Thomas Shifflett
Director of Quality
10/11/2023

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com





Fleur de Lis Analytical Laboratories
1515 N Broadway Ave
Saint Louis, MO 63102

(314) 410-5851
<http://FDLAnalytical.com>
Lic# TES000012

Regulatory Compliance Testing

3 of 5

Green Crack Airgraft 1.0g

METRC Sample: 1A40C0300004FB2000000600; METRC Batch: 1A40C0300004FB2000000590

Sample ID: 2310FDLA0197.0793	Produced: 10/06/2023	Client
Strain: Green Crack Airgraft 1.0g	Collected: 10/08/2023	Standard Wellness Missouri
Matrix: Concentrates & Extracts	Received: 10/08/2023	Lic. # MAN000012
Type: Vape	Completed: 10/11/2023	44243 Highway V
Sample Size: ; Batch: 544 g	Batch#:	Vandalia, MO 63382

Microbials

Pass

Analyte	Result	Status
Aspergillus	Not Detected	Pass
Shiga toxin-producing E. Coli	Not Detected	Pass
Salmonella	Not Detected	Pass

Date Tested: 10/09/2023

Mycotoxins

Pass

Analyte	LOD	LOQ	Limit	Units	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
B1		5		<LOQ	Tested
B2		5		ND	Tested
G1		5		<LOQ	Tested
G2		5		ND	Tested
Total Aflatoxins		5	20	<LOQ	Pass
Ochratoxin A		5		<LOQ	Tested

Date Tested: 10/09/2023

Heavy Metals

Pass

Analyte	LOD	LOQ	Limit	Units	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.05	0.1	0.2	ND	Pass
Cadmium	0.05	0.1	0.2	ND	Pass
Chromium	0.05	0.1	0.6	ND	Pass
Lead	0.05	0.1	0.5	ND	Pass
Mercury	0.005	0.01	0.1	ND	Pass

Date Tested: 10/08/2023



Thomas Shifflett

Thomas Shifflett
Director of Quality
10/11/2023

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com





Fleur de Lis Analytical Laboratories
1515 N Broadway Ave
Saint Louis, MO 63102

(314) 410-5851
<http://FDLAnalytical.com>
Lic# TES000012

Regulatory Compliance Testing

4 of 5

Green Crack Airgraft 1.0g

METRC Sample: 1A40C0300004FB2000000600; METRC Batch: 1A40C0300004FB2000000590

Sample ID: 2310FDLA0197.0793	Produced: 10/06/2023	Client
Strain: Green Crack Airgraft 1.0g	Collected: 10/08/2023	Standard Wellness Missouri
Matrix: Concentrates & Extracts	Received: 10/08/2023	Lic. # MAN000012
Type: Vape	Completed: 10/11/2023	44243 Highway V
Sample Size: ; Batch: 544 g	Batch#:	Vandalia, MO 63382

Residual Solvents

Pass

Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloro-Ethane	0.25	0.5	2	ND	Pass
Acetone	0.25	23.4	750	ND	Pass
Acetonitrile	0.25	1.5	60	3.4	Pass
Benzene	0.25	0.5	1	ND	Pass
Butane	0.25	5.8	800	9.6	Pass
Chloroform	0.25	1.5	2	ND	Pass
Ethanol	0.25	5.8	1000	30.2	Pass
Ethyl-Acetate	0.25	5.8	400	<LOQ	Pass
Ethyl-Ether	0.25	0.5	500	1.5	Pass
Ethylene Oxide	0.25	0.5	5	1.0	Pass
Heptane	0.25	23.4	500	<LOQ	Pass
Hexanes	0.25	1.5	50	1.9	Pass
Isopropanol	0.25	5.8	500	<LOQ	Pass
Methanol	0.25	23.4	250	<LOQ	Pass
Methylene-Chloride	0.25	5.8	125	ND	Pass
Pentane	0.25	23.4	750	<LOQ	Pass
Propane	0.25	23.4	2100	<LOQ	Pass
Toluene	0.25	0.5	150	<LOQ	Pass
Trichloroethylene	0.25	0.5	25	0.8	Pass
Xylenes	0.25	5.8	150	7.9	Pass

Date Tested: 10/09/2023



Thomas Shifflett

Thomas Shifflett
Director of Quality
10/11/2023

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com





Fleur de Lis Analytical Laboratories
1515 N Broadway Ave
Saint Louis, MO 63102

(314) 410-5851
http://FDLAnalytical.com
Lic# TES000012

QA Testing

5 of 5

Green Crack Airgraft 1.0g

METRC Sample: 1A40C0300004FB2000000600; METRC Batch: 1A40C0300004FB2000000590

Sample ID: 2310FDLA0197.0793

Produced: 10/06/2023

Client

Strain: Green Crack Airgraft 1.0g

Collected: 10/08/2023

Standard Wellness Missouri

Matrix: Concentrates & Extracts

Received: 10/08/2023

Lic. # MAN000012

Type: Vape

Completed: 10/11/2023

44243 Highway V

Sample Size: ; Batch: 544 g

Batch#:

Vandalia, MO 63382

Terpenes

Analyte	LOD	LOQ	Mass	Mass		Analyte	LOD	LOQ	Mass	Mass
	%	%	%	mg/g			%	%	%	mg/g
β -Pinene	0.02	0.04	1.41	14.1		Caryophyllene Oxide	0.02	0.04	<LOQ	<LOQ
β -Caryophyllene	0.02	0.04	0.87	8.7		Cedrol	0.02	0.04	ND	ND
Limonene	0.02	0.04	0.53	5.3		cis-Nerolidol	0.02	0.04	ND	ND
α -Pinene	0.02	0.04	0.34	3.4		cis-Ocimene	0.02	0.04	ND	ND
Valencene	0.02	0.04	0.22	2.2		Eucalyptol	0.02	0.04	ND	ND
Linalool	0.02	0.04	0.20	2.0		Fenchone	0.02	0.04	ND	ND
α -Bisabolol	0.02	0.04	0.19	1.9		γ -Terpinene	0.02	0.04	ND	ND
β -Myrcene	0.02	0.04	0.19	1.9		Geraniol	0.02	0.04	ND	ND
γ -Terpineol	0.02	0.04	0.12	1.2		Geranyl Acetate	0.02	0.04	ND	ND
α -Terpineol	0.02	0.04	0.12	1.2		Guaiol	0.02	0.04	ND	ND
α -Phellandrene	0.02	0.04	0.11	1.1		Isoborneol	0.02	0.04	ND	ND
Farnesene	0.02	0.04	0.09	0.9		Isopulegol	0.02	0.04	ND	ND
Endo-Fenchyl Alcohol	0.02	0.04	0.08	0.8		Menthhol	0.02	0.04	ND	ND
α -Humulene	0.02	0.04	0.05	0.5		Nerol	0.02	0.04	ND	ND
3-Carene	0.02	0.04	<LOQ	<LOQ		Pulegone	0.02	0.04	ND	ND
α -Cedrene	0.02	0.04	ND	ND		Sabinene	0.02	0.04	ND	ND
α -Terpinene	0.02	0.04	ND	ND		Sabinene Hydrate	0.02	0.04	ND	ND
Borneol	0.02	0.04	ND	ND		Terpinolene	0.02	0.04	<LOQ	<LOQ
Camphene	0.02	0.04	<LOQ	<LOQ		trans-Nerolidol	0.02	0.04	ND	ND
Camphor	0.02	0.04	ND	ND		trans-Ocimene	0.02	0.04	ND	ND
						Total			4.51	45.1

Primary Aromas

 Pine	 Cinnamon	 Orange	 Lavender	 Chamomile
---	---	---	---	--

Date Tested: 10/09/2023



Thomas Shifflett

Thomas Shifflett
Director of Quality
10/11/2023

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com

