



Fleur de Lis Analytical Laboratories
1515 N Broadway Ave
Saint Louis, MO 63102

(314) 410-5851
<http://FDLAnalytical.com>
Lic# TE5000012

Regulatory Compliance Testing

1 of 5

Blue Dream Aigraft 1.0g

METRC Sample: 1A40C0300004FB2000000542; METRC Batch: 1A40C0300004FB2000000528

Sample ID: 2309FDLA0170.0662

Produced: 09/27/2023

Client

Strain: Blue Dream Aigraft 1.0g

Collected: 09/27/2023

Standard Wellness Missouri

Matrix: Concentrates & Extracts

Received: 09/27/2023

Lic. # MAN000012

Type: Vape

Completed: 10/02/2023

44243 Highway V

Sample Size: ; Batch: 525 units

Batch#:

Vandalia, MO 63382



Summary

Test	Method	Date Tested	Result
Batch			Pass
Cannabinoids	STL-LAB-00023	09/28/2023	Complete
Terpenes	STL-LAB-00022	09/28/2023	Complete
Residual Solvents	STL-LAB-00020	09/28/2023	Pass
Microbials	STL-LAB-00025	09/29/2023	Pass
Mycotoxins	STL-LAB-00015	09/28/2023	Pass
Pesticides	STL-LAB-00015	09/28/2023	Pass
Heavy Metals	STL-LAB-00021	09/28/2023	Pass
Foreign Matter	STL-LAB-00027	09/28/2023	Pass

Cannabinoids

Complete

83.54%	ND	88.08%
Total THC	Total CBD	Total Cannabinoids

Analyte	LOQ	LOD	Result	Result
	%	%	%	mg/g
THCa	0.20	0.10	0.40	4.0
Δ9-THC	0.20	0.10	83.19	831.9
Δ8-THC	0.20	0.10	ND	
THCV	0.20	0.10	0.57	5.7
CBDa	0.20	0.10	ND	ND
CBD	0.20	0.10	ND	ND
CBDV	0.20	0.10	ND	ND
CBN	0.20	0.10	0.62	6.2
CBGa	0.20	0.10	ND	ND
CBG	0.20	0.10	2.69	26.9
CBC	0.20	0.10	0.61	6.1
Total THC			83.54	835.40
Total CBD			ND	ND
Total			88.08	880.8

Date Tested: 09/28/2023

Total THC = THCa * 0.877 + Δ9-THC
Total CBD = CBDa * 0.877 + CBD

NT Not Tested Moisture Content	NT Not Tested Water Activity	Pass Foreign Matter
--------------------------------------	------------------------------------	------------------------



Thomas Shifflett

Thomas Shifflett
Director of Quality
10/02/2023

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com





Fleur de Lis Analytical Laboratories
1515 N Broadway Ave
Saint Louis, MO 63102

(314) 410-5851
http://FDLAnalytical.com
Lic# TE5000012

Regulatory Compliance Testing

2 of 5

Blue Dream Airtight 1.0g

METRC Sample: 1A40C0300004FB2000000542; METRC Batch: 1A40C0300004FB2000000528

Sample ID: 2309FDLA0170.0662	Produced: 09/27/2023	Client
Strain: Blue Dream Airtight 1.0g	Collected: 09/27/2023	Standard Wellness Missouri
Matrix: Concentrates & Extracts	Received: 09/27/2023	Lic. # MAN000012
Type: Vape	Completed: 10/02/2023	44243 Highway V
Sample Size: ; Batch: 525 units	Batch#:	Vandalia, MO 63382

Pesticides

Pass

Analyte	LOD	LOQ	Limit	Mass	Status	Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.06	0.125	0.5	ND	Pass	Imazalil	0.025	0.05	0.2	ND	Pass
Acephate	0.05	0.1	0.4	ND	Pass	Imidacloprid	0.05	0.1	0.4	ND	Pass
Acequinocyl	0.25	0.5	2	<LOQ	Pass	Kresoxim Methyl	0.05	0.1	0.4	ND	Pass
Acetamiprid	0.025	0.05	0.2	ND	Pass	Malathion	0.025	0.05	0.2	ND	Pass
Aldicarb	0.05	0.1	0.4	ND	Pass	Metalaxyl	0.025	0.05	0.2	ND	Pass
Azoxystrobin	0.025	0.05	0.2	ND	Pass	Methiocarb	0.025	0.05	0.2	ND	Pass
Bifenazate	0.025	0.05	0.2	ND	Pass	Methomyl	0.05	0.1	0.4	ND	Pass
Bifenthrin	0.025	0.05	0.2	ND	Pass	Methyl Parathion	0.05	0.1	0.2	ND	Pass
Boscalid	0.05	0.1	0.4	ND	Pass	MGK-264	0.025	0.05	0.2	ND	Pass
Carbaryl	0.025	0.05	0.2	ND	Pass	Myclobutanil	0.025	0.05	0.2	ND	Pass
Carbofuran	0.025	0.05	0.2	ND	Pass	Naled	0.06	0.125	0.5	ND	Pass
Chlorantraniliprole	0.025	0.05	0.2	ND	Pass	Oxamyl	0.125	0.25	1	ND	Pass
Chlorfenapyr	0.125	0.25	1	ND	Pass	Paclobutrazol	0.05	0.1	0.4	ND	Pass
Chlormequat chloride	0.025	0.05	0.2	ND	Pass	Permethrins	0.025	0.05	0.2	<LOQ	Pass
Chlorpyrifos	0.025	0.05	0.2	ND	Pass	Phosmet	0.025	0.05	0.2	ND	Pass
Clofentezine	0.025	0.05	0.2	ND	Pass	Piperonyl Butoxide	0.25	0.5	2	ND	Pass
Cyfluthrin	0.125	0.25	1	ND	Pass	Prallethrin	0.025	0.05	0.2	<LOQ	Pass
Cypermethrin	0.125	0.25	1	ND	Pass	Propiconazole	0.05	0.1	0.4	ND	Pass
Daminozide	0.125	0.25	1	ND	Pass	Propoxur	0.025	0.05	0.2	ND	Pass
Diazinon	0.025	0.05	0.2	ND	Pass	Pyrethrins	0.125	0.25	1	ND	Pass
Dichlorvos	0.125	0.25	1	ND	Pass	Pyridaben	0.025	0.05	0.2	ND	Pass
Dimethoate	0.025	0.05	0.2	ND	Pass	Spinosad	0.025	0.05	0.2	ND	Pass
Ethoprophos	0.025	0.05	0.2	ND	Pass	Spiromesifen	0.025	0.05	0.2	ND	Pass
Etofenprox	0.05	0.1	0.4	ND	Pass	Spirotetramat	0.025	0.05	0.2	ND	Pass
Etoazole	0.025	0.05	0.2	ND	Pass	Spiroxamine	0.05	0.1	0.4	ND	Pass
Fenoxycarb	0.025	0.05	0.2	ND	Pass	Tebuconazole	0.05	0.1	0.4	ND	Pass
Fenpyroximate	0.05	0.1	0.4	ND	Pass	Thiacloprid	0.025	0.05	0.2	ND	Pass
Fipronil	0.05	0.1	0.4	ND	Pass	Thiamethoxam	0.025	0.05	0.2	ND	Pass
Flonicamid	0.125	0.25	1	ND	Pass	Trifloxystrobin	0.025	0.05	0.2	ND	Pass
Fludioxonil	0.05	0.1	0.4	<LOQ	Pass	Vitamin E			0.2	NR	NT
Hexythiazox	0.125	0.25	1	ND	Pass	Acetate					

Date Tested: 09/28/2023



Thomas Shifflett

Thomas Shifflett
Director of Quality
10/02/2023

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com





Fleur de Lis Analytical Laboratories
1515 N Broadway Ave
Saint Louis, MO 63102

(314) 410-5851
<http://FDLAnalytical.com>
Lic# TES000012

Regulatory Compliance Testing

3 of 5

Blue Dream Airtight 1.0g

METRC Sample: 1A40C0300004FB2000000542; METRC Batch: 1A40C0300004FB2000000528

Sample ID: 2309FDLA0170.0662	Produced: 09/27/2023	Client
Strain: Blue Dream Airtight 1.0g	Collected: 09/27/2023	Standard Wellness Missouri
Matrix: Concentrates & Extracts	Received: 09/27/2023	Lic. # MAN000012
Type: Vape	Completed: 10/02/2023	44243 Highway V
Sample Size: ; Batch: 525 units	Batch#:	Vandalia, MO 63382

Microbials

Pass

Analyte	Result	Status
Aspergillus	Not Detected	Pass
Shiga toxin-producing E. Coli	Not Detected	Pass
Salmonella	Not Detected	Pass

Date Tested: 09/29/2023

Mycotoxins

Pass

Analyte	LOD	LOQ	Limit	Units	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
B1		5		ND	Tested
B2		5		ND	Tested
G1		5		<LOQ	Tested
G2		5		ND	Tested
Total Aflatoxins		5	20	<LOQ	Pass
Ochratoxin A		5		<LOQ	Tested

Date Tested: 09/28/2023

Heavy Metals

Pass

Analyte	LOD	LOQ	Limit	Units	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.05	0.1	0.2	ND	Pass
Cadmium	0.05	0.1	0.2	ND	Pass
Chromium	0.05	0.1	0.6	ND	Pass
Lead	0.05	0.1	0.5	ND	Pass
Mercury	0.005	0.01	0.1	ND	Pass

Date Tested: 09/28/2023



Thomas Shifflett

Thomas Shifflett
Director of Quality
10/02/2023

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com





Fleur de Lis Analytical Laboratories
1515 N Broadway Ave
Saint Louis, MO 63102

(314) 410-5851
<http://FDLAnalytical.com>
Lic# TES000012

Regulatory Compliance Testing

4 of 5

Blue Dream Airtight 1.0g

METRC Sample: 1A40C0300004FB2000000542; METRC Batch: 1A40C0300004FB2000000528

Sample ID: 2309FDLA0170.0662	Produced: 09/27/2023	Client
Strain: Blue Dream Airtight 1.0g	Collected: 09/27/2023	Standard Wellness Missouri
Matrix: Concentrates & Extracts	Received: 09/27/2023	Lic. # MAN000012
Type: Vape	Completed: 10/02/2023	44243 Highway V
Sample Size: ; Batch: 525 units	Batch#:	Vandalia, MO 63382

Residual Solvents

Pass

Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloro-Ethane	0.25	0.5	2	ND	Pass
Acetone	0.25	23.4	750	<LOQ	Pass
Acetonitrile	0.25	1.5	60	ND	Pass
Benzene	0.25	0.5	1	ND	Pass
Butane	0.25	5.8	800	7.5	Pass
Chloroform	0.25	1.5	2	ND	Pass
Ethanol	0.25	5.8	1000	11.2	Pass
Ethyl-Acetate	0.25	5.8	400	<LOQ	Pass
Ethyl-Ether	0.25	0.5	500	<LOQ	Pass
Ethylene Oxide	0.25	0.5	5	1.1	Pass
Heptane	0.25	23.4	500	ND	Pass
Hexanes	0.25	1.5	50	1.7	Pass
Isopropanol	0.25	5.8	500	ND	Pass
Methanol	0.25	23.4	250	ND	Pass
Methylene-Chloride	0.25	5.8	125	ND	Pass
Pentane	0.25	23.4	750	<LOQ	Pass
Propane	0.25	23.4	2100	<LOQ	Pass
Toluene	0.25	0.5	150	ND	Pass
Trichloroethylene	0.25	0.5	25	<LOQ	Pass
Xylenes	0.25	5.8	150	ND	Pass

Date Tested: 09/28/2023



Thomas Shifflett

Thomas Shifflett
Director of Quality
10/02/2023

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com





Fleur de Lis Analytical Laboratories
1515 N Broadway Ave
Saint Louis, MO 63102

(314) 410-5851
http://FDLAnalytical.com
Lic# TES000012

QA Testing

5 of 5

Blue Dream Airtight 1.0g

METRC Sample: 1A40C0300004FB2000000542; METRC Batch: 1A40C0300004FB2000000528

Sample ID: 2309FDLA0170.0662

Produced: 09/27/2023

Client

Strain: Blue Dream Airtight 1.0g

Collected: 09/27/2023

Standard Wellness Missouri

Matrix: Concentrates & Extracts

Received: 09/27/2023

Lic. # MAN000012

Type: Vape

Completed: 10/02/2023

44243 Highway V

Sample Size: ; Batch: 525 units

Batch#:

Vandalia, MO 63382

Terpenes

Analyte	LOD	LOQ	Mass	Mass		Analyte	LOD	LOQ	Mass	Mass
	%	%	%	mg/g			%	%	%	mg/g
β-Pinene	0.02	0.04	0.67	6.7		α-Cedrene	0.02	0.04	ND	ND
β-Caryophyllene	0.02	0.04	0.64	6.4		α-Terpinene	0.02	0.04	<LOQ	<LOQ
α-Pinene	0.02	0.04	0.36	3.6		Borneol	0.02	0.04	ND	ND
α-Humulene	0.02	0.04	0.26	2.6		Camphor	0.02	0.04	<LOQ	<LOQ
Limonene	0.02	0.04	0.25	2.5		Caryophyllene Oxide	0.02	0.04	ND	ND
Farnesene	0.02	0.04	0.18	1.8		Cedrol	0.02	0.04	ND	ND
Linalool	0.02	0.04	0.16	1.6		cis-Nerolidol	0.02	0.04	ND	ND
α-Phellandrene	0.02	0.04	0.16	1.6		Eucalyptol	0.02	0.04	ND	ND
α-Bisabolol	0.02	0.04	0.14	1.4		γ-Terpinene	0.02	0.04	ND	ND
Endo-Fenchyl Alcohol	0.02	0.04	0.12	1.2		Geraniol	0.02	0.04	ND	ND
β-Myrcene	0.02	0.04	0.12	1.2		Geranyl Acetate	0.02	0.04	ND	ND
3-Carene	0.02	0.04	0.10	1.0		Guaiol	0.02	0.04	ND	ND
Terpinolene	0.02	0.04	0.08	0.8		Isoborneol	0.02	0.04	ND	ND
cis-Ocimene	0.02	0.04	0.08	0.8		Isopulegol	0.02	0.04	ND	ND
Camphene	0.02	0.04	0.08	0.8		Menthol	0.02	0.04	<LOQ	<LOQ
trans-Ocimene	0.02	0.04	0.07	0.7		Nerol	0.02	0.04	ND	ND
trans-Nerolidol	0.02	0.04	0.07	0.7		Pulegone	0.02	0.04	ND	ND
α-Terpineol	0.02	0.04	0.06	0.6		Sabinene	0.02	0.04	<LOQ	<LOQ
γ-Terpineol	0.02	0.04	0.06	0.6		Sabinene Hydrate	0.02	0.04	ND	ND
Fenchone	0.02	0.04	0.04	0.4		Valencene	0.02	0.04	ND	ND
						Total			3.68	36.8

Primary Aromas

 Pine	 Cinnamon	 Hops	 Orange	 Magnolia
---	---	---	---	---

Date Tested: 09/28/2023



Thomas Shifflett

Thomas Shifflett
Director of Quality
10/02/2023

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com

