

CERTIFICATE OF ANALYSIS

| | Test | Results | I-502 Limits | Status | Method |
|---|------------------------|---------|--------------|--------|--------|
| Date Received: 12/27/2023 | Anisole | 0.00 % | | | GC-FID |
| | α -Pinene | 0.10 % | | | GC-FID |
| Client: Rolling Farms | Camphene | 0.03 % | | | GC-FID |
| | Sabinene | 0.03 % | | | GC-FID |
| Sample Type: Solvent Based Extract/Concentrate | β -Pinene | 0.18 % | | | GC-FID |
| | Myrcene | 0.44 % | | | GC-FID |
| | α -Phellandrene | 0.05 % | | | GC-FID |
| Sample Name: S-0190412 | 3-Carene | 0.03 % | | | GC-FID |
| | α -Terpinene | 0.02 % | | | GC-FID |
| AR-Number: R-0157924 | p-Cymene | 0.01 % | | | GC-FID |
| | Limonene | 1.65 % | | | GC-FID |
| Client ID: 416113 | Eucalyptol | 0.01 % | | | GC-FID |
| | Ocimene | 0.18 % | | | GC-FID |
| UBI Number: WSLCB | g-Terpinene | 0.26 % | | | GC-FID |
| | Terpinolene | 0.67 % | | | GC-FID |
| Inventory ID: 17896408545072387 | Linalool | 0.09 % | | | GC-FID |
| | Fenchol | 0.05 % | | | GC-FID |
| Product Name: Zhirley Temple | iso-Pulegol | 0.00 % | | | GC-FID |
| | iso-Borneol | 0.00 % | | | GC-FID |
| | Menthol | 0.00 % | | | GC-FID |
| | Terpineol | 0.05 % | | | GC-FID |
| | Citronellol | 0.00 % | | | GC-FID |
| | Geraniol | 0.00 % | | | GC-FID |
| | Anethol | 0.00 % | | | GC-FID |
| | Carvacrol | 0.00 % | | | GC-FID |
| | β -Caryophyllene | 0.70 % | | | GC-FID |
| | α -Humulene | 0.28 % | | | GC-FID |
| | Nerolidol | 0.12 % | | | GC-FID |

QA Officer: Benjamin Hart

Results only apply to the sample tested and we have no way of verifying it represents the lot.

Testing Technologies

19834 Viking Ave NW Ste A
Suite A Poulsbo, WA 98370

Rolling Farms

18520 67th Ave NE Arlington,
WA 98223

| | Test | Results | I-502 Limits | Status | Method |
|--|-----------------------|----------|---------------|--------|-----------|
| | β-Caryophyllene Oxide | 0.09 % | | | GC-FID |
| | Cedrol | 0.00 % | | | GC-FID |
| | Bisabolol | 0.17 % | | | GC-FID |
| | Total Terpenes | 5.21 % | | | |
| | D9-THC | 85.0 % | | | UHPLC-DAD |
| | THC-A | 0.0 % | | | UHPLC-DAD |
| | Total THC | 85.0 % | | | UHPLC-DAD |
| | CBD | 0.2 % | | | UHPLC-DAD |
| | CBD-A | 0.0 % | | | UHPLC-DAD |
| | Total CBD | 0.2 % | | | UHPLC-DAD |
| | THC + CBD Total | 85.2 % | | | UHPLC-DAD |
| | CBN | 0.4 % | | | UHPLC-DAD |
| | CBD-V | 0.0 % | | | UHPLC-DAD |
| | CBG | 4.7 % | | | UHPLC-DAD |
| | CBG-A | 0.2 % | | | UHPLC-DAD |
| | THC-V | 0.8 % | | | UHPLC-DAD |
| | CBC | 2.0 % | | | UHPLC-DAD |
| | Total Cannabinoids | 93.3 % | | | UHPLC-DAD |
| | Total Aflatoxins | <3 ng/g | 0.0 - 20.0 | pass | LC/MS/MS |
| | Ochratoxin A | <3 ng/g | 0.0 - 20.0 | pass | LC/MS/MS |
| | Acetone | <25 ppm | 0.0 - 5,000.0 | pass | HS-GC/FID |
| | Benzene | <0.8 ppm | 0.0 - 2.0 | pass | HS-GC/MS |
| | n-Butane | <35 ppm | 0.0 - 5,000.0 | pass | HS-GC/FID |
| | iso-Butane | <35 ppm | 0.0 - 5,000.0 | pass | HS-GC/FID |
| | Total Butanes | <70 ppm | 0.0 - 5,000.0 | pass | |
| | Cyclohexane | <20 ppm | 0.0 - 3,880.0 | pass | HS-GC/FID |
| | Chloroform | <0.8 ppm | 0.0 - 2.0 | pass | HS-GC/MS |
| | Dichloromethane | <6 ppm | 0.0 - 600.0 | pass | HS-GC/FID |
| | Ethyl acetate | <25 ppm | 0.0 - 5,000.0 | pass | HS-GC/FID |
| | Heptanes | <25 ppm | 0.0 - 5,000.0 | pass | HS-GC/FID |

QA Officer: Benjamin Hart

Results only apply to the sample tested and we have no way of verifying it represents the lot.

| | Test | Results | I-502 Limits | Status | Method |
|--|---------------------|----------|---------------|--------|-----------|
| | Hexanes | <25 ppm | 0.0 - 290.0 | pass | HS-GC/FID |
| | Isopropanol | <25 ppm | 0.0 - 5,000.0 | pass | HS-GC/FID |
| | Methanol | <15 ppm | 0.0 - 3,000.0 | pass | HS-GC/FID |
| | Pentanes | <25 ppm | 0.0 - 5,000.0 | pass | HS-GC/FID |
| | Propane | <35 ppm | 0.0 - 5,000.0 | pass | HS-GC/FID |
| | Toluene | <8 ppm | 0.0 - 890.0 | pass | HS-GC/FID |
| | Xylene | <70 ppm | 0.0 - 2,170.0 | pass | HS-GC/FID |
| | Ethanol | <25 ppm | 0.0 - 5,000.0 | pass | HS-GC/FID |
| | Abamectin | N.D. ppm | 0.0 - 0.5 | pass | LC/MS/MS |
| | Acephate | N.D. ppm | 0.0 - 0.4 | pass | LC/MS/MS |
| | Acequinocyl | N.D. ppm | 0.0 - 2.0 | pass | LC/MS/MS |
| | Acetamiprid | N.D. ppm | 0.0 - 0.2 | pass | LC/MS/MS |
| | Aldicarb | N.D. ppm | 0.0 - 0.4 | pass | LC/MS/MS |
| | Azoxystrobin | N.D. ppm | 0.0 - 0.2 | pass | LC/MS/MS |
| | Bifenazate | N.D. ppm | 0.0 - 0.2 | pass | LC/MS/MS |
| | Bifenthrin | N.D. ppm | 0.0 - 0.2 | pass | LC/MS/MS |
| | Boscalid | N.D. ppm | 0.0 - 0.4 | pass | LC/MS/MS |
| | Carbaryl | N.D. ppm | 0.0 - 0.2 | pass | LC/MS/MS |
| | Carbofuran | N.D. ppm | 0.0 - 0.2 | pass | LC/MS/MS |
| | Chlorantraniliprole | N.D. ppm | 0.0 - 0.2 | pass | LC/MS/MS |
| | Chlorfenapyr | N.D. ppm | 0.0 - 1.0 | pass | LC/MS/MS |
| | Chlorpyrifos | N.D. ppm | 0.0 - 0.2 | pass | LC/MS/MS |
| | Clofentezine | N.D. ppm | 0.0 - 0.2 | pass | LC/MS/MS |
| | Cyfluthrin | N.D. ppm | 0.0 - 1.0 | pass | LC/MS/MS |
| | Cypermethrin | N.D. ppm | 0.0 - 1.0 | pass | LC/MS/MS |
| | Daminozide | N.D. ppm | 0.0 - 1.0 | pass | LC/MS/MS |
| | Dichlorvos (DDVP) | N.D. ppm | 0.0 - 0.1 | pass | LC/MS/MS |
| | Diazinon | N.D. ppm | 0.0 - 0.2 | pass | LC/MS/MS |
| | Dimethoate | N.D. ppm | 0.0 - 0.2 | pass | LC/MS/MS |
| | Ethoprophos | N.D. ppm | 0.0 - 0.2 | pass | LC/MS/MS |

QA Officer: Benjamin Hart

Results only apply to the sample tested and we have no way of verifying it represents the lot.

| | Test | Results | I-502 Limits | Status | Method |
|--|---------------------|----------|--------------|--------|----------|
| | Etofenprox | N.D. ppm | 0.0 - 0.4 | pass | LC/MS/MS |
| | Etoazole | N.D. ppm | 0.0 - 0.2 | pass | LC/MS/MS |
| | Fenoxycarb | N.D. ppm | 0.0 - 0.2 | pass | LC/MS/MS |
| | Fenpyroximate | N.D. ppm | 0.0 - 0.4 | pass | LC/MS/MS |
| | Fipronil | N.D. ppm | 0.0 - 0.4 | pass | LC/MS/MS |
| | Fonicamid | N.D. ppm | 0.0 - 1.0 | pass | LC/MS/MS |
| | Fludioxonil | N.D. ppm | 0.0 - 0.4 | pass | LC/MS/MS |
| | Hexythiazox | N.D. ppm | 0.0 - 1.0 | pass | LC/MS/MS |
| | Imazalil | N.D. ppm | 0.0 - 0.2 | pass | LC/MS/MS |
| | Imidacloprid | N.D. ppm | 0.0 - 0.4 | pass | LC/MS/MS |
| | Kresoxin-methyl | N.D. ppm | 0.0 - 0.4 | pass | LC/MS/MS |
| | Malathion | N.D. ppm | 0.0 - 0.2 | pass | LC/MS/MS |
| | Metalaxyl | N.D. ppm | 0.0 - 0.2 | pass | LC/MS/MS |
| | Methiocarb | N.D. ppm | 0.0 - 0.2 | pass | LC/MS/MS |
| | Methomyl | N.D. ppm | 0.0 - 0.2 | pass | LC/MS/MS |
| | Methyl parathion | N.D. ppm | 0.0 - 0.2 | pass | LC/MS/MS |
| | MGK-264 | N.D. ppm | 0.0 - 0.2 | pass | LC/MS/MS |
| | Myclobutanil | N.D. ppm | 0.0 - 0.2 | pass | LC/MS/MS |
| | Naled | N.D. ppm | 0.0 - 0.5 | pass | LC/MS/MS |
| | Oxamyl | N.D. ppm | 0.0 - 1.0 | pass | LC/MS/MS |
| | Paclobutrazol | N.D. ppm | 0.0 - 0.4 | pass | LC/MS/MS |
| | Permethrins (total) | N.D. ppm | 0.0 - 0.2 | pass | LC/MS/MS |
| | Phosemet | N.D. ppm | 0.0 - 0.2 | pass | LC/MS/MS |
| | Piperonyl Butoxide | N.D. ppm | 0.0 - 2.0 | pass | LC/MS/MS |
| | Prallethrin | N.D. ppm | 0.0 - 0.2 | pass | LC/MS/MS |
| | Propiconazole | N.D. ppm | 0.0 - 0.4 | pass | LC/MS/MS |
| | Propoxur | N.D. ppm | 0.0 - 0.2 | pass | LC/MS/MS |
| | Pyrethrins (Total) | N.D. ppm | 0.0 - 1.0 | pass | LC/MS/MS |
| | Pyridaben | N.D. ppm | 0.0 - 0.2 | pass | LC/MS/MS |
| | Spinosads (total) | N.D. ppm | 0.0 - 0.2 | pass | LC/MS/MS |

QA Officer: Benjamin Hart

Results only apply to the sample tested and we have no way of verifying it represents the lot.

Testing Technologies

19834 Viking Ave NW Ste A
Suite A Poulsbo, WA 98370

Rolling Farms

18520 67th Ave NE Arlington,
WA 98223

| | Test | Results | I-502 Limits | Status | Method |
|--|-----------------|----------|--------------|--------|----------|
| | Spiromesifen | N.D. ppm | 0.0 - 0.2 | pass | LC/MS/MS |
| | Spirotetramat | N.D. ppm | 0.0 - 0.2 | pass | LC/MS/MS |
| | Spiroxamine | N.D. ppm | 0.0 - 0.4 | pass | LC/MS/MS |
| | Tebuconazole | N.D. ppm | 0.0 - 0.4 | pass | LC/MS/MS |
| | Thiacloprid | N.D. ppm | 0.0 - 0.2 | pass | LC/MS/MS |
| | Thiamethoxam | N.D. ppm | 0.0 - 0.2 | pass | LC/MS/MS |
| | Trifloxystrobin | N.D. ppm | 0.0 - 0.2 | pass | LC/MS/MS |

Laboratory ID: 3568-02

Date Tested: 12/30/2023

Published Date: 12/31/2023 21:29:35

QA Officer: Benjamin Hart

Results only apply to the sample tested and we have no way of verifying it represents the lot.