

CERTIFICATE OF ANALYSIS

	Test	Results	I-502 Limits	Status	Method
Date Received: 02/05/2024	D9-THC	87.1 %			UHPLC-DAD
	THC-A	0.0 %			UHPLC-DAD
Client: Rolling Farms	Total THC	87.1 %			UHPLC-DAD
	CBD	0.2 %			UHPLC-DAD
Sample Type: Solvent Based Extract/Concentrate	CBD-A	0.0 %			UHPLC-DAD
	Total CBD	0.2 %			UHPLC-DAD
	THC + CBD Total	87.3 %			UHPLC-DAD
Sample Name: S-0192380	CBN	0.4 %			UHPLC-DAD
	CBD-V	0.0 %			UHPLC-DAD
AR-Number: R-0159891	CBG	2.1 %			UHPLC-DAD
	CBG-A	0.0 %			UHPLC-DAD
Client ID: 416113	THC-V	0.5 %			UHPLC-DAD
	CBC	2.3 %			UHPLC-DAD
UBI Number: WSLCB	Total Cannabinoids	92.6 %			UHPLC-DAD
	Total Aflatoxins	<3 ng/g	0.0 - 20.0	pass	LC/MS/MS
Inventory ID: 17896753280421514	Ochratoxin A	<3 ng/g	0.0 - 20.0	pass	LC/MS/MS
	Acetone	<25 ppm	0.0 - 5,000.0	pass	HS-GC/FID
Product Name: Distillate - Olympus - Colombian Gold	Benzene	<0.8 ppm	0.0 - 2.0	pass	HS-GC/MS
	n-Butane	<35 ppm	0.0 - 5,000.0	pass	HS-GC/FID
	iso-Butane	<35 ppm	0.0 - 5,000.0	pass	HS-GC/FID
	Total Butanes	<70 ppm	0.0 - 5,000.0	pass	
	Cyclohexane	<20 ppm	0.0 - 3,880.0	pass	HS-GC/FID
	Chloroform	<0.8 ppm	0.0 - 2.0	pass	HS-GC/MS
	Dichloromethane	<6 ppm	0.0 - 600.0	pass	HS-GC/FID
	Ethyl acetate	<25 ppm	0.0 - 5,000.0	pass	HS-GC/FID
	Heptanes	<25 ppm	0.0 - 5,000.0	pass	HS-GC/FID
	Hexanes	<25 ppm	0.0 - 290.0	pass	HS-GC/FID
	Isopropanol	<25 ppm	0.0 - 5,000.0	pass	HS-GC/FID

QA Officer: Benjamin Hart

Results only apply to the sample tested and we have no way of verifying it represents the lot.

	Test	Results	I-502 Limits	Status	Method
	Methanol	<15 ppm	0.0 - 3,000.0	pass	HS-GC/FID
	Pentanes	<25 ppm	0.0 - 5,000.0	pass	HS-GC/FID
	Propane	<35 ppm	0.0 - 5,000.0	pass	HS-GC/FID
	Toluene	<8 ppm	0.0 - 890.0	pass	HS-GC/FID
	Xylene	<70 ppm	0.0 - 2,170.0	pass	HS-GC/FID
	Ethanol	<25 ppm	0.0 - 5,000.0	pass	HS-GC/FID
	Abamectin	N.D. ppm	0.0 - 0.5	pass	LC/MS/MS
	Acephate	N.D. ppm	0.0 - 0.4	pass	LC/MS/MS
	Acequinocyl	N.D. ppm	0.0 - 2.0	pass	LC/MS/MS
	Acetamiprid	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Aldicarb	N.D. ppm	0.0 - 0.4	pass	LC/MS/MS
	Azoxystrobin	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Bifenazate	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Bifenthrin	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Boscalid	N.D. ppm	0.0 - 0.4	pass	LC/MS/MS
	Carbaryl	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Carbofuran	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Chlorantraniliprole	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Chlorfenapyr	N.D. ppm	0.0 - 1.0	pass	LC/MS/MS
	Chlorpyrifos	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Clofentezine	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Cyfluthrin	N.D. ppm	0.0 - 1.0	pass	LC/MS/MS
	Cypermethrin	N.D. ppm	0.0 - 1.0	pass	LC/MS/MS
	Daminozide	N.D. ppm	0.0 - 1.0	pass	LC/MS/MS
	Dichlorvos (DDVP)	N.D. ppm	0.0 - 0.1	pass	LC/MS/MS
	Diazinon	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Dimethoate	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Ethoprophos	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Etofenprox	N.D. ppm	0.0 - 0.4	pass	LC/MS/MS
	Etoxazole	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS

QA Officer: Benjamin Hart

Results only apply to the sample tested and we have no way of verifying it represents the lot.

	Test	Results	I-502 Limits	Status	Method
	Fenoxycarb	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Fenpyroximate	N.D. ppm	0.0 - 0.4	pass	LC/MS/MS
	Fipronil	N.D. ppm	0.0 - 0.4	pass	LC/MS/MS
	Fonicamid	N.D. ppm	0.0 - 1.0	pass	LC/MS/MS
	Fludioxonil	N.D. ppm	0.0 - 0.4	pass	LC/MS/MS
	Hexythiazox	N.D. ppm	0.0 - 1.0	pass	LC/MS/MS
	Imazalil	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Imidacloprid	N.D. ppm	0.0 - 0.4	pass	LC/MS/MS
	Kresoxin-methyl	N.D. ppm	0.0 - 0.4	pass	LC/MS/MS
	Malathion	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Metalaxyl	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Methiocarb	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Methomyl	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Methyl parathion	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	MGK-264	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Myclobutanil	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Naled	N.D. ppm	0.0 - 0.5	pass	LC/MS/MS
	Oxamyl	N.D. ppm	0.0 - 1.0	pass	LC/MS/MS
	Paclobutrazol	N.D. ppm	0.0 - 0.4	pass	LC/MS/MS
	Permethrins (total)	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Phosemet	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Piperonyl Butoxide	N.D. ppm	0.0 - 2.0	pass	LC/MS/MS
	Prallethrin	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Propiconazole	N.D. ppm	0.0 - 0.4	pass	LC/MS/MS
	Propoxur	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Pyrethrins (Total)	N.D. ppm	0.0 - 1.0	pass	LC/MS/MS
	Pyridaben	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Spinosads (total)	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Spiromesifen	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Spirotetramat	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS

QA Officer: Benjamin Hart

Results only apply to the sample tested and we have no way of verifying it represents the lot.

Testing Technologies

19834 Viking Ave NW Ste A
Suite A Poulsbo, WA 98370

Rolling Farms

18520 67th Ave NE Arlington,
WA 98223

	Test	Results	I-502 Limits	Status	Method
	Spiroxamine	N.D. ppm	0.0 - 0.4	pass	LC/MS/MS
	Tebuconazole	N.D. ppm	0.0 - 0.4	pass	LC/MS/MS
	Thiacloprid	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Thiamethoxam	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Trifloxystrobin	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS

Laboratory ID: 3568-02

Date Tested: 02/08/2024

Published Date: 02/09/2024 22:04:51

QA Officer: Benjamin Hart

Results only apply to the sample tested and we have no way of verifying it represents the lot.