

**CERTIFICATE OF ANALYSIS**

	Test	Results	I-502 Limits	Status	Method
<b>Date Received:</b> 02/08/2024	D9-THC	82.9 %			UHPLC-DAD
	THC-A	0.0 %			UHPLC-DAD
<b>Client:</b> Rolling Farms	Total THC	82.9 %			UHPLC-DAD
	CBD	0.2 %			UHPLC-DAD
<b>Sample Type:</b> Solvent Based Extract/Concentrate	CBD-A	0.0 %			UHPLC-DAD
	Total CBD	0.2 %			UHPLC-DAD
	THC + CBD Total	83.1 %			UHPLC-DAD
<b>Sample Name:</b> S-0192559	CBN	1.0 %			UHPLC-DAD
	CBD-V	0.0 %			UHPLC-DAD
<b>AR-Number:</b> R-0160066	CBG	4.2 %			UHPLC-DAD
	CBG-A	0.2 %			UHPLC-DAD
<b>Client ID:</b> 416113	THC-V	0.8 %			UHPLC-DAD
	CBC	1.3 %			UHPLC-DAD
<b>UBI Number:</b> <b>WSLCB</b>	Total Cannabinoids	90.6 %			UHPLC-DAD
	Total Aflatoxins	<3 ng/g	0.0 - 20.0	pass	LC/MS/MS
<b>Inventory ID:</b> 17896780772519791	Ochratoxin A	<3 ng/g	0.0 - 20.0	pass	LC/MS/MS
	Acetone	<25 ppm	0.0 - 5,000.0	pass	HS-GC/FID
<b>Product Name:</b> Distillate - Mixed Farm - WEDDING CAKE	Benzene	<0.8 ppm	0.0 - 2.0	pass	HS-GC/MS
	n-Butane	<35 ppm	0.0 - 5,000.0	pass	HS-GC/FID
	iso-Butane	<35 ppm	0.0 - 5,000.0	pass	HS-GC/FID
	Total Butanes	<70 ppm	0.0 - 5,000.0	pass	
	Cyclohexane	<20 ppm	0.0 - 3,880.0	pass	HS-GC/FID
	Chloroform	<0.8 ppm	0.0 - 2.0	pass	HS-GC/MS
	Dichloromethane	<6 ppm	0.0 - 600.0	pass	HS-GC/FID
	Ethyl acetate	<25 ppm	0.0 - 5,000.0	pass	HS-GC/FID
	Heptanes	<25 ppm	0.0 - 5,000.0	pass	HS-GC/FID
	Hexanes	<25 ppm	0.0 - 290.0	pass	HS-GC/FID
	Isopropanol	<25 ppm	0.0 - 5,000.0	pass	HS-GC/FID

**QA Officer:** Benjamin Hart

Results only apply to the sample tested and we have no way of verifying it represents the lot.

	Test	Results	I-502 Limits	Status	Method
	Methanol	<15 ppm	0.0 - 3,000.0	pass	HS-GC/FID
	Pentanes	<25 ppm	0.0 - 5,000.0	pass	HS-GC/FID
	Propane	<35 ppm	0.0 - 5,000.0	pass	HS-GC/FID
	Toluene	<8 ppm	0.0 - 890.0	pass	HS-GC/FID
	Xylene	<70 ppm	0.0 - 2,170.0	pass	HS-GC/FID
	Ethanol	<25 ppm	0.0 - 5,000.0	pass	HS-GC/FID
	Abamectin	ppm	0.0 - 0.5		LC/MS/MS
	Acephate	ppm	0.0 - 0.4		LC/MS/MS
	Acequinocyl	ppm	0.0 - 2.0		LC/MS/MS
	Acetamiprid	ppm	0.0 - 0.2		LC/MS/MS
	Aldicarb	ppm	0.0 - 0.4		LC/MS/MS
	Azoxystrobin	ppm	0.0 - 0.2		LC/MS/MS
	Bifenazate	ppm	0.0 - 0.2		LC/MS/MS
	Bifenthrin	ppm	0.0 - 0.2		LC/MS/MS
	Boscalid	ppm	0.0 - 0.4		LC/MS/MS
	Carbaryl	ppm	0.0 - 0.2		LC/MS/MS
	Carbofuran	ppm	0.0 - 0.2		LC/MS/MS
	Chlorantraniliprole	ppm	0.0 - 0.2		LC/MS/MS
	Chlorfenapyr	ppm	0.0 - 1.0		LC/MS/MS
	Chlorpyrifos	ppm	0.0 - 0.2		LC/MS/MS
	Clofentezine	ppm	0.0 - 0.2		LC/MS/MS
	Cyfluthrin	ppm	0.0 - 1.0		LC/MS/MS
	Cypermethrin	ppm	0.0 - 1.0		LC/MS/MS
	Daminozide	ppm	0.0 - 1.0		LC/MS/MS
	Dichlorvos (DDVP)	ppm	0.0 - 0.1		LC/MS/MS
	Diazinon	ppm	0.0 - 0.2		LC/MS/MS
	Dimethoate	ppm	0.0 - 0.2		LC/MS/MS
	Ethoprophos	ppm	0.0 - 0.2		LC/MS/MS
	Etofenprox	ppm	0.0 - 0.4		LC/MS/MS
	Etoxazole	ppm	0.0 - 0.2		LC/MS/MS

QA Officer: Benjamin Hart

Results only apply to the sample tested and we have no way of verifying it represents the lot.

	Test	Results	I-502 Limits	Status	Method
	Fenoxycarb	ppm	0.0 - 0.2		LC/MS/MS
	Fenpyroximate	ppm	0.0 - 0.4		LC/MS/MS
	Fipronil	ppm	0.0 - 0.4		LC/MS/MS
	Fonicamid	ppm	0.0 - 1.0		LC/MS/MS
	Fludioxonil	ppm	0.0 - 0.4		LC/MS/MS
	Hexythiazox	ppm	0.0 - 1.0		LC/MS/MS
	Imazalil	ppm	0.0 - 0.2		LC/MS/MS
	Imidacloprid	ppm	0.0 - 0.4		LC/MS/MS
	Kresoxin-methyl	ppm	0.0 - 0.4		LC/MS/MS
	Malathion	ppm	0.0 - 0.2		LC/MS/MS
	Metalaxyl	ppm	0.0 - 0.2		LC/MS/MS
	Methiocarb	ppm	0.0 - 0.2		LC/MS/MS
	Methomyl	ppm	0.0 - 0.2		LC/MS/MS
	Methyl parathion	ppm	0.0 - 0.2		LC/MS/MS
	MGK-264	ppm	0.0 - 0.2		LC/MS/MS
	Myclobutanil	ppm	0.0 - 0.2		LC/MS/MS
	Naled	ppm	0.0 - 0.5		LC/MS/MS
	Oxamyl	ppm	0.0 - 1.0		LC/MS/MS
	Paclobutrazol	ppm	0.0 - 0.4		LC/MS/MS
	Permethrins (total)	ppm	0.0 - 0.2		LC/MS/MS
	Phosemet	ppm	0.0 - 0.2		LC/MS/MS
	Piperonyl Butoxide	ppm	0.0 - 2.0		LC/MS/MS
	Prallethrin	ppm	0.0 - 0.2		LC/MS/MS
	Propiconazole	ppm	0.0 - 0.4		LC/MS/MS
	Propoxur	ppm	0.0 - 0.2		LC/MS/MS
	Pyrethrins (Total)	ppm	0.0 - 1.0		LC/MS/MS
	Pyridaben	ppm	0.0 - 0.2		LC/MS/MS
	Spinosads (total)	ppm	0.0 - 0.2		LC/MS/MS
	Spiromesifen	ppm	0.0 - 0.2		LC/MS/MS
	Spirotetramat	ppm	0.0 - 0.2		LC/MS/MS

QA Officer: Benjamin Hart

Results only apply to the sample tested and we have no way of verifying it represents the lot.

**Testing Technologies**

19834 Viking Ave NW Ste A  
Suite A Poulsbo, WA 98370

**Rolling Farms**

18520 67th Ave NE Arlington,  
WA 98223

	Test	Results	I-502 Limits	Status	Method
	Spiroxamine	ppm	0.0 - 0.4		LC/MS/MS
	Tebuconazole	ppm	0.0 - 0.4		LC/MS/MS
	Thiacloprid	ppm	0.0 - 0.2		LC/MS/MS
	Thiamethoxam	ppm	0.0 - 0.2		LC/MS/MS
	Trifloxystrobin	ppm	0.0 - 0.2		LC/MS/MS

Laboratory ID: 3568-02

Date Tested: 02/11/2024

Published Date: 02/12/2024 06:58:57

**QA Officer:** Benjamin Hart

Results only apply to the sample tested and we have no way of verifying it represents the lot.