

**CERTIFICATE OF ANALYSIS**

	<b>Test</b>	<b>Results</b>	<b>I-502 Limits</b>	<b>Status</b>	<b>Method</b>
<b>Date Received:</b> 03/29/2024	Anisole	0.00 %			GC-FID
	α-Pinene	0.10 %			GC-FID
<b>Client:</b> Rolling Farms	Camphene	0.05 %			GC-FID
	Sabinene	0.00 %			GC-FID
<b>Sample Type:</b> Solvent Based Extract/Concentrate	β-Pinene	0.15 %			GC-FID
	Myrcene	0.51 %			GC-FID
	α-Phellandrene	0.00 %			GC-FID
<b>Sample Name:</b> S-0194983	3-Carene	0.00 %			GC-FID
	α-Terpinene	0.00 %			GC-FID
	p-Cymene	0.00 %			GC-FID
<b>AR-Number:</b> R-0162477	Limonene	1.02 %			GC-FID
	Eucalyptol	0.00 %			GC-FID
	Ocimene	0.00 %			GC-FID
<b>Client ID:</b> 416113	g-Terpinene	0.00 %			GC-FID
	Terpinolene	0.03 %			GC-FID
	Linalool	0.27 %			GC-FID
<b>UBI Number:</b> WSLCB	Fenchol	0.11 %			GC-FID
	iso-Pulegol	0.00 %			GC-FID
	iso-Borneol	0.00 %			GC-FID
<b>Inventory ID:</b> 17897203823004676	Menthol	0.00 %			GC-FID
	Terpineol	0.01 %			GC-FID
	Citronellol	0.00 %			GC-FID
	Geraniol	0.00 %			GC-FID
	Anethol	0.00 %			GC-FID
	Carvacrol	0.00 %			GC-FID
	β-Caryophyllene	0.59 %			GC-FID
	α-Humulene	0.27 %			GC-FID
	Nerolidol	0.02 %			GC-FID

**QA Officer:** Benjamin Hart

Results only apply to the sample tested and we have no way of verifying it represents the lot.

**Testing Technologies**

19834 Viking Ave NW Ste A  
Suite A Poulsbo, WA 98370

**Rolling Farms**

18520 67th Ave NE Arlington,  
WA 98223

	Test	Results	I-502 Limits	Status	Method
	β-Caryophyllene Oxide	0.11 %			GC-FID
	Cedrol	0.00 %			GC-FID
	Bisabolol	0.19 %			GC-FID
	Total Terpenes	3.43 %			
	D9-THC	86.4 %			UHPLC-DAD
	THC-A	0.0 %			UHPLC-DAD
	Total THC	86.4 %			UHPLC-DAD
	CBD	0.2 %			UHPLC-DAD
	CBD-A	0.0 %			UHPLC-DAD
	Total CBD	0.2 %			UHPLC-DAD
	THC + CBD Total	86.6 %			UHPLC-DAD
	CBN	0.4 %			UHPLC-DAD
	CBD-V	0.0 %			UHPLC-DAD
	CBG	4.8 %			UHPLC-DAD
	CBG-A	0.0 %			UHPLC-DAD
	THC-V	1.0 %			UHPLC-DAD
	CBC	1.9 %			UHPLC-DAD
	Total Cannabinoids	94.7 %			UHPLC-DAD
	Total Aflatoxins	<3 ng/g	0.0 - 20.0	pass	LC/MS/MS
	Ochratoxin A	<3 ng/g	0.0 - 20.0	pass	LC/MS/MS
	Acetone	<25 ppm	0.0 - 5,000.0	pass	HS-GC/FID
	Benzene	<0.8 ppm	0.0 - 2.0	pass	HS-GC/MS
	n-Butane	<35 ppm	0.0 - 5,000.0	pass	HS-GC/FID
	iso-Butane	<35 ppm	0.0 - 5,000.0	pass	HS-GC/FID
	Total Butanes	<70 ppm	0.0 - 5,000.0	pass	
	Cyclohexane	<20 ppm	0.0 - 3,880.0	pass	HS-GC/FID
	Chloroform	<0.8 ppm	0.0 - 2.0	pass	HS-GC/MS
	Dichloromethane	<6 ppm	0.0 - 600.0	pass	HS-GC/FID
	Ethyl acetate	<25 ppm	0.0 - 5,000.0	pass	HS-GC/FID
	Heptanes	<25 ppm	0.0 - 5,000.0	pass	HS-GC/FID

QA Officer: Benjamin Hart

Results only apply to the sample tested and we have no way of verifying it represents the lot.

	Test	Results	I-502 Limits	Status	Method
	Hexanes	<25 ppm	0.0 - 290.0	pass	HS-GC/FID
	Isopropanol	<25 ppm	0.0 - 5,000.0	pass	HS-GC/FID
	Methanol	<15 ppm	0.0 - 3,000.0	pass	HS-GC/FID
	Pentanes	<25 ppm	0.0 - 5,000.0	pass	HS-GC/FID
	Propane	<35 ppm	0.0 - 5,000.0	pass	HS-GC/FID
	Toluene	<8 ppm	0.0 - 890.0	pass	HS-GC/FID
	Xylene	<70 ppm	0.0 - 2,170.0	pass	HS-GC/FID
	Ethanol	28.0 ppm	0.0 - 5,000.0	pass	HS-GC/FID
	Abamectin	N.D. ppm	0.0 - 0.5	pass	LC/MS/MS
	Acephate	N.D. ppm	0.0 - 0.4	pass	LC/MS/MS
	Acequinocyl	N.D. ppm	0.0 - 2.0	pass	LC/MS/MS
	Acetamiprid	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Aldicarb	N.D. ppm	0.0 - 0.4	pass	LC/MS/MS
	Azoxystrobin	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Bifenazate	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Bifenthrin	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Boscalid	N.D. ppm	0.0 - 0.4	pass	LC/MS/MS
	Carbaryl	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Carbofuran	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Chlorantraniliprole	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Chlorfenapyr	N.D. ppm	0.0 - 1.0	pass	LC/MS/MS
	Chlorpyrifos	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Clofentezine	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Cyfluthrin	N.D. ppm	0.0 - 1.0	pass	LC/MS/MS
	Cypermethrin	N.D. ppm	0.0 - 1.0	pass	LC/MS/MS
	Daminozide	N.D. ppm	0.0 - 1.0	pass	LC/MS/MS
	Dichlorvos (DDVP)	N.D. ppm	0.0 - 0.1	pass	LC/MS/MS
	Diazinon	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Dimethoate	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Ethoprophos	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS

QA Officer: Benjamin Hart

Results only apply to the sample tested and we have no way of verifying it represents the lot.

	<b>Test</b>	<b>Results</b>	<b>I-502 Limits</b>	<b>Status</b>	<b>Method</b>
	Etofenprox	N.D. ppm	0.0 - 0.4	pass	LC/MS/MS
	Etoazole	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Fenoxycarb	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Fenpyroximate	N.D. ppm	0.0 - 0.4	pass	LC/MS/MS
	Fipronil	N.D. ppm	0.0 - 0.4	pass	LC/MS/MS
	Fonicamid	N.D. ppm	0.0 - 1.0	pass	LC/MS/MS
	Fludioxonil	N.D. ppm	0.0 - 0.4	pass	LC/MS/MS
	Hexythiazox	N.D. ppm	0.0 - 1.0	pass	LC/MS/MS
	Imazalil	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Imidacloprid	N.D. ppm	0.0 - 0.4	pass	LC/MS/MS
	Kresoxin-methyl	N.D. ppm	0.0 - 0.4	pass	LC/MS/MS
	Malathion	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Metalaxyl	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Methiocarb	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Methomyl	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Methyl parathion	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	MGK-264	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Myclobutanil	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Naled	N.D. ppm	0.0 - 0.5	pass	LC/MS/MS
	Oxamyl	N.D. ppm	0.0 - 1.0	pass	LC/MS/MS
	Paclobutrazol	N.D. ppm	0.0 - 0.4	pass	LC/MS/MS
	Permethrins (total)	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Phosemet	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Piperonyl Butoxide	N.D. ppm	0.0 - 2.0	pass	LC/MS/MS
	Prallethrin	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Propiconazole	N.D. ppm	0.0 - 0.4	pass	LC/MS/MS
	Propoxur	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Pyrethrins (Total)	N.D. ppm	0.0 - 1.0	pass	LC/MS/MS
	Pyridaben	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Spinosads (total)	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS

**QA Officer:** Benjamin Hart

Results only apply to the sample tested and we have no way of verifying it represents the lot.

**Testing Technologies**

19834 Viking Ave NW Ste A  
Suite A Poulsbo, WA 98370

**Rolling Farms**

18520 67th Ave NE Arlington,  
WA 98223

	Test	Results	I-502 Limits	Status	Method
	Spiromesifen	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Spirotetramat	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Spiroxamine	N.D. ppm	0.0 - 0.4	pass	LC/MS/MS
	Tebuconazole	N.D. ppm	0.0 - 0.4	pass	LC/MS/MS
	Thiacloprid	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Thiamethoxam	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Trifloxystrobin	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS

Laboratory ID: 3568-02

Date Tested: 03/31/2024

Published Date: 04/01/2024 18:18:36

**QA Officer:** Benjamin Hart

Results only apply to the sample tested and we have no way of verifying it represents the lot.