



Lilli Mirror
Motif Mirror

Installation
Care & Maintenance
Warranty



Please inspect items upon delivery.


If you believe there is a fault, damage or the item is incorrect contact the place of purchase immediately, DO NOT PROCEED WITH INSTALLATION.

ONCE INSTALLED NO CLAIMS OF DAMAGE WILL BE ACCEPTED

Omvivo allow 7 days from receipt of goods for notification of any discrepancies in goods received.

LILLI MIRROR ASSEMBLY LIST


Figure 1.



LILLI MIRROR INSTALLATION

1. Decide on mirror position.
 2. Utilising the pre-drilled holes, install the first batten (bottom) supplied using appropriate countersunk fixing at the desired position.
Caution: Ensure the batten for installation is straight. Use a level if necessary.
 3. Similarly install the second batten (top) supplied. See figure 2.
Caution: Ensure the distance between the first batten and second batten screw hole is 350mm.
- *It is the responsibility of the installer to select appropriate fixing materials.
4. Hang mirror in position.

Figure 2.



Lilli Mirror Warranty Motif Mirror Warranty

Lilli and Motif mirrors are covered by a
5 YEAR WARRANTY – DOMESTIC USE

This warranty covers faults in the product construction, material and assembly. Products which are within 5 years from the date of purchase, found upon inspection by an authorised representative, to be defective in construction, material or assembly, will be repaired or exchanged with an equivalent product free of charge.

LABOUR AND SPARE PARTS

A 12 month warranty over spare parts and labour will cover spare parts which are within 1 year from the date of purchase and found upon inspection by an authorised representative to be defective in construction, material or assembly, will be replaced free of charge.

WARRANTY CONDITIONS

This warranty will apply only under all of the following conditions:

- The item has been installed by a licensed plumber
- The item has been installed for and subjected to domestic residential use only
- Failure is due to a fault in the manufacture of the product
- Proof of purchase (including date of purchase) is provided
- The installation of the product is on accordance with the instructions provided

This warranty does not include faults caused by:

- Unsuitable or improper use
- Incorrect installation or installation not in accordance with the instructions provided
- Installation or part installation by the purchaser or any person other than a LICENSED PLUMBER
- Normal wear and tear
- Inadequate or complete lack of maintenance
- Chemical, electrochemical or electrical influences
- Harsh detergents or abrasive cleaners used on product finishes

PLEASE NOTE: The manufacturer will not be liable for the cost of installation or removal of any unit and the warranty will be voided if damage occurred during or after installation or a damaged or incorrect unit has been installed.

1 YEAR WARRANTY - COMMERCIAL USE

“Commercial” use is all use other than for normal domestic residential purposes, including use in non-business places as in public buildings, schools, sports centres and in establishments that contain private bathrooms with high frequency of use by many individuals such as hotels, motels, retirement villages and hospitals.

The commercial warranty covers this product against manufacturing faults in the construction, material and assembly of both the finished product and any spare parts for a period of 1 year from the date of purchase. Products and spare parts, which are found upon inspection by an authorized representative to be defective in construction, material or assembly will be repaired or exchanged free of charge. The warranty conditions and exclusions, which apply to the domestic use warranty, also apply to this commercial warranty.

EXCLUSIONS

To the fullest extent permitted by law, the manufacturer excludes all liability for damage or injury to any person, damage to any property and any indirect consequential or other loss or damage.

CLAIM PROCEDURE

For all warranty queries, customers are to contact the branch where the product was purchased. These details can be found on your purchase invoice.

Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and for compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be acceptable quality and the failure does not amount to a major failure.



Motif Mirror Care & Maintenance

Always start your cleaning routine with the basic clean and move to a deep clean if necessary.

Glass Basic Clean: Clean your mirror with clean, warm water used with a soft, lint free cloth. Wring all of the water from the cloth before wiping the mirror.
Finish by drying the mirror immediately with a dry lint free cloth.
Lint and grit free cloths are recommended to clean a mirror. This reduces the chances of scratching the mirror surface.

Solid Surface Surround Basic Clean: Spills should be cleaned promptly. Clean with a mild detergent or soapy water and a soft cloth, sponge or non-scratch scourer*¹.

Solid Surface Surround Deep Clean: For a deep clean and to remove cosmetics, ink and other colour agents that may leave marks on the surface use a diluted very mild abrasive cleaner* with a soft cloth in light circular motions. For stubborn marks or staining a light buff in circular motion using diluted very mild abrasive* cleaner with a non-scratch scourer *¹ will generally restore the finish.

Solid Surface Surround Intense clean /repair: For extreme marks and light scratches a very light buff in circular motions using the fine grade sand/glass paper¹ will restore the surface. A heavier grade of sandpaper will scratch the surface, which can be removed by then using a light sand paper.

Important notes:

For best results finish by wiping surface clean of all detergents and dry with a soft clean cloth. Regular cleaning will assist to keep your glass and solid surface looking fantastic and reduce wear and dirt build up.

Never use sharp products such as steel wool or aggressive, commercial grade / strong cleaners or chemicals (e.g. acetone, Trichloroethylene, acids, and caustic soda) as these may damage and scratch the surface).

Only use your Motif mirror cleaning instructions on your Motif mirror as these cleaning methods may cause damage to other products, materials and finishes which will not be covered by your warranty.

* Always test 'non scratch' and 'mild abrasive' products in a non-conspicuous area first to ensure suitability as brands can differ.

¹ Your basin has been supplied with a white non scratch scourer and a fine grade sanding pad.



Lilli Mirror Care & Maintenance

Always start your cleaning routine with the basic clean and move to a deep clean if necessary.

Glass Basic Clean: Clean your mirror with clean, warm water used with a soft, lint free cloth. Wring all of the water from the cloth before wiping the mirror.
Finish by drying the mirror immediately with a dry lint free cloth.
Lint and grit free cloths are recommended to clean a mirror. This reduces the chances of scratching the mirror surface.

Important notes:

For best results finish by wiping surface clean of all detergents and dry with a soft clean cloth.

Regular cleaning will assist to keep your glass looking fantastic and reduce wear and dirt build up.

Never use sharp products such as steel wool or aggressive, commercial grade / strong cleaners or chemicals (e.g. acetone, Trichloroethylene, acids, and caustic soda) as these may damage and scratch the surface).

Only use your Lilli mirror cleaning instructions on your Lilli mirror as these cleaning methods may cause damage to other products, materials and finishes which will not be covered by your warranty.

Please inspect items upon delivery.


If you believe there is a fault, damage or the item is incorrect contact the place of purchase immediately, DO NOT PROCEED WITH INSTALLATION.

ONCE INSTALLED NO CLAIMS OF DAMAGE WILL BE ACCEPTED

Omvivo allow 7 days from receipt of goods for notification of any discrepancies in goods received.

MOTIF MIRROR ASSEMBLY LIST

Figure 3.



MOTIF MIRROR INSTALLATION

1. Decide on mirror position.
NOTE: Wall batten fixing is located 395mm from the base of the mirror. See figure 4.
2. Utilising the pre-drilled holes, install the batten supplied using appropriate countersunk fixing, at the decided position.
Caution: Ensure the batten installation is straight. Use a level if necessary.
3. Hang mirror in position.

Figure 4.

