

SUB UNDERMOUNT



OMVIVO^o

SUB UNDERMOUNT


The Sub undermount basin collection comprises of timeless designs, which can be adapted to a range of bathroom settings. From the sharp lines of the rectangle basin to the smooth edges of the soft square, the Sub basins will enhance any daily bathroom routine to a luxurious feeling. The design can be further refined by pairing the basin with a solid surface top for a seamless design. Manufactured from solid surface it has a smooth matt finish that is exceptionally hard wearing and durable. Each Sub basin is supplied with pop-up waste and white solid surface plug.

UNDERMOUNT


SUB ROUND




Orientation: Centre Bowl
 Overflow: Yes
 Tap Holes: 0
 Waste Size: 32mm
 Waste Supplied: Yes - 32/40mm chrome pop up waste with matching solid surface plug
 Weight: 5.5kg
 Bowl Capacity: 8L



SUB SMOOTH SQUARE




Orientation: Centre Bowl
 Overflow: Yes
 Tap Holes: 0
 Waste Size: 32mm
 Waste Supplied: Yes - 32/40mm chrome pop up waste with matching solid surface plug
 Weight: 4.6kg
 Bowl Capacity: 6L




SUB RECTANGLE




Orientation: Centre Bowl
 Overflow: Yes
 Tap Holes: 0
 Waste Size: 32mm
 Waste Supplied: Yes - 32/40mm chrome pop up waste with matching solid surface plug
 Weight: 7.7kg
 Bowl Capacity: 10L



SUB STADIUM



Orientation: Centre
 Overflow: Yes
 Tap Holes: 0
 Waste Size: 32mm
 Waste Supplied: Yes - 32/40mm chrome pop up waste with matching solid surface plug
 Weight: 6.7kg
 Bowl Capacity: 9L




Dimensions are shown in millimetres. Due to the handcrafted nature of Omvivo products measurements are subject to a +/- 5mm manufacturing tolerance.

SUB RECTANGLE 1010



Overflow: Yes
Tap Holes: 0
Waste Size: 32mm
Waste Supplied: Yes - 32/40mm chrome pop up waste with matching solid surface plug
Weight: 13kg
Bowl Capacity: 26L



Dimensions are shown in millimetres. Due to the handcrafted nature of Omvivo products measurements are subject to a +/- 5mm manufacturing tolerance.