

ZEEKR 7X Indulge Every Journey




The images shown are for reference only, please refer to the actual vehicles at the time of release. Follow safe driving practices and strictly follow traffic regulations and laws.

ZEEKR


Elegant Appearance

Hidden Energy Design Philosophy
Blending Aesthetics With Practicality





Exquisite Interior











Every Detail is Defined Elegance is a Philosophy of Life

1187mm 1021mm Maximum Headroom Maximum Rear Legroom











36 Flexible Spaces Beyond Your Storage Imagination *The 62L front trunk is calculated based on the water capacity of the RWD version.

'Magic Space

Spacious Cabin is Designed for Every Most Loved One









Intelligent Cabin

Technology Redefines Luxury Offer a More Enjoyable Experience for You






















ZEEKR AI Intelligent Ecosystem
With One Click to Activate Your Relaxation Mode

Superior Performance >>>

Leading Performance In Class Unrestricted Travel in All Scenario





Front Double Wishbone + Independent Rear Five-link Suspension



1.Data is based on engineering test results and may vary due to test factors such as weather, road conditions, battery charge, load, and tire specifications.


2.This is based on the longest range data of the ZEEKR 7X's ternary (NCM) lithium battery pack, and 3.8s is the fastest 0–100 km/h acceleration time for the AWD Performance variant.

3. The charging data reflects the fastest charging time for the second-generation Golden Brick battery when using the V3 liquid-cooled supercharger at room temperature.

4.The configurations mentioned are not standard across all variants. Please refer to the product configuration table for details.

5. The materials are for reference only; the actual product delivered will take precedence





SoC 10%-80% 10.5min



Akebono Front Four-piston Calipers

All-round Safety

720° Safety Castle Protects All Scenario Secure


One-piece Die- cast Rear Aluminum Body

6% Reduction In Body Distortion After Rear Impacts

82 Fewer Parts


About 820


Fewer Welding Points



Ten-grid Battery Protection Apparatus

Endure About 75 Tons of Lateral Pole Impact





World Premiere

"Dome-shaped Armored Body" Safety Structure

> 83.3% High-strength Steel + Aluminum Alloy

> >12m Ultra-high-strength Hot-formed Steel











Intelligent Safety Technology









Crystal White



Onyx Black



Tech Grey



Blue+Silver Roof
*Blue+Silver Roof Color N/A for 20" Black Wheel+Black Deco



Forest Green



Purple and White



Black and Gray



Black



19" Multi-spoke Hub



20" Multi-spoke Hub



20" Multi-spoke Black Hub



21" Forged Hub

ZEEKR 7X Specification

Configuration	RWD Standard	RWD Long Range	AWD Performance
Specifications			
Length * Width * Height (mm)	4787*1930*1650	4787*1930*1650	4787*1930*1650
Wheelbase (mm)	2900	2900	2900
Minimum Ground Clearance Front/Rear (mm)	173/172	173/172	173/172
Turning circle kerb to kerb (m)	11.6	11.6	11.6
Seating	5	5	5
Performance & Handling			
Battery & Drive unit & Electronic control system			
Full stack 800V high-voltage system	•	•	•
Battery Capacity (kWh)	75	100	100
WLTPEV range target (km)	480*	615*	543*
NEDC EV range target (km)	566*	730*	635*
Battery Type	LFP	NCM PWD	NCM
High-Performance electric drive systems	RWD (Single Motor: Rear SiC PMSM)	RWD (Single Motor: Rear SiC PMSM)	AWD (Dual Motor: Front AMSM + Rear SiC PMSM)
0-100km/h Acceleration Time (s)	~6.0*	~6.0*	~3.8*
Motor peak power (kW)	310	310	475
Motor peak torque (N·m)	440	440	710
Brake energy recovery system	•	•	•
PTM 2.0 thermal management system	•	•	•
"800V DC super charging capability* (actual DC charging speed based on charging station power)"	•	•	•
AC charger (kW)	20	22	99
3.3kw Vehicle-to-load (V2L)	22	22	22
Chassis system			
Front Suspension: Double Wishbone	•	•	•
Rear Suspension: Multi-link	•	•	•
Continous control damping system (CCD)	-	-	
Single chamber air suspension system	-	-	•
Wheel & Tyre Size (inches)	19	19	20
Front and Rear lateral stabilizer bars	•	•	•
Road feel optimized hydraulic bushing	•	•	•
Speed-sensitive electronic power steering system	•	•	
IPB intelligent integrated braking system	•	•	•
Exterior design & Function			
Lighting & Aesthetics			
ZEEKR Stargate front light panel package			0
LED headlamps	•	•	•
LED Daytime running lights	•	•	•
LED Tall lamp	•	•	•
Running turning tail lamp	•	•	•
RGB dynamic ambient lighting	•	•	•
Exterior design			
Frameless Door	•	•	•
Hidden door handle	•	•	•
E-latch door (with emergency-release)	•	•	•
Intelligent automatic door package		0	0
Power liftgate with opening angle memory	•	•	•
Panoramic glass+Power sunshade	•	•	•
Frameless outside rear view mirror: heat, power adjustment, power fold,			
memory, reverse auto angle adjustment	•	•	•
Rear privacy glass	0	0	0
Power charging port cover	•	•	•
UWB fob+NFC card	•	•	•
Rain sensor	•	•	•
Interior design & Function			
Interior design			
Leather steering wheel	•	•	•
Steering wheel manual adjustment	•	÷	-
Steering wheel power adjustment	-	•	•
Steering wheel heat	-	8	-
Shift pattern: steering column mounted shifter	•	•	•
	•	•	•
36 Magic storage capabilities			
36 Magic storage capabilities Seat			
Seat	•	•	
Seat Soft PU seat*	•	•	
Seat	-	0	Driver 14-way/Passenger 14-way
Seat Soft PU seat* NAPPA full-grain top-layer leather seat*	- Driver 14-way/Passenger 10-way	O Driver14-way/Passenger14-way	Driver 14-way/Passenger 14-way
Seat Soft PU seat* NAPPA full-grain top-layer leather seat* Front seat power adjustment	-	0	

Configuration	RWD Standard	RWD Long Range	AWD Performance
Seat			
Rear seat heat		-	=
Rear seat 10° power recline	•	•	•
Rear seat manual foldable	•	•	•
Rear Side Glass Power Sunshade	-	0	•
Rear Seat OMS Passenger Real-time Status Monitor	•	•	•
Vanity & Dual-color Lighting	•	•	•
Safety & Intelligent driving system			
Passive Safety System			
Integrated die-casted rear end body structure	•	•	•
12-meters 2000MPa ultra-strength steel	•	•	•
7 Airbags System	•	•	•
One-click window breaking	•	•	•
Active Safety System*			
Mobileye 12V1R ADAS Solution (15 key ADAS functions)	•	•	•
360° surrounding view camera	-		
Sentry mode	•		-
ACC+LCC	•	•	•
Auto lane change	•	•	•
Autonomous parking assist	•	•	•
DMS Driver monitoring system	•	•	•
ZEEKR Cabin Experience			
Intelligent Cabin Interaction			
Qualcomm 8295 intelligent cabin computing platform	•	•	•
13.02 inches high-definition cockpit cluster	•	•	•
16 inches 3.5K Mini-LED central screen	•	•	•
36.21 inches Heads-up Display	=	•	•
ZEEKR Sound 10-speaker audio system	•		8
ZEEKR Sound pro 21-speaker 7.1.4 audio system	0	•	•
Dual 50w wireless charger	•	•	•
Tri-zone HVAC	•	•	•
Apple carplay+Android auto	•	•	•
4-zone voice command	•	•	•
Customization			
Exterior Color			
Crystal White	•	•	•
Onyx Black	0	0	0
Tech Grey	0	0	0
Forest Green	0	0	0
Brook Blue (with silver roof)*	-		0
		0	
Interior Theme			
Black+Grey	•	•	0
Black	0	0	0
Purple+White	-	0	•
Wheel			
19 inches multi-spoke wheel hub	•	•	-
20 Inches multi-spoke wheel hub	-	Ξ.	•
20 inches black wheel hub+Black deco*	-	0	0
21 inches forged wheel hub	-		0
Optional Package			
NAPPA leather seat + rear side glass power sunshade	-	0	•
Intelligent automatic door package	-	0	0
Front seat vent+massage+passenger seat 14-way power adjustment+21-speaker ZEEKR sound pr		•	•
ZEEKRStargate front light panel package	-	-	0
Rear privacy glass			
	0	0	0
Trunk Rail (for accessory installation for packaging)	0	0	0

Note with *:

- $1." \cdot " denotes standard equipment;" "" denotes absence of the featur; "O" denotes optional equipment (under optional package with additional charge),\\$
- $2.\, {\sf EV \, range/Acceleration \, etc. \, data \, is \, based \, on \, engineering \, measurement, \, which \, may \, vary \, under \, different \, testing \, factors \, such \, as \, site, \, weather, \, road \, conditions, \, battery \, level, \, and \, payload. \, It \, is \, for \, reference \, only.}$
- 3. DC actual charging speed depends on various factors, e.g., charging station output power, electricity grid workload, ambient temperature etc.; 800V DC charging capability indicates maxium capability.
- 4. Active drive system is only as a driving assistance system. It cannot handle all traffic, weather, and road conditions, and cannot replace the driver's control of the vehicle. The driver must always remain attentive, carefully observe the surrounding conditions, and intervene actively when necessary. Please use the relevant functions cautiously in complex traffic situations, adverse weather, special road conditions, etc.
- 5. Seat material denotes application of major touch surface between seat & passenge
- 6. Brook blue with silver roof body color is not available for 20' black wheel+black deco optional packag
- 7. Zeekr will continuously modify and improve its products, and there may be corresponding changes in vehicle equipment, parameters, and supply chain. We will strive to ensure the completeness and accuracy of information; however, due to factors such as uncertainty in screen or paper material, continuous changes in laws and regulations, different interpretations of information by individuals, and potential delays in information updates, there may be discrepancies between the actual vehicle and the provided information. Please refer to the actual vehicle as the final basis.



