


PAT monocoque in polypropylene or wood versatile and able to integrate into any environment.



SHELL

Available in three variants:

- Embossed polypropylene monocoque 6 mm thick, with soft lines, without edges. Available colors:




- Oak monocoque with beveled profile available in finishes



- • Wood monocoque upholstered with 3 cm thick polyurethane rubber and coated. Double stitching and horizontal stitching "STRIPE". The fabric is glued to the rubber to prevent creases over time during use.

FRAME



DIMENSIONS

1.	4 LEGS	L52/44P 54/40 H78/44	8.	CANTILEVER FRAME AND ARMS	L56/44 P 54/40 H78/44
2.	ROD FRAME	L52/44 P 54/40 H78/44	9.	LEGGERA BASE 4 SPOKES CASTORS	L70/44 P 70/40 H81/90-47/56
3.	NEW ROD FRAME	L52/44 P 54/40 H78/44	10.	PUNTA/TREND BASE 5 SPOKES CASTORS	L70/44 P 70/40 H81/90-47/56
4.	4 WOODEN LEGS	L52/44 P 54/40 H78/44	11.	4 SWIVEL WOODEN LEGS	L70/44 P 70/40 H78/45
5.	4 LEGS + ARMS	L52/44 P 54/40 H78/44	12.	STOOL FRAME	L46/44 P 52/40 H109/72
6.	4 LEGS + ARMS + WRITING TABLE	L57/44 P 54/40 H78/44	13.	STOOL BASE 5 RACES AND FOOT RING	L70/44 P 70/40 H90/109-55/72
7.	INVERTED CANTILEVER FRAME NO ARMS	L56/44 P 58/40 H78/44	14.	STOOL BASE 5 RACES AND INTEGRATED FOOT RING	L70/44 P 70/40 H90/109-55/72

- Frame 4 metal legs (diameter 16 mm) available with integrated armrests and tablet, in the finishes:
 - Chromium
 - Standard black painted
 - Standard painted white
- NEW round bar/ rod frame (11 mm diameter) with nylon feet in the finishes:
 - Chromium
 - Standard black painted
 - Standard painted white
- Frame 4 legs in painted oak wood in the finishes:
 - Natural
 - Moka
 - Walnut
 - Black open pore
- Light base 4 spokes in polished aluminium (diameter 70 cm) swivel (with elevation) available with wheels or feet.
- Trend 5-spoke base on wheels (diameter 68 cm) swivel (with elevation) available in:
 - Polished aluminium
 - Polypropylene black
 - Polypropylene white
- 4-spoke swivel base (without elevation) in painted oak wood
 - Natural
 - Moka
 - Walnut
 - Black open pore
- Metal cantilever frame made with tubular diam 20 mm, with or without armrests in the finishes:
 - Standard painted white
 - Standard black painted
- Frame stool 4 legs made of tubular diam 16 mm in finishes:
 - Standard painted white
 - Standard black painted
- Frame stool with ring footrest and 5-spoke base (diameter 68 cm) on feet available in:
 - aluminium glossy
 - polypropylene white
 - Black polypropylene
- 2, 3 or 4-seater bench structure with white painted metal trestle leg (available in pair of polished aluminium legs). The shells are hooked with omega fixing and plate under seat on beam 80x40 mm painted white or grey aluminium



1



2



3

- 1.DIM 2P L120/44 P 61/4 H78/42
- 2.DIM 3P L175/44 P 61/4 H78/42
- 3.DIM 4P L238/44 P 61/4 H78/42

CERTIFICAZIONI SEDUTA

- Fire reaction CL1 approval
- In accordance with the CAM Ministerial Decree
- EN16139:2013 - LIV 1 (EN1022 - EN1728)
- FSC

UPHOLSTERIES

LASER
CATEGORY 2
 560 gr/mtl
 100% Polyester FR
 Class 1
 80.000+/- 10% Maltindale cycles

ECOPELLE
CATEGORY 2
 630 g/lin.m
 83% PVC 17% Synthetic
 Class 1
 30.000 +/- 10% Maltindale cycles

JET
CATEGORY 3
 365+/- 5% g/lin.m
 100% Polyester FR
 Class 1
 80.000+/- 10% Maltindale cycles

ONE RECYCLED
CATEGORY 3
 525 gr/mt2
 100% recycled poliester
 CLASS IIM
 100.000 Cycles

LYRA
CATEGORY 3
 550 g/lin.m
 100% Polyester
 Class 1
 60.000 +/- 10% Maltindale cycles

CHILI
CATEGORY 3
 470 gr/mtl
 100% post-consumer recycled polyester
 - 60.000 +/- Maltindale cycles

DREAM
CATEGORY 3
 375gr/mtl
 100% Mass-dyed polyester
 Bouclè effect melange
 OEKO TEST
 Class 1 - 100.000 +/- Maltindale cycles

VELOURS
CATEGORY 3
 611 gr/mtl
 100% Polyester
 Oeko test
 50.000 +/- 10% Maltindale cycles

ECOPELLE SOUL
CATEGORY 3
 760 gr/mt2
 Surface 100% Polyurethane,
 Base 85% polyester,17% Cotton
 EN1021-1/BS5852 PART 1
 >100.000 EN ISO 5470-2

COCOON
CATEGORY 5
 980 gr/mtl
 43% viscose 33% cotton 24% li-pl
 35.000 +/- 10% Maltindale cycles

LANA
CATEGORY 5
 500 gr/mt2
 75% Wool, 25% polyamide
 Class 1
 100.000 Maltindale cycles

GLAMOUR
CATEGORY 5
 700 g/lin.m
 100% Recycled polyester
 EN 1021-1/2
 80.000 % Maltindale cycles

TECHNICOLOUR kvadrat
CATEGORY 5
 430 g/lin. M
 100% new English wool, worsted
 80.000 % Maltindale cycles
 Ecolabel
 Class 1

MAIN LINE canbra
CATEGORY 5
 437 g/lin.m
 75% Virgin Wool, 25% Linen
 Class 1, Ecolabel
 50.000 +/- Maltindale cycles

PELLE PREMIUM UP/ELEGANCE
CATEGORY 7
 100% Full-grain cowhide leather
 Thickness 1,2/1,4 mm
 EN1021-1/2

MONOCHROME SETT canbra
CATEGORY 7
 437 g/lin.m
 75% Virgin Wool, 25% Linen
 Class 1, Ecolabel
 50.000 +/- Maltindale cycles

BOUCLET RUBELLI
CATEGORY 7
 860 g/lin.m
 40% PC, 25%PL,20%VI, 15% CO
 Class 1, EN 1021-1/2
 50.000 % Maltindale cycles

VELLUTO DECONTRACTE' RUBELLI
CATEGORY 7
 590 g/lin.m
 19% CO, 61% PC,10% PL, 10%VI
 40.000 % Maltindale cycles

HORO RUBELLI
CATEGORY 7
 495 g/lin.m
 44%PL 29%CO 24%JU 3%PC
 30.000 % Maltindale cycles

PELLE SETA
CATEGORY 8
 100% Cowhide leather, THICKNESS 1,8-2 mm
 First Aniline Tanning
 EN1021-1/2

ZERO
CATEGORY 8
 750g/lin.m
 65% CO, 20% PAN, 15% PES
 70.000 % Maltindale cycles

SEAT CRITERIA GPP

All the materials used to make the product are low emissives in accordance with the UNI EN 16000-9 standard, less than 500 µg/m³.

- Plastics
- Painted metals

Also for this reason the product offered complies with the requirements set out in the CAM Ministerial Decree



Disassembly

All products have been designed in such a way as to allow them to be disassembled at the end of their useful life, so that their parts and components can be reused, recycled, or recovered for energy purposes.

Warranty and Safety

QUINTI guarantees that the products will retain their characteristics for 6 years from delivery, except for normal wear and tear and provided that they are used in accordance with the instructions provided. QUINTI will replace any product found not to comply with this warranty at no cost, without incurring any other liability whatsoever. The warranty does not apply to components, external accessories, or materials supplied by the buyer and applied to the products for the purpose of customizing them. For optimal maintenance of the products and to preserve the characteristics of the materials with which they are made, a few simple precautions are necessary.

All chairs offered are SAFE in accordance with EU Regulations 2023/988 on general product safety (GPSR), reinforced by UNI EN certifications.

The company shall not be held liable if the product is used improperly (standing on it or using it as a ladder, or swinging it in a way that could compromise its functioning and the user's safety). To lift or move the product, grasp it firmly by the supporting structure. The product must not be subjected to off-center loads; it is designed to be used under normal conditions, resting on its four legs or base.

Usage and Care

For optimal maintenance of the products and to preserve the characteristics of the materials they are made of, a few simple precautions are necessary.

FABRICS

Cleaning: please refer to the care and washing instructions provided in the fabric section of the color chart.

Use: it is recommended to take care when using them as they can be torn or cut.

LEATHERS

Cleaning: clean with a damp white cloth soaked in water only. Use high-quality leather cleaning products, carefully following the manufacturer's instructions. If in doubt, test the product on a hidden area to check the result, waiting at least 24 hours to see if any problems arise.

Use: please remember that leather is a delicate material, so care should be taken when using it.

METALS

Cleaning: both steel and aluminum metal surfaces, should be cleaned with a soft damp cloth soaked in warm water. For stubborn stains, you can dilute a small amount of mild liquid soap in water. Always dry after cleaning with a soft cloth or chamois leather. Do not use creams or pastes to clean steel, do not use chlorine, bleach, or other aggressive detergents. Do not use abrasive pastes, scouring pads, or abrasive sponges, as they may scratch metal surfaces.

Use: be careful with food stains such as coffee, cola, and fruit juice, which can leave permanent stains on surfaces.

WOODS

Cleaning: clean with a soft, damp cloth soaked in warm water. Always dry after cleaning. Immediately remove any liquids or other residues to prevent absorption.

Use: wood surfaced, being a natural material, may undergo color changes over time with use and exposure to light. Please note that wood cannot withstand direct heat sources on its surface.