



Cockpit armchair from the Quinti collection made entirely of cold-foamed polyurethane.

Also available with black polypropylene board with black painted metal panic joint

Mounted on low, high feet, wheels or feet with suction cup for temporary fixing to the floor.

The internal structure is made of fully cold foamed metal.

Rubber bands applied inside make the posture comfortable and welcoming



#### DIMENSIONI

Larghezza : 65 / 47 cm

Profondità : 62 / 52 cm

Altezza su piedini bassi : 73 / 40 cm

Altezza su piedini alti : 77 / 44 cm

Altezza su ruote : 79 / 46 cm

## UPHOLSTERIES

---

### LASER

#### CATEGORY 2

560 gr/mtl  
100% Polyester FR  
Class 1  
80.000 +/- 10% maltindale cycles

### ECOPELLE

#### CATEGORY 2

630 g/lin.m  
83% PVC 17% Sintetico  
Class 1  
30.000 +/- 10% maltindale cycles

### JET

#### CATEGORY 3

365 +/- 5% g/lin.m  
100% Polyester FR  
Class 1  
80.000 +/- 10% maltindale cycles

### ONE RICICLED

#### CATEGORY 3

525 gr/mt2  
100% recycled poliester  
CLASS 1IM  
100.000 CICLI

### LYRA

#### CATEGORY 3

550 g/lin.m  
100% Polyester  
Class 1  
60.000 +/- 10% maltindale cycles

### CHILI

#### CATEGORY 3

470 gr/mtl  
100% post-consumer recycled polyester  
- 60.000 +/- maltindale cycles

### DREAM

#### CATEGORY 3

375gr/mtl  
100% Polyester tinto in massa  
melange effetto bouclè  
OEKO TEST  
Class1 - 100.000 +/- maltindale cycles

### MELANGE

#### CATEGORY 3

390 g/lin.m  
100% Trevira CS  
Class 1  
80.000 +/- 10% maltindale cycles

### VELOURS

#### CATEGORY 3

611 gr/mtl  
100% Polyester  
Oeko test  
50.000 +/- 10% maltindale cycles

### ECOPELLE SOUL

#### CATEGORY 3

760 gr/mt2  
Superficie 100% POLYURETHANE,  
Base Polyester 85%,17% Cotone  
EN1021-1/BS5852 PART 1  
>100.000 EN ISO 5470-2

### COCOON

#### CATEGORY 5

980 gr/mtl  
43% viscose 33% cotone 24% li-pl  
35.000 +/- 10% maltindale cycles

### LANA

#### CATEGORY 5

500 gr/mt2  
75% Lana, 25% poliammide  
Class 1  
100.000 maltindale cycles

### GLAMOUR

#### CATEGORY 5

700 g/lin.m  
100% Polyester Recycled  
EN 1021-1/2  
80.000 % maltindale cycles

### TECHNICOLOUR kvadrat

#### CATEGORY 5

430 g/lin. M  
100% new English wool, worsted  
80.000 % maltindale cycles  
Ecolabel  
Class 1

### MAIN LINE camira

#### CATEGORY 5

437 g/lin.m  
75% Virgin wool, 25% Lino  
Class 1, Ecolabel  
50.000 +/- maltindale cycles

### PELLE

#### CATEGORY 5/6

620 g/lin.m  
100% Cowhide  
Class 1, EN 1021-1/2

### PELLE PREMIUM UP/ELEGANCE

#### CATEGORY 7

100% prime grain cowhide  
Spessore 1,2/1,4 mm  
EN1021-1/2

### MONOCHROME SETT camira

#### CATEGORY 7

437 g/lin.m  
75% Virgin wool, 25% Lino  
Class 1, Ecolabel  
50.000 +/- maltindale cycles

### BOUCLET RUBELLI

#### CATEGORY 7

860 g/lin.m  
40% PC, 25%PL,20%VI, 15% CO  
Class 1, EN 1021-1/2  
50.000 % maltindale cycles

### VELLUTO DECONTRACTE' RUBELLI

#### CATEGORY 7

590 g/lin.m  
19% CO, 61% PC,10% PL, 10% VI  
40.000 % maltindale cycles

### HORO RUBELLI

#### CATEGORY 7

495 g/lin.m  
44%PL 29%CO 24%JU 3%PC  
30.000 % maltindale cycles

### PELLE SETA

#### CATEGORY 8

100% Cowhide SPESSORE1,8-2 mm  
First flower ANILINE TANNING  
EN1021-1/2

### ZERO

#### CATEGORY 8

750g/lin.m  
65% CO, 20% PAN, 15% PES  
70.000 % maltindale cycles

## **SEAT CERTIFICATE**

---

- CL1 fire reaction homologation
- IIM fire reaction approval
- Complies with the CAM Ministerial Decree

## **GPP CRITERIA SITTING**

---

*All materials used to make the product are low emissives in accordance with the UNI EN 16000-9 Standard, less than 500 µg/m3.*

*- Plastics*

*- Painted metals*

*For this reason too, the product offered complies with the requirements required in the CAM Ministerial Decree*

## **DISASSEMBLY**

---

DEEP has been designed in such a way that it can be assembled at the end of its useful life, so that its parts and components can be reused, recycled or recovered for energy purposes

## **USE & MAINTENANCE**

---

For optimal product maintenance and to maintain the characteristics of the materials from which they are made unchanged, some simple care is necessary.

### **THE FABRICS**

Cleaning: See the maintenance and washing tips on the fabric tab of the color chart.

Use: Careful use is advised as they can be torn or cut.

### **THE LEATHERS**

Cleaning: Clean with a damp white cloth soaked in water only. Use quality leather cleaning products by carefully following the instructions of the cleaning product manufacturer. If in doubt, it is recommended to test the product on a part hidden from view to verify the result, waiting at least 24 hours for any problems to arise.

Use: Remember that the skin is a delicate material therefore it is recommended to take care during use.

### **PLASTICS**

Cleaning: Plastic surfaces should generally be cleaned with a damp, soft cloth soaked in water. It is not recommended to use dry cloths, which, when rubbed, could electrostatically charge the plastic surface, attracting dust. For more stubborn stains, you can dilute liquid neutral soap in water in moderation. Absolutely avoid using acetone, trielin, ammonia, or detergents that contain even a small amount of these detergents because they can dull the shine of surfaces.

Avoid all abrasive substances, such as detergent powders, abrasive pastes, scouring pads, or rough sponges, absolutely.

Use: Avoid dragging objects that can line the material onto surfaces. Remember

furthermore, that plastic materials cannot withstand direct heat sources on the surface

### **THE METALS**

Cleaning: Both steel or aluminum metal surfaces, as well as painted surfaces, should be cleaned with a damp, soft cloth soaked in hot water. For more stubborn stains, you can dilute liquid neutral soap in water in moderation. Always dry after cleaning with a soft cloth or chamois leather. Do not use creams and pastes to clean steel, do not use chlorine, do not use bleach and other harsh detergents. It is not recommended to use abrasive pastes, scouring pads, and abrasive sponges

## Deep tub - Design Archirivolto

that can scratch metal surfaces. Usage: Watch out for stains on foods such as coffee, cola, fruit juices that can leave permanent stains on surface

# Quinti®

### WARRANTY

---

QUINTI guarantees that the products will maintain their characteristics for 6 years from delivery, without prejudice to normal wear and tear and provided that they are used according to the instructions provided. QUINTI will replace any product found to be non-compliant with the said warranty without incurring any other liability whatsoever. The application of the warranty on components, external accessories or materials supplied by the buyer and applied to the products for the purpose of personalizing them is excluded. For optimal product maintenance and to maintain the characteristics of the materials from which they are made unchanged, some simple care is necessary.

All sessions offered are SAFE according to the provisions of EU Regulation 2023/988, on General Product Safety (GPSR), strengthened by UNI EN certifications.

The company does not hold itself liable if it is misused (Standing up or using products such as ladders and swings that could compromise the operation and safety of the user. To lift or move the product grip firmly on the supporting structure. The product must not be subjected to off-center loads, it was designed to be used under normal conditions of support on 4 legs or on the base).