DRAGON

Code: GK-IN-495506





Physical



Social-emotional



Cognitive



Sliding down



Hanging



Climbing



accessibility



Integration



Socialisation



Balancing



Getting across

Description

Multifunctional climbing set for wheelchair users. Colour of construction is grey, color of floors, ropes, and the tunnel is red, the color of the platform is black, the color of the tunnel, boards, and side of the slide is yellow. Construction is made of galvanized steel and powder painted, the surface of the slide is made of stainless steel, sides of the slide and board made of HDPE material and floor made of PE material.

Playground device consists of

- 4x towers
- 1x tunnel slide
- 1x round, rope entrance
- 1x fire pipe with the circles
- 4x bridges with banisters
- 1x stairs with bannisters
- 1x bird-nest seat on the top of the construction
- 2x rope ladders
- 1x net structure

- 1x rope tunnel
- 1x rotating circle
- 1x rope entrance
- 1x ladder entrance
- 2x entrance platforms with the bannisters
- 1x entrance ramp with rope
- 1x wavy slide
- 3x bars with handle
- 1x board with rotating element to play the game "Tic Tac Toe"
- 2x triangle platforms
- 1x long platform which could be bench for exercise
- 1x Braille's education board


Product details

- Dimensions: 14,61 x 11,99 x 3,16m
- Safety area: 18,14 x 15,20m
- Free fall height: 2,00m
- Age: > 3 years
- Certificate confirming compatibility with norm EN1176

Materials

Construction installed on central posts (metal pipe with diameter 219,10 x 4,50 mm). Platforms - metal construction with pipe 42,20 x 2,00 mm and profile 50,00 x 30,00 x 2, 25 x 25,00 x 2,00 mm. Floor made of PE material with thickness 15,00 mm. Metal posts 76,10 x 3,60 mm. Wavy slide - stainless steel with thickness 2mm and side of slide made of HDPE material with thickness 19mm. Tunnel slide made of polyethene. Ropes with diameter 16mm, connection for the ropes - plastic.

All images are for illustration purpose only and may vary from the actual product.


18145
14617
15202
11993
h-1260
h-185
h-360
h-1260
h-1980
h-360
h-540
h-900
h-185
h-360