
READYMADE
Verklighet för drömmar

Yugo

650143

Assembly instructions

Montageanleitung • Montagevejledning





79 cm


3+





2


7 H





247 x 247 x 79 cm


Stage - 1/6





Stage - 2/6












Firmly screw before setting, leveling and filling the foundation


Element	Pcs.	No. Parts	Description
1	1	56-U	Foundation
2	1	56-UG	Foundation - axis
3	8	A16 DIN 128	Spring type washer
4	8	M16 ANSI B18.16.3M	Nut

Stage - 3/6




0,3m3 concrete


Stage - 4/6



Element	Pcs.	No. Parts	Description
1	1	56-K	Carousel
2	1	6011-2RS	Bearing
3	1	PN-81/M-85111 - Z 55	Seager's ring
4	1	U-90X55	Sealing
5	1	56-U	Foundation


Stage - 5/6







Element	Pcs.	No. Parts	Description
1	1	DIN 6885 - A 14 x 9 x 50	Prismatic pin
2	1	56-T45	Disc
3	1	PN-89/M-85023 - 10 x 75	Pin
4	1	56-K	Carousel


Stage - 6/6





During the movement of the carousel adjust 1mm minimum distance between rim and brakes with the nut (So that the brake does not rub against the rim)





After adjustment screw the floor panels

Element	Pcs.	No. Parts	Description
1	1	56-U	Foundation
2	1	56-K	Carousel
3	30	ISO 10642 - M6 x 10	Screw with countersunk head
4	2	56-KPW	Floor panel