

Specification

Seating Capacity	4 Person
Dimensions	186"X 93" X 53" / (47 2cm X 236cm X 134cm)
Useable Swim Area Dimensions	112" or 284 cm
Dry Weight	2,560 lbs / 1,162 kg
Filled Weight (Spa Volume)	19,394 lbs / 8,800 kg
Water Capacity (Spa Volume)	2,010 US gallons / 7,638 L
Electronic Controls	BP 2100 TRAPEZOID MAIN SWIM SPA Keypad
Pump 1	North America (60 Hz): 2- Speed, 4 HP, AMPs 12.0/1.0 Europe (50 Hz): 2- Speed, 3 HP, AMPs 10.0/3.0
Pump 2	North America (60 Hz): 2- Speed, 3 HP, AMPs 10.0/3.5 Europe (50 Hz): 2- Speed, 3 HP, AMPs 10.0/3.0
Pump 3	North America (60 Hz): 2- Speed, 3 HP, AMPs 10.0/3.5 Europe (50 Hz): 2- Speed, 3 HP, AMPs 10.0/3.0
Pump 4	North America (60 Hz): 2- Speed, 3 HP, AMPs 10.0/3.5 Europe (50 Hz): 2- Speed, 3 HP, AMPs 10.0/3.0
Total Seat Jets	28
Seat A Jets	(2)-6015065; (6)-6030076
Seat B Jets	(2)-6030078
Seat C Jets	(2)-6015065; (4)-6020079; (6)-6030063; (2)-6020079
Seat D Jets	(2)-6030076; (2)-6030063
Massage Selectors	YES
Air Controls	3
Water Management System	CLEARRAY® Active Oxygen Technology
LED Lighting	(4)-20 LED Small Light
Synthetic Cabinet Colours	Smoked Ebony, Modern Hardwood, Brushed Gray
Acrylic Colours	Silver Pearl, Porcelain, Platinum
Headrests	2
Waterfalls	Wide Sheet Waterfall
Electrical Requirements	North America (60 Hz): 240 V, 48 AMPs GFCI RATED: 60 AMPs Europe (50 Hz): 230V, 40A or suitably rated circuit breaker to comply with local electrical codes. GFCI RATED: 40 AMPs. RCD breakers with MC.
Warranty	10/5/3 Year limited
Options/ Special Features	<p>1) Fitness and Fun:</p> <ul style="list-style-type: none"> • Aqua Rowing Kit • Aqua Fitness Package • 48" Stainless Steel Exercise Bar (Left Side Only) <p>2) Covers:</p> <ul style="list-style-type: none"> • PROLAST™ Five Section Cover • Summer Cover with Tie Downs • Bi-fold Cover Option** • Delete Hardcover • Rollaway Cover (Need to Delete Hard Cover) • Bracket for Rollaway Cover <p>3) Steps:</p> <ul style="list-style-type: none"> • 5 Tier Aqua Step <p>4) Other Popular Upgrades & Options:</p> <ul style="list-style-type: none"> • Auxiliary Heating System By-pass Loop • GFCI



Massage Selector/Air Control Diagram

Diverter1 : Turn **LEFT** to **DIVERTER 2**, Turn **RIGHT** to seat **BJ**

ACP 1: Opens/Closes; Air inlet to all jets in the seat **A, B**

ACP 2: Opens/Closes; Air inlet to seats **C, D**.

Diverter2: Turn **jets ON/OFF** in seats **A, B, C, D**.

WSF: To turn **ON/OFF** Wide Sheet Waterfall

ACP 3: Opens/Closes; Air inlet to all **BJ** (Buoyancy jet)



- ACP- Air controller Pump
- BJ- Buoyancy Jet
- WSF- Wide Sheet Waterfalls

Seat Depth

A = 26.46" (67.20cm)

C = 28.36" (72.03cm)





B = 20.49" (53.04cm)

D = 21.85" (55.49cm)



LISTED DIMENSIONS REPRESENT DISTANCE FROM THE TOP OF ACRYLIC TO LOWEST POINT IN THE SEAT. TOLERANCE ±1/16" (0.158CM)

Dimensions




IMPORTANT! Always measure each hot tub for exact dimensions BEFORE designing its foundational support and/or decking

NOTE:

Dimensional tolerances are as follows due to variations in manufacturing:

Length / Width / Height(s): +/- 3/8"

Height Variance (side to side): +/- 1/4"





JACUZZI – J16 POWER PRO



Year:	2022
Model:	Jacuzzi – J16 Power Pro
Size:	186"X 93" X 53" / (472cm X 236cm X 134cm)
Series:	Power Active
Main Keypad:	BP 2100 TRAPEZOID MAIN SWIM SPA Keypad (7005085)
Spa Pack and Heater:	Heater: 5.5 & 3 KW 240 V (NA) , 3 & 3 KW 230V (CE) Controller ST2/ST2- ST2C & BP501P3U NA/EU (60,50 Hz)
Pump #1:	North America (60 Hz): 2- SP, 4 HP, AMPs – 12.0/1.0 (6505155) Europe (50 Hz): 2- SP, 3 HP, AMPs – 10.0/3.0 (6510041)
Pump #2:	North America (60 Hz): 2- SP, 3 HP, AMPs – 10.0/3.5 (6505159) Europe (50 Hz): 2- SP, 3 HP, AMPs – 10.0/3.0 (6510044)
Pump #3:	North America (60 Hz): 2- SP, 3 HP, AMPs – 10.0/3.5 (6505159) Europe (50 Hz): 2- SP, 3 HP, AMPs – 10.0/3.0 (6510044)
Pump #4:	North America (60 Hz): 2- SP, 3 HP, AMPs – 10.0/3.5 (6505159) Europe (50 Hz): 2- SP, 3 HP, AMPs – 10.0/3.0 (6510044)
Circulation Pump:	N/A
Therapy Jets:	(4)- SMT MICRO JET ASSEMBLY (6015065) , (8)- POWER PRO FX JET ASSMEBLY (6030063) , (6)- FXS SPINNER JET ASSEMBLY (6020079) , (8)- POWER PRO RX3 JET ASSMEBLY (6030076) , (2)- FX2 VORTEX III JET ASSEMBLY (6030078) ,
Swim Spa:	(1)- POWERSTORM (OVAL) JET (6035073) , (2)-WIDESTREAM SWIM JET (6035081)
Air Controls:	(3)- Jacuzzi Air Control (4525117)
Diverter:	(2)- Jacuzzi 2" Water Diverter (4525113)
Filters:	FILTER THREADED 50 SQ.FT Jacuzzi (4570033)

