

Inspired, Effortless Shade







Trusted for over 25 years



New Zealand Innovation



Eco-friendly Production

Patented & Trademarked Technology


Frame Warranty

Clever shade for compact spaces.


The Shadowspec Retreat[™] is built from sleek, modern materials. We've handpicked the world's best to ensure longevity. Anodised Aluminium and 316 Stainless Steel work in harmony with our in-house design philosophy.



SHADOWLIFT™
Gas-assisted, makes every deployment easy.



SHADOWROLL™
Integrated roller allows smooth deployment.



SHADOWREACH™ Extend for maximum shade reach.



SHADOWTILT™
Protects from low-angled sun rays.

Follow the sun



ROTATESAllows shade for the duration of the day.



TILTSTwo tilt positions to protect when the sun is low.



EXTENDSAway from the wall.



Canopy

Designer colours to enhance and inspire your space.

Solution-dyed, fade resistant and UPF 80 rated to provide UV protection year round, backed up by extensive warranties. Available in 5 classy colours: Oyster, Alpine Stone, Charcoal Tweed, Rust and Black & White Stripe.















Oyster

Alpine Stone

Charcoal Tweed

Black & White Stripe







Repellent





Clean

UV and Fade

Resistant







Resistant







Solution-dyed, **High Colour Fastness**

UPF 80 UV Protection

Eco-friendy Production

Breathable Weave





Shadowspec Retreat Dimensions




Diagram Legend		2.7m	Full Extension	9'	Full Extension
A	Canopy height when deployed	295mm		1'	
В	Wall Bracket length	526mm		1'9"	
С	Space from Wall Bracket to Wall Clip	441mm		1'4"	
D	Gap from Wall Clip to ground (recommended distance)	1209mm		4'	
E	Wall to centre hub distance (456mm/18" Shadowreach adjustment)	1419mm	1875mm	4'8"	6'2"
F	Wall to outer canopy edge (456mm/18" Shadowreach adjustment)	2609mm	3065mm	8'7"	10'0"
G	Ground to Central Hub (recommended distance)	2014mm		6'7"	
н	Ground to Canopy Edge (recommended distance)	2166mm		7'1'	
ı	Canopy flat-to-flat measurement	2300mm		7'7'	
J	Canopy point-to-point measurement	2700mm		8'10"	

Note: All sizings and conversions are +/-2.5mm / $\frac{1}{16}$ " and are subject to change without notice. We recommend commerical installations use metric measurement for any umbrella spacing to ensure accuracy. The above dimensions make the assumption that you have installed your umbrella at the recommended installation height on your wall. If you have installed your retreat lower or higher than recommended ,you will need to add that difference to the above measurements.

