



J-LX® Collection	J-LX®	J-LXL®
<b>Seating Capacity</b>	6-7 seats	5-6 seats
<b>Dimensions</b>	91 in x 91 in x 34 in 231 cm x 231 cm x 86 cm	91 in x 91 in x 34 in 231 cm x 231 cm x 86 cm
<b>Dry Weight</b>	855 lbs. (388 kg)	914 lbs. (415 kg)
<b>Total Filled Weight</b>	4,525 lbs. (2,052 kg)	4,625 lbs. (2,098 kg)
<b>Average Spa Volume</b>	440 gallons (1,666 liters)	330 gallons (1,249 liters)
<b>Pump 1 North America</b>	1 speed, 2.5 cont hp (5.1 bhp*)	1 speed, 2.5 cont hp (5.1 bhp*)
<b>Pump 1 International</b>	2 speed, 2.0 cont hp (2.6 bhp*)	2 speed, 2.0 cont hp (2.6 bhp*)
<b>Pump 2 North America</b>	1 speed, 2.5 cont hp (5.1 bhp*)	1 speed, 2.5 cont hp (5.1 bhp*)
<b>Pump 2 International</b>	1 speed, 2.0 cont hp (2.6 bhp*)	1 speed, 2.0 cont hp (2.6 bhp*)
<b>Pump 3 North America</b>	-	-
<b>Pump 3 International</b>	-	-
<b>Circulation Pump</b>	Yes	Yes
<b>Total Jacuzzi® PowerPro® Jets</b>	41	39
<b>Jacuzzi® PowerPro® MX</b>	2	4
<b>Jacuzzi® PowerPro® FX Small</b>	-	-
<b>Jacuzzi® PowerPro® RX</b>	8	6
<b>Jacuzzi® PowerPro® FX Directional</b>	-	-
<b>Jacuzzi® PowerPro® NX</b>	8	6
<b>Jacuzzi® PowerPro® FX Rotational</b>	-	4
<b>Jacuzzi® PowerPro® FX</b>	18	15
<b>Jacuzzi® PowerPro® FX Large Rotational</b>	5	4
<b>Jacuzzi® PowerPro® PX</b>	-	-
<b>Jacuzzi® PowerPro® FX Large</b>	-	-
<b>Massage Selectors</b>	1	1
<b>Lounge Seating</b>	-	Yes
<b>Filters</b>	ProClarity® filtration system with grill, skimming weir and ProCatch™ bag 1- ProClarity® depth load filter (circ) 1- ProClarity® 40 sq ft filter (circ) 1- ProCatch™ bag with ProClear® 60 sq ft filter (hydro)	ProClarity® filtration system with grill, skimming weir and ProCatch™ bag 1- ProClarity® depth load filter (circ) 1- ProClarity® 40 sq ft filter (circ) 1- ProCatch™ bag with ProClear® 60 sq ft filter (hydro)
<b>Water Management System</b>	CLEARRAY Active Oxygen® Clean Water System	CLEARRAY Active Oxygen® Clean Water System
<b>Infrared + Red Light Therapy</b>	Yes	Yes
<b>Lighting</b>	Indicator Light, Exterior Lights, Illuminated Waterfall, Premium LED lighting in Massage Selectors, Cupholders and Underwater Light	Indicator Light, Exterior Lights, Illuminated Waterfall, Premium LED lighting in Massage Selectors, Cupholders and Underwater Light
<b>Pillows</b>	4	3
<b>Waterfalls</b>	1	1
<b>Electrical North America</b>	240VAC @ 40A/50A/60A	240VAC @ 40A/50A/60A
<b>Electrical International</b>	230-240VAC 50Hz 1x20A or 1x32A	230-240VAC 50Hz 1x20A or 1x32A
<b>ProFinish® Cabinetry</b>	Modern Hardwood, Brushed Gray, Smoked Ebony	Modern Hardwood, Brushed Gray, Smoked Ebony
<b>Insulation</b>	Includes Upgraded Insulation	Includes Upgraded Insulation
<b>Acrylic Color Shells</b>	Platinum, Porcelain	Platinum, Porcelain
<b>Optional Features</b>	SmartTub® System ProLast™ Extreme Cover	SmartTub® System ProLast™ Extreme Cover

\*Pump input or brake horsepower (bhp) is the actual horsepower delivered to the pump shaft.  
Source: ITT Goulds Pumps, Centrifugal Pump Fundamentals

NOTE: All dimensions are approximate. Spa Volume is based on average fill. Specifications are subject to change without notice.



	J-400™ Collection	J-495™	J-485™	J-475™
<b>Seating Capacity</b>	8-9 seats		6-7 seats	6-7 seats
<b>Dimensions</b>	91 in x 110 in x 37.5 in - 43.5 in back 231 cm x 279 cm x 95 cm - 110.5 cm back		91 in x 91 in x 37.5 in - 43.5 in back 231 cm x 231 cm x 95 cm - 110.5 cm back	91 in x 91 in x 37.5 in - 43.5 in back 231 cm x 231 cm x 95 cm - 110.5 cm back
<b>Dry Weight</b>	1,091 lbs. (495 kg)		916 lbs. (415 kg)	925 lbs. (419 kg)
<b>Total Filled Weight</b>	6,679 lbs. (3,030 kg)		5,336 lbs. (2,421 kg)	5,387 lbs. (2,444 kg)
<b>Average Spa Volume</b>	500 gallons (1,893 liters)		435 gallons (1,647 liters)	440 gallons (1,666 liters)
<b>Pump 1 North America</b>	1 speed, 2.5 cont hp (5.1 bhp*)		1 speed, 2.5 cont hp (5.1 bhp*)	1 speed, 2.5 cont hp (5.1 bhp*)
<b>Pump 1 International</b>	1 speed, 2.0 cont hp (2.6 bhp*)		1 speed, 2.0 cont hp (2.6 bhp*)	1 speed, 2.0 cont hp (2.6 bhp*)
<b>Pump 2 North America</b>	1 speed, 2.5 cont hp (5.1 bhp*)		1 speed, 2.5 cont hp (5.1 bhp*)	1 speed, 2.5 cont hp (5.1 bhp*)
<b>Pump 2 International</b>	1 speed, 2.0 cont hp (2.6 bhp*)		1 speed, 2.0 cont hp (2.6 bhp*)	1 speed, 2.0 cont hp (2.6 bhp*)
<b>Pump 3 North America</b>	1 speed, 2.5 cont hp (5.1 bhp*)		-	-
<b>Pump 3 International</b>	1 speed, 2.0 cont hp (2.6 bhp*)		-	-
<b>Circulation Pump</b>	Yes		Yes	Yes
<b>Total Jacuzzi® PowerPro® Jets</b>	71		49	55
<b>Jacuzzi® PowerPro® MX</b>	3		3	3
<b>Jacuzzi® PowerPro® FX Small</b>	14		8	8
<b>Jacuzzi® PowerPro® RX</b>	15		8	6
<b>Jacuzzi® PowerPro® FX Directional</b>	4		-	-
<b>Jacuzzi® PowerPro® NX</b>	8		6	6
<b>Jacuzzi® PowerPro® FX Rotational</b>	4		6	8
<b>Jacuzzi® PowerPro® FX</b>	16		12	10
<b>Jacuzzi® PowerPro® FX Large Rotational</b>	3		1	1
<b>Jacuzzi® PowerPro® PX</b>	4		2	8
<b>Jacuzzi® PowerPro® FX Large</b>	-		3	5
<b>Massage Selectors</b>	2		2	2
<b>Lounge Seating</b>	Pivot Lounge		-	Yes
<b>Filters</b>	ProClarity® filtration system with grill, skimming weir and ProCatch™ bag 1- ProClarity® depth load filter (circ) 1- ProClarity® 40 sq ft filter (circ) 1- ProCatch™ bag with ProClear® 60 sq ft filter (hydro)		ProClarity® filtration system with grill, skimming weir and ProCatch™ bag 1- ProClarity® depth load filter (circ) 1- ProClarity® 40 sq ft filter (circ) 1- ProCatch™ bag with ProClear® 60 sq ft filter (hydro)	ProClarity® filtration system with grill, skimming weir and ProCatch™ bag 1- ProClarity® depth load filter (circ) 1- ProClarity® 40 sq ft filter (circ) 1- ProCatch™ bag with ProClear® 60 sq ft filter (hydro)
<b>Water Management System</b>	CLEARRAY Active Oxygen® Clean Water System		CLEARRAY Active Oxygen® Clean Water System	CLEARRAY Active Oxygen® Clean Water System
<b>Lighting</b>	Indicator Light, Exterior Lights, Illuminated Waterfall, Premium LED lighting in Massage Selectors, Cupholders and Underwater Light		Indicator Light, Exterior Lights, Illuminated Waterfall, Premium LED lighting in Massage Selectors, Cupholders and Underwater Light	Indicator Light, Exterior Lights, Illuminated Waterfall, Premium LED lighting in Massage Selectors, Cupholders and Underwater Light
<b>Pillows</b>	4		4	4
<b>Waterfalls</b>	2		1	1
<b>Electrical North America</b>	240VAC 60Hz 50A/60A		240VAC 60Hz 40A/50A/60A	240VAC 60Hz 40A/50A/60A
<b>Electrical International</b>	230VAC 50Hz 1x32A or 1x40A		230 VAC 50Hz 1x20A or 1x32A	230 VAC 50Hz 1x20A or 1x32A
<b>ProFinish® Cabinetry</b>	Modern Hardwood, Brushed Gray, Smoked Ebony		Modern Hardwood, Brushed Gray, Smoked Ebony	Modern Hardwood, Brushed Gray, Smoked Ebony
<b>Acrylic Color Shells</b>	Platinum, Silver Pearl, Monaco, Midnight, Porcelain		Platinum, Silver Pearl, Monaco, Midnight, Porcelain	Platinum, Silver Pearl, Monaco, Midnight, Porcelain
<b>Optional Features</b>	SmartTub® System ProLast™ Extreme Cover SmartSeal™ Insulation Integrated BLUEWAVE® Spa Stereo Premium Speakers Amplified Sub-woofer		SmartTub® System ProLast™ Extreme Cover SmartSeal™ Insulation Integrated BLUEWAVE® Spa Stereo Premium Speakers Amplified Sub-woofer	SmartTub® System ProLast™ Extreme Cover SmartSeal™ Insulation Integrated BLUEWAVE® Spa Stereo Premium Speakers Amplified Sub-woofer

\*Pump input or brake horsepower (bhp) is the actual horsepower delivered to the pump shaft.  
Source: ITT Goulds Pumps, Centrifugal Pump Fundamentals

NOTE: All dimensions are approximate. Spa Volume is based on average fill. Specifications are subject to change without notice.



J-400™ Collection	J-445™	J-435™
<b>Seating Capacity</b>	6 seats	5-6 seats
<b>Dimensions</b>	84 in x 84 in x 37.5 in - 43.5 in back 213.5 cm x 213.5 cm x 95 cm - 110.5 cm back	84 in x 84 in x 37.5 in - 43.5 in back 213.5 cm x 213.5 cm x 95 cm - 110.5 cm back
<b>Dry Weight</b>	855 lbs. (388 kg)	822 lbs. (373 kg)
<b>Total Filled Weight</b>	4,525 lbs. (2,052 kg)	4,492 lbs. (2,037 kg)
<b>Average Spa Volume</b>	380 gallons (1,438 liters)	360 gallons (1,363 liters)
<b>Pump 1 North America</b>	1 speed, 2.5 cont hp (5.1 bhp*)	1 speed, 2.5 cont hp (5.1 bhp*)
<b>Pump 1 International</b>	1 speed, 2.0 cont hp (2.6 bhp*)	1 speed, 2.0 cont hp (2.6 bhp*)
<b>Pump 2 North America</b>	1 speed, 2.5 cont hp (5.1 bhp*)	1 speed, 2.5 cont hp (5.1 bhp*)
<b>Pump 2 International</b>	1 speed, 2.0 cont hp (2.6 bhp*)	1 speed, 2.0 cont hp (2.6 bhp*)
<b>Pump 3 North America</b>	-	-
<b>Pump 3 International</b>	-	-
<b>Circulation Pump</b>	Yes	Yes
<b>Total Jacuzzi® PowerPro® Jets</b>	45	47
<b>Jacuzzi® PowerPro® MX</b>	3	3
<b>Jacuzzi® PowerPro® FX Small</b>	8	10
<b>Jacuzzi® PowerPro® RX</b>	8	8
<b>Jacuzzi® PowerPro® FX Directional</b>	-	-
<b>Jacuzzi® PowerPro® NX</b>	4	6
<b>Jacuzzi® PowerPro® FX Rotational</b>	8	6
<b>Jacuzzi® PowerPro® FX</b>	12	9
<b>Jacuzzi® PowerPro® FX Large Rotational</b>	2	3
<b>Jacuzzi® PowerPro® PX</b>	-	2
<b>Jacuzzi® PowerPro® FX Large</b>	-	-
<b>Massage Selectors</b>	2	2
<b>Lounge Seating</b>	-	Yes
<b>Filters</b>	ProClarity® filtration system with grill, skimming weir and ProCatch™ bag 1- ProClarity® depth load filter (circ) 1- ProClarity® 40 sq ft filter (circ) 1- ProCatch™ bag with ProClear® 60 sq ft filter (hydro)	ProClarity® filtration system with grill, skimming weir and ProCatch™ bag 1- ProClarity® depth load filter (circ) 1- ProClarity® 40 sq ft filter (circ) 1- ProCatch™ bag with ProClear® 60 sq ft filter (hydro)
<b>Water Management System</b>	CLEARRAY Active Oxygen® Clean Water System	CLEARRAY Active Oxygen® Clean Water System
<b>Lighting</b>	Indicator Light, Exterior Lights, Illuminated Waterfall, Premium LED lighting in Massage Selectors, Cupholders and Underwater Light	Indicator Light, Exterior Lights, Illuminated Waterfall, Premium LED lighting in Massage Selectors, Cupholders and Underwater Light
<b>Pillows</b>	4	3
<b>Waterfalls</b>	1	1
<b>Electrical North America</b>	240VAC @ 40A/50A/60A	240VAC @ 40A/50A/60A
<b>Electrical International</b>	230-240VAC 50Hz 1x20A or 1x32A	230-240VAC 50Hz 1x20A or 1x32A
<b>ProFinish® Cabinetry</b>	Modern Hardwood, Brushed Gray, Smoked Ebony	Modern Hardwood, Brushed Gray, Smoked Ebony
<b>Acrylic Color Shells</b>	Platinum, Silver Pearl, Monaco, Midnight, Porcelain	Platinum, Silver Pearl, Monaco, Midnight, Porcelain
<b>Optional Features</b>	SmartTub® System ProLast™ Extreme Cover SmartSeal™ Insulation Integrated BLUEWAVE® Spa Stereo Premium Speakers Amplified Sub-woofer	SmartTub® System ProLast™ Extreme Cover SmartSeal™ Insulation Integrated BLUEWAVE® Spa Stereo Premium Speakers Amplified Sub-woofer

\*Pump input or brake horsepower (bhp) is the actual horsepower delivered to the pump shaft.  
Source: ITT Goulds Pumps, Centrifugal Pump Fundamentals

NOTE: All dimensions are approximate. Spa Volume is based on average fill. Specifications are subject to change without notice.



	J-300™ Collection	J-385™	J-375™	J-365™
<b>Seating Capacity</b>	6-7 seats	6-7 seats	5-6 seats	6-7 seats
<b>Dimensions</b>	91 in x 91 in x 37.5 in 231 cm x 231 cm x 95 cm	91 in x 91 in x 37.5 in 231 cm x 231 cm x 95 cm	91 in x 91 in x 37.5 in 231 cm x 231 cm x 95 cm	84 in x 91 in x 37.5 in 213.5 cm x 231 cm x 95 cm
<b>Dry Weight</b>	850 lbs. (386 kg)	850 lbs. (386 kg)	830 lbs. (376 kg)	805 lbs. (365 kg)
<b>Total Filled Weight</b>	5,771 lbs. (2,618 kg)	5,771 lbs. (2,618 kg)	5,667 lbs. (2,571 kg)	4,975 lbs. (2,257 kg)
<b>Average Spa Volume</b>	460 gallons (1,741 liters)	460 gallons (1,741 liters)	445 gallons (1,685 liters)	395 gallons (1,495 liters)
<b>Pump 1 North America</b>	1 speed, 2.5 cont hp (4.8 bhp*)	1 speed, 2.5 cont hp (4.8 bhp*)	1 speed, 2.5 cont hp (4.8 bhp*)	1 speed, 2.5 cont hp (4.8 bhp*)
<b>Pump 1 International</b>	1 speed, 2.0 cont hp (2.6 bhp*)	1 speed, 2.0 cont hp (2.6 bhp*)	1 speed, 2.0 cont hp (3.0 bhp*)	1 speed, 2.0 cont hp (3.0 bhp*)
<b>Pump 2 North America</b>	1 speed, 2.5 cont hp (4.8 bhp*)	1 speed, 2.5 cont hp (4.8 bhp*)	1 speed, 2.5 cont hp (4.8 bhp*)	1 speed, 2.5 cont hp (4.8 bhp*)
<b>Pump 2 International</b>	1 speed, 2.0 cont hp (2.6 bhp*)	1 speed, 2.0 cont hp (2.6 bhp*)	1 speed, 2.0 cont hp (2.6 bhp*)	1 speed, 2.0 cont hp (2.6 bhp*)
<b>Pump 3 North America</b>	-	-	-	-
<b>Pump 3 International</b>	-	-	-	-
<b>Circulation Pump</b>	Yes	Yes	Yes	Yes
<b>Total Jets</b>	51	51	52	46
<b>Jacuzzi® PowerPro® MX</b>	3	3	5	3
<b>Jacuzzi® PowerPro® FX Small</b>	8	8	-	8
<b>Jacuzzi® PowerPro® NX</b>	4	4	4	4
<b>Jacuzzi® PowerPro® FX Rotational</b>	4	4	6	4
<b>Jacuzzi® PowerPro® FX</b>	20	20	18	19
<b>Jacuzzi® PowerPro® FX Large Rotational</b>	4	4	3	3
<b>Jacuzzi® PowerPro® FX Large</b>	4	4	2	3
<b>Jacuzzi® PowerPro® BX</b>	2	2	12	-
<b>Massage Selectors</b>	2	2	2	2
<b>Lounge Seating</b>	-	-	Yes	-
<b>Filters</b>	ProClear® filtration system with skimming weir and ProCatch™ bag  1- ProClear® 60 sq ft filter (hydro) 1- ProClear® 60 sq ft filter (circ)	ProClear® filtration system with skimming weir and ProCatch™ bag  1- ProClear® 60 sq ft filter (hydro) 1- ProClear® 60 sq ft filter (circ)	ProClear® filtration system with skimming weir and ProCatch™ bag  1- ProClear® 60 sq ft filter (hydro) 1- ProClear® 60 sq ft filter (circ)	ProClear® filtration system with skimming weir and ProCatch™ bag  1- ProClear® 60 sq ft filter (hydro) 1- ProClear® 60 sq ft filter (circ)
<b>Water Management System</b>	CLEARRAY Active Oxygen® Clean Water System	CLEARRAY Active Oxygen® Clean Water System	CLEARRAY Active Oxygen® Clean Water System	CLEARRAY Active Oxygen® Clean Water System
<b>Lighting</b>	One underwater ProLite™ with 4 color modes, colored waterfall light, cup holders, and 2 lights on the HydroSoothe® pillow.	One underwater ProLite™ with 4 color modes, colored waterfall light, cup holders, and 2 lights on the HydroSoothe® pillow.	One underwater ProLite™ with 4 color modes, colored waterfall light, cup holders, and 2 lights on the HydroSoothe® pillow.	One underwater ProLite™ with 4 color modes, colored waterfall light, cup holders, and 2 lights on the HydroSoothe® pillow.
<b>Pillows</b>	4 including 1 Hydrosoothe® massage pillow	4 including 1 Hydrosoothe® massage pillow	4 including 1 Hydrosoothe® massage pillow	4 including 1 Hydrosoothe® massage pillow
<b>Waterfalls</b>	1	1	1	1
<b>Electrical North America</b>	240VAC 60Hz 40A/50A/60A	240VAC 60Hz 40A/50A/60A	240VAC 60Hz 40A/50A/60A	240VAC 60Hz 40A/50A/60A
<b>Electrical International</b>	230VAC 50Hz 1x20A or 1x32A	230VAC 50Hz 1x20A or 1x32A	230VAC 50Hz 1x20A or 1x32A	230VAC 50Hz 1x20A or 1x32A
<b>ProFinish® Cabinetry</b>	Modern Hardwood, Brushed Gray, Smoked Ebony	Modern Hardwood, Brushed Gray, Smoked Ebony	Modern Hardwood, Brushed Gray, Smoked Ebony	Modern Hardwood, Brushed Gray, Smoked Ebony
<b>Acrylic Color Shells</b>	Platinum, Silver Pearl, Monaco, Midnight, Porcelain	Platinum, Silver Pearl, Monaco, Midnight, Porcelain	Platinum, Silver Pearl, Monaco, Midnight, Porcelain	Platinum, Silver Pearl, Monaco, Midnight, Porcelain
<b>Optional Features</b>	SmartTub® System compatible ProLast™ Extreme cover ProClarity® circulation pump filter SmartSeal™ insulation BLUEWAVE® spa stereo Standard speakers Sub-woofer Exterior Lights	SmartTub® System compatible ProLast™ Extreme cover ProClarity® circulation pump filter SmartSeal™ insulation BLUEWAVE® spa stereo Standard speakers Sub-woofer Exterior Lights	SmartTub® System compatible ProLast™ Extreme cover ProClarity® circulation pump filter SmartSeal™ insulation BLUEWAVE® spa stereo Standard speakers Sub-woofer Exterior Lights	SmartTub® System compatible ProLast™ Extreme cover ProClarity® circulation pump filter SmartSeal™ insulation BLUEWAVE® spa stereo Standard speakers Sub-woofer Exterior Lights

\*Pump input or brake horsepower (bhp) is the actual horsepower delivered to the pump shaft.  
Source: ITT Goulds Pumps, Centrifugal Pump Fundamentals

NOTE: All dimensions are approximate. Spa Volume is based on average fill. Specifications are subject to change without notice.



	J-300™ Collection	J-355™	J-345™	J-335™
<b>Seating Capacity</b>	5-6 seats		6-7 seats	5-6 seats
<b>Dimensions</b>	84 in x 91 in x 37.5 in 213.5 cm x 231 cm x 95 cm		84 in x 84 in x 36 in 213.5 cm x 213.5 cm x 92 cm	84 in x 84 in x 36 in 213.5 cm x 213.5 cm x 92 cm
<b>Dry Weight</b>	813 lbs. (369 kg)		777 lbs. (352 kg)	764 lbs. (347 kg)
<b>Total Filled Weight</b>	4,900 lbs. (1,855 kg)		4,488 lbs. (2,036 kg)	4,684 lbs. (2,125 kg)
<b>Average Spa Volume</b>	360 gallons (1,363 liters)		345 gallons (1,306 liters)	350 gallons (1,325 liters)
<b>Pump 1 North America</b>	1 speed, 2.5 cont hp (4.8 bhp*)		1 speed, 2.5 cont hp (4.8 bhp*)	1 speed, 2.5 cont hp (4.8 bhp*)
<b>Pump 1 International</b>	1 speed, 2.0 cont hp (3.0 bhp*)		1 speed, 2.0 cont hp (3.0 bhp*)	1 speed, 2.0 cont hp (3.0 bhp*)
<b>Pump 2 North America</b>	1 speed, 2.5 cont hp (4.8 bhp*)		1 speed, 2.5 cont hp (4.8 bhp*)	1 speed, 2.5 cont hp (4.8 bhp*)
<b>Pump 2 International</b>	1 speed, 2.0 cont hp (2.6 bhp*)		1 speed, 2.0 cont hp (2.6 bhp*)	1 speed, 2.0 cont hp (2.6 bhp*)
<b>Pump 3 North America</b>	-		-	-
<b>Pump 3 International</b>	-		-	-
<b>Circulation Pump</b>	Yes		Yes	Yes
<b>Total Jets</b>	44		41	42
<b>Jacuzzi® PowerPro® MX</b>	5		3	2
<b>Jacuzzi® PowerPro® FX Small</b>	-		8	-
<b>Jacuzzi® PowerPro® NX</b>	2		-	-
<b>Jacuzzi® PowerPro® FX Rotational</b>	4		4	4
<b>Jacuzzi® PowerPro® FX</b>	14		19	16
<b>Jacuzzi® PowerPro® FX Large Rotational</b>	3		3	4
<b>Jacuzzi® PowerPro® FX Large</b>	2		2	2
<b>Jacuzzi® PowerPro® BX</b>	12		-	12
<b>Massage Selectors</b>	2		2	2
<b>Lounge Seating</b>	Yes		-	Yes
<b>Filters</b>	ProClear® filtration system with skimming weir and ProCatch™ bag  1- ProClear® 60 sq ft filter (hydro) 1- ProClear® 60 sq ft filter (circ)		ProClear® filtration system with skimming weir and ProCatch™ bag  1- ProClear® 60 sq ft filter (hydro) 1- ProClear® 60 sq ft filter (circ)	ProClear® filtration system with skimming weir and ProCatch™ bag  1- ProClear® 60 sq ft filter (hydro) 1- ProClear® 60 sq ft filter (circ)
<b>Water Management System</b>	CLEARRAY Active Oxygen® Clean Water System		CLEARRAY Active Oxygen® Clean Water System	CLEARRAY Active Oxygen® Clean Water System
<b>Lighting</b>	One underwater ProLite™ with 4 color modes, colored waterfall light, cup holders, and 2 lights on the HydroSoothe® pillow.		One underwater ProLite™ with 4 color modes, colored waterfall light, cup holders, and 2 lights on the HydroSoothe® pillow.	One underwater ProLite™ with 4 color modes, colored waterfall light, cup holders, and 2 lights on the HydroSoothe® pillow.
<b>Pillows</b>	3 including 1 Hydrosoothe® massage pillow		4 including 1 Hydrosoothe® massage pillow	4 including 1 Hydrosoothe® massage pillow
<b>Waterfalls</b>	1		1	1
<b>Electrical North America</b>	240VAC 60Hz 40A/50A/60A		240VAC 60Hz 40A/50A/60A	240VAC 60Hz 40A/50A/60A
<b>Electrical International</b>	230VAC 50Hz 1x20A or 1x32A		230VAC 50Hz 1x20A or 1x32A	230VAC 50Hz 1x20A or 1x32A
<b>ProFinish® Cabinetry</b>	Modern Hardwood, Brushed Gray, Smoked Ebony		Modern Hardwood, Brushed Gray, Smoked Ebony	Modern Hardwood, Brushed Gray, Smoked Ebony
<b>Acrylic Color Shells</b>	Platinum, Silver Pearl, Monaco, Midnight, Porcelain		Platinum, Silver Pearl, Monaco, Midnight, Porcelain	Platinum, Silver Pearl, Monaco, Midnight, Porcelain
<b>Optional Features</b>	SmartTub® System compatible ProLast™ Extreme cover ProClarity® circulation pump filter SmartSeal™ insulation BLUEWAVE® spa stereo Standard speakers Sub-woofer Exterior Lights		SmartTub® System compatible ProLast™ Extreme cover ProClarity® circulation pump filter SmartSeal™ insulation BLUEWAVE® spa stereo Standard speakers Sub-woofer Exterior Lights	SmartTub® System compatible ProLast™ Extreme cover ProClarity® circulation pump filter SmartSeal™ insulation BLUEWAVE® spa stereo Standard speakers Sub-woofer Exterior Lights

\*Pump input or brake horsepower (bhp) is the actual horsepower delivered to the pump shaft.  
Source: ITT Goulds Pumps, Centrifugal Pump Fundamentals

NOTE: All dimensions are approximate. Spa Volume is based on average fill. Specifications are subject to change without notice.



J-300™ Collection	J-325™	J-315™
<b>Seating Capacity</b>	4-5 seats	2-3 seats
<b>Dimensions</b>	84 in x 76 in x 33.5 in 213.5 cm x 193 cm x 85 cm	66 in x 76 in x 31.75 in 168 cm x 193 cm x 80.65 cm
<b>Dry Weight</b>	619 lbs. (281 kg)	531 lbs. (241 kg)
<b>Total Filled Weight</b>	4,372 lbs. (1,983 kg)	2,866 lbs. (1,300 kg)
<b>Average Spa Volume</b>	335 gallons (1,268 liters)	210 gallons (795 liters)
<b>Pump 1 North America</b>	1 speed, 1.5 cont hp (2.5 bhp*)	1 speed, 1.5 cont hp (2.5 bhp*)
<b>Pump 1 International</b>	1 speed, 2.0 cont hp (2.6 bhp*)	1 speed, 2.0 cont hp (2.6 bhp*)
<b>Pump 2 North America</b>	-	-
<b>Pump 2 International</b>	-	-
<b>Pump 3 North America</b>	-	-
<b>Pump 3 International</b>	-	-
<b>Circulation Pump</b>	Yes	Yes
<b>Total Jets</b>	23	23
<b>Jacuzzi® PowerPro® MX</b>	-	-
<b>Jacuzzi® PowerPro® FX Small</b>	4	-
<b>Jacuzzi® PowerPro® NX</b>	-	-
<b>Jacuzzi® PowerPro® FX Rotational</b>	2	2
<b>Jacuzzi® PowerPro® FX</b>	6	8
<b>Jacuzzi® PowerPro® FX Large Rotational</b>	5	3
<b>Jacuzzi® PowerPro® FX Large</b>	4	2
<b>Jacuzzi® PowerPro® BX</b>	-	6
<b>Massage Selectors</b>	1	1
<b>Lounge Seating</b>	-	Yes
<b>Filters</b>	ProClear® filtration system with skimming weir and ProCatch™ bag  1- ProClear® 60 sq ft filter (hydro) 1- ProClear® 60 sq ft filter (circ)	ProClear® filtration system with skimming weir and ProCatch™ bag  1- ProClear® 60 sq ft filter (hydro) 1- ProClear® 60 sq ft filter (circ)
<b>Water Management System</b>	CLEARRAY Active Oxygen® Clean Water System	CLEARRAY Active Oxygen® Clean Water System
<b>Lighting</b>	One underwater ProLite™ with 4 color modes, colored waterfall light, cup holders, and 2 lights on the HydroSoothe® pillow.	One underwater ProLite™ with 4 color modes, colored waterfall light, cup holders, and 2 lights on the HydroSoothe® pillow.
<b>Pillows</b>	4 including 1 Hydrosoothe® massage pillow	3 including 1 Hydrosoothe® massage pillow
<b>Waterfalls</b>	1	1
<b>Electrical North America</b>	120V/15A or 240V 30A/40A 240V 30A/40A	120V/15A or 240V 30A/40A 240V 30A/40A
<b>Electrical International</b>	230V 1x20A or 2x16A	230V 1x20A or 2x16A
<b>ProFinish® Cabinetry</b>	Modern Hardwood, Brushed Gray, Smoked Ebony	Modern Hardwood, Brushed Gray, Smoked Ebony
<b>Acrylic Color Shells</b>	Platinum, Silver Pearl, Monaco, Midnight, Porcelain	Platinum, Silver Pearl, Monaco, Midnight, Porcelain
<b>Optional Features</b>	SmartTub® System compatible ProLast™ Extreme cover ProClarity® circulation pump filter SmartSeal™ insulation BLUEWAVE® spa stereo Standard speakers Sub-woofer Exterior Lights	SmartTub® System compatible ProLast™ Extreme cover ProClarity® circulation pump filter SmartSeal™ insulation BLUEWAVE® spa stereo Standard speakers Sub-woofer Exterior Lights

\*Pump input or brake horsepower (bhp) is the actual horsepower delivered to the pump shaft.

Source: ITT Goulds Pumps, Centrifugal Pump Fundamentals

NOTE: All dimensions are approximate. Spa Volume is based on average fill. Specifications are subject to change without notice.



### J-200™ Collection

### J-285™

### J-275™

### J-245™

<b>Seating Capacity</b>	6-7 seats	6 seats	6-7 seats
<b>Dimensions</b>	89 in x 89 in x 36 in 226 cm x 226 cm x 91 cm	89 in x 89 in x 36 in 226 cm x 226 cm x 91 cm	84 in x 84 in x 36 in 213 cm x 213 cm x 91 cm
<b>Dry Weight</b>	777 lbs. (352 kg)	774 lbs. (351 kg)	717 lbs. (325 kg)
<b>Total Filled Weight</b>	4,905 lbs. (2,225 kg)	4,861 lbs. (2,205 kg)	4,345 lbs. (1,971 kg)
<b>Average Spa Volume</b>	365 gallons (1,382 liters)	360 gallons (1,363 liters)	320 gallons (1,211 liters)
<b>Pump 1 North America</b>	2 speed, 2.5 cont hp (4.5 bhp*)	2 speed, 2.5 cont hp (4.5 bhp*)	2 speed, 2.5 cont hp (4.5 bhp*)
<b>Pump 1 International</b>	2 speed, 2.0 cont hp	2 speed, 2.0 cont hp	2 speed, 2.0 cont hp
<b>Pump 2 North America</b>	1 speed, 2.5 cont hp (4.8 bhp*)	1 speed, 2.5 cont hp (4.8 bhp*)	1 speed, 2.5 cont hp (4.8 bhp*)
<b>Pump 2 International</b>	1 speed, 2.0 cont hp	1 speed, 2.0 cont hp	1 speed, 2.0 cont hp
<b>Pump 3 North America</b>	-	-	-
<b>Pump 3 International</b>	-	-	-
<b>Circulation Pump</b>	No	No	No
<b>Total Jets</b>	42	38	36
<b>SL Jets</b>	14	14	8
<b>SLR Jets</b>	8	4	10
<b>SL3 Jets</b>	7	11	10
<b>SL3R Jets</b>	8	6	7
<b>SL5 Jets</b>	3	1	-
<b>SL5R Jets</b>	2	2	1
<b>Massage Selectors</b>	-	-	-
<b>Air Controls</b>	2	2	2
<b>Lounge Seating</b>	-	Yes	-
<b>Filters</b>	ProClassic™ filtration system with grill and ProCatch™ bag 1- ProClassic™ 50 sq ft filter 1- ProCatch™ filter bag	ProClassic™ filtration system with grill and ProCatch™ bag 1- ProClassic™ 50 sq ft filter 1- ProCatch™ filter bag	ProClassic™ filtration system with grill and ProCatch™ bag 1- ProClassic™ 50 sq ft filter 1- ProCatch™ filter bag
<b>Water Management System</b>	CLEARARRAY® UV-C System	CLEARARRAY® UV-C System	CLEARARRAY® UV-C System
<b>Lighting</b>	4 Backlit Pillows, 8 Underwater Lights and 3 Exterior Lights	3 Backlit Pillows, 8 Underwater Lights and 3 Exterior Lights	4 Backlit Pillows, 8 Underwater Lights and 3 Exterior Lights
<b>Pillows</b>	4	3	4
<b>Waterfalls</b>	-	-	-
<b>Electrical North America</b>	240VAC 60Hz 40A/50A/60A	240VAC 60Hz 40A/50A/60A	240VAC 60Hz 40A/50A/60A
<b>Electrical International</b>	230-240VAC 50Hz 1x16A or 1x32A	230-240VAC 50Hz 1x16A or 1x32A	230-240VAC 50Hz 1x16A or 1x32A
<b>Cabinetry</b>	Charcoal, Smoke	Charcoal, Smoke	Charcoal, Smoke
<b>Acrylic Color Shells</b>	Platinum, Silver Pearl, Monaco, Midnight, Porcelain	Platinum, Silver Pearl, Monaco, Midnight, Porcelain	Platinum, Silver Pearl, Monaco, Midnight, Porcelain
<b>Optional Features</b>	SmartTub® System Compatible Prolast™ Extreme Cover	SmartTub® System Compatible Prolast™ Extreme Cover	SmartTub® System Compatible Prolast™ Extreme Cover

\*Pump input or brake horsepower (bhp) is the actual horsepower delivered to the pump shaft.

Source: ITT Goulds Pumps, Centrifugal Pump Fundamentals

NOTE: All dimensions are approximate. Spa Volume is based on average fill. Specifications are subject to change without notice.



### J-200™ Collection

### J-235™

### J-225™

### J-215™

<b>Seating Capacity</b>	6 seats	4-5 seats	2-3 seats
<b>Dimensions</b>	84 in x 84 in x 36 in 213 cm x 213 cm x 91 cm	80 in x 80 in x 33 in 203 cm x 203 cm x 84 cm	69 in x 80 in x 32 in 175 cm x 193 cm x 84 cm
<b>Dry Weight</b>	726 lbs. (329 kg)	619 lbs. (281 kg)	517 lbs. (235 kg)
<b>Total Filled Weight</b>	4,229 lbs. (1,918 kg)	3,805 lbs. (1,726 kg)	2,936 lbs. (1,332 kg)
<b>Average Spa Volume</b>	305 gallons (1,155 liters)	280 gallons (1,060 liters)	205 gallons (776 liters)
<b>Pump 1 North America</b>	2 speed, 2.5 cont hp (4.5 bhp*)	2 speed, 1.5 cont hp (4.5 bhp*)	2 speed, 1.5 cont hp (4.5 bhp*)
<b>Pump 1 International</b>	2 speed, 2.0 cont hp	2 speed, 2.0 cont hp	2 speed, 2.0 cont hp
<b>Pump 2 North America</b>	1 speed, 2.5 cont hp (4.8 bhp*)	-	-
<b>Pump 2 International</b>	1 speed, 2.0 cont hp	-	-
<b>Pump 3 North America</b>	-	-	-
<b>Pump 3 International</b>	-	-	-
<b>Circulation Pump</b>	No	No	No
<b>Total Jets</b>	34	26	21
<b>SL Jets</b>	6	8	8
<b>SLR Jets</b>	8	2	9
<b>SL3 Jets</b>	11	10	-
<b>SL3R Jets</b>	7	5	4
<b>SL5 Jets</b>	-	-	-
<b>SL5R Jets</b>	2	1	-
<b>Massage Selectors</b>	-	-	-
<b>Air Controls</b>	2	2	1
<b>Lounge Seating</b>	Yes	-	Yes
<b>Filters</b>	ProClassic™ filtration system with grill and ProCatch™ bag 1- ProClassic™ 50 sq ft filter 1- ProCatch™ filter bag	ProClassic™ filtration system with grill and ProCatch™ bag 1- ProClassic™ 50 sq ft filter 1- ProCatch™ filter bag	ProClassic™ filtration system with grill and ProCatch™ bag 1- ProClassic™ 50 sq ft filter 1- ProCatch™ filter bag
<b>Water Management System</b>	CLEARARRAY® UV-C System	CLEARARRAY® UV-C System	CLEARARRAY® UV-C System
<b>Lighting</b>	3 Backlit Pillows, 6 Underwater Lights and 3 Exterior Lights	4 Backlit Pillows, 8 Underwater Lights and 3 Exterior Lights	3 Backlit Pillows, 6 Underwater Lights and 3 Exterior Lights
<b>Pillows</b>	3	4	3
<b>Waterfalls</b>	-	-	-
<b>Electrical North America</b>	240VAC 60Hz 40A/50A/60A	120VAC 60Hz 15A 240VAC 30A or 40A	120VAC 60Hz 15A 240VAC 30A or 40A
<b>Electrical International</b>	230-240VAC 50Hz 1x16A or 1x32A	230-240VAC 50Hz 1x16A or 1x32A	230-240VAC 50Hz 1x16A or 1x32A
<b>Cabinetry</b>	Charcoal, Smoke	Charcoal, Smoke	Charcoal, Smoke
<b>Acrylic Color Shells</b>	Platinum, Silver Pearl, Monaco, Midnight, Porcelain	Platinum, Silver Pearl, Monaco, Midnight, Porcelain	Platinum, Silver Pearl, Monaco, Midnight, Porcelain
<b>Optional Features</b>	SmartTub® System Compatible Prolast™ Extreme Cover	SmartTub® System Compatible Prolast™ Extreme Cover	SmartTub® System Compatible Prolast™ Extreme Cover

\*Pump input or brake horsepower (bhp) is the actual horsepower delivered to the pump shaft.

Source: ITT Goulds Pumps, Centrifugal Pump Fundamentals

NOTE: All dimensions are approximate. Spa Volume is based on average fill. Specifications are subject to change without notice.