



HashiCorp Accessibility Conformance Report

(Based on VPAT® Version 2.4Rev)

Name of Product/Version	HCP Vault (vf5dc29b-v793fe46) HCP Vault Developer Documentation Version: 1.15.4
Report Date	Dec 13, 2023
Product Description	HCP Vault provides organizations with identity-based security to automatically authenticate and authorize access to secrets and other sensitive data.
Contact Information	accessibility@hashicorp.com
Notes	The following workflows in the HCP Vault product are within the scope of this accessibility compliance report: 1. Create a cluster
	 Access cluster Edit cluster Restore snapshot Create secondary cluster Manage secondary cluster Audit logs Metrics Integrations Locking/unlocking
	The accompanying product documentation and support sites are also within the scope of this report.
Evaluation Methods Used	Conformance to the listed accessibility standards has been evaluated using a combination of dynamic and static analysis tools, as well as manual testing with assistive technologies.
	The following have been used for this evaluation: - Windows 11: JAWS/Edge
	 macOS: Safari/VoiceOver manual accessibility testing keyboard testing with visual focus



Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline	Included In Report
Web Content Accessibility Guidelines 2.0	Level A (Yes)
	Level AA (Yes)
	Level AAA (No)
Web Content Accessibility Guidelines 2.1	Level A (Yes)
	Level AA (Yes)
	Level AAA (No)
Revised Section 508 standards published January 18, 2017 and corrected January 22, 2018	Yes
EN 301 549 Accessibility requirements for ICT products and services - V3.1.1 (2019-11) AND EN 301 549 Accessibility requirements for ICT products and services - V3.2.1 (2021-03)	Yes

Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports**: The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- Partially Supports: Some functionality of the product does not meet the criterion.
- Does Not Support: The majority of product functionality does not meet the criterion.
- **Not Applicable**: The criterion is not relevant to the product.
- **Not Evaluated**: The product has not been evaluated against the criterion. This can be used only in WCAG 2.0 Level AAA.

WCAG 2.x Report

Tables 1 and 2 also document conformance with:

- EN 301 549: Chapter 9 Web, Sections 10.1-10.4 of Chapter 10 Non-Web documents, and Sections 11.1-11.4 and 11.8.2 of Chapter 11 Non-Web Software (open and closed functionality), and Sections 12.1.2 and 12.2.4 of Chapter 12 Documentation
- Revised Section 508: Chapter 5 501.1 Scope, 504.2 Content Creation or Editing, and Chapter 6 602.3 Electronic Support Documentation.

Note: When reporting on conformance with the WCAG 2.x Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the <a href="https://www.wcag.uc.nc/w



Table 1: Success Criteria, Level A

Criteria	Conformance Level	Remarks and Explanations
1.1.1 Non-text Content (Level A) Also applies to: EN 301 549 Criteria 9.1.1.1 (Web) 10.1.1.1 (Non-web document) 11.1.1.1.1 (Open Functionality Software) 11.1.1.1.2 (Closed Functionality Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Supports	
1.2.1 Audio-only and Video-only (Prerecorded) (Level A) Also applies to: EN 301 549 Criteria • 9.1.2.1 (Web) • 10.1.2.1 (Non-web document) • 11.1.2.1.1 (Open Functionality Software) • 11.1.2.1.2.1 and 11.1.2.1.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Not Applicable	
1.2.2 Captions (Prerecorded) (Level A) Also applies to: EN 301 549 Criteria • 9.1.2.2 (Web) • 10.1.2.2 (Non-web document) • 11.1.2.2 (Open Functionality Software) • 11.1.2.2 (Closed Software)	Not Applicable	



 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 		
1.2.3 Audio Description or Media Alternative (Prerecorded) (Level A) Also applies to: EN 301 549 Criteria 9.1.2.3 (Web) 10.1.2.3 (Non-web document) 11.1.2.3.1 (Open Functionality Software) 11.1.2.3.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Not Applicable	
1.3.1 Info and Relationships (Level A) Also applies to: EN 301 549 Criteria 9.1.3.1 (Web) 10.1.3.1 (Non-web document) 11.1.3.1.1 (Open Functionality Software) 11.1.3.1.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Partially Supports	 In some workflows, data tables may have table header cells without an accessible name. On some workflow pages, heading levels may increase by more than one. In the "Access Cluster" workflow, nested interactive elements appear on the cluster's UI page. The customer support page has a table with an empty header cell The customer support page has multiple banner landmarks the customer support page does not contain all page content in landmarks
1.3.2 Meaningful Sequence (Level A) Also applies to: EN 301 549 Criteria 9.1.3.2 (Web) 10.1.3.2 (Non-web document) 11.1.3.2.1 (Open Functionality Software) 11.1.3.2.2 (Closed Software) 11.8.2 (Authoring Tool)	Partially Supports	 Known Exceptions: In the "Audit Logs" workflow, the navigation order is not correctly preserved as the user goes through the multi-step interface. On the support pages, the footer does not currently have a meaningful sequence for the contact form.



 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 		
1.3.3 Sensory Characteristics (Level A) Also applies to: EN 301 549 Criteria 9.1.3.3 (Web) 10.1.3.3 (Non-web document) 11.1.3.3 (Open Functionality Software) 11.1.3.3 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Supports	
1.4.1 Use of Color (Level A) Also applies to: EN 301 549 Criteria • 9.1.4.1 (Web) • 10.1.4.1 (Non-web document) • 11.1.4.1 (Open Functionality Software) • 11.1.4.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Partially Supports	Known Exceptions: - Some interactive elements are not perceivable as interactive elements. - Some non-interactive elements are visually presented as interactive elements.
1.4.2 Audio Control (Level A) Also applies to: EN 301 549 Criteria 9.1.4.2 (Web) 10.1.4.2 (Non-web document) 11.1.4.2 (Open Functionality Software) 11.1.4.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs)	Not Applicable	There is no audio or video-only content in this application on the tested workflows.



Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)		
2.1.1 Keyboard (Level A) Also applies to: EN 301 549 Criteria 9.2.1.1 (Web) 10.2.1.1 (Non-web document) 11.2.1.1.1 (Open Functionality Software) 11.2.1.1.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Partially Supports	 In all workflows, the organization picker component is missing appropriate keyboard support. The web-based command-line interface (CLI) is missing appropriate keyboard support. In some code samples in the documentation, scrollable regions lack keyboard access.
2.1.2 No Keyboard Trap (Level A) Also applies to: EN 301 549 Criteria 9.2.1.2 (Web) 10.2.1.2 (Non-web document) 11.2.1.2 (Open Functionality Software) 11.2.1.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Partially Supports	Known Exceptions: - The web-based CLI tool does not have a keyboard-only way of leaving the CLI.
2.1.4 Character Key Shortcuts (Level A 2.1 only) Also applies to: EN 301 549 Criteria 9.2.1.4 (Web) 10.2.1.4 (Non-web document) 11.2.1.4.1 (Open Functionality Software) 11.2.1.4.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Supports	
2.2.1 Timing Adjustable (Level A)	Partially Supports	Known Exceptions:



Also applies to: EN 301 549 Criteria 9.2.2.1 (Web) 10.2.2.1 (Non-web document) 11.2.2.1 (Open Functionality Software) 11.2.2.1 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)		- Essential Exception: As a critical security function, automatic logouts will occur when the user's token is no longer valid In cases where there is a toast alert message to inform the user of a successful or unsuccessful action, and that alert contains a link, the element does not stay present long enough for the user to interact with the link.
2.2.2 Pause, Stop, Hide (Level A) Also applies to: EN 301 549 Criteria 9.2.2.2 (Web) 10.2.2.2 (Non-web document) 11.2.2.2 (Open Functionality Software) 11.2.2.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Supports	All instances of auto-updating information are essential to the functionality of the platform.
2.3.1 Three Flashes or Below Threshold (Level A) Also applies to: EN 301 549 Criteria 9.2.3.1 (Web) 10.2.3.1 (Non-web document) 11.2.3.1 (Open Functionality Software) 11.2.3.1 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Not Applicable	
2.4.1 Bypass Blocks (Level A) Also applies to: EN 301 549 Criteria	Partially Supports	Known Exceptions: - The documentation has a bypass block, but it is not



 9.2.4.1 (Web) 10.2.4.1 (Non-web document) – Does not apply 11.2.4.1 (Open Functionality Software) – Does not apply 11.2.4.1 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) – Does not apply to non-web software 504.2 (Authoring Tool) 602.3 (Support Docs) – Does not apply to non-web docs 		in the correct location of the first interactive element on the page.
2.4.2 Page Titled (Level A) Also applies to: EN 301 549 Criteria 9.2.4.2 (Web) 10.2.4.2 (Non-web document) 11.2.4.2 (Open Functionality Software) - Does not apply 11.2.4.2 (Closed Software) - Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Supports	
2.4.3 Focus Order (Level A) Also applies to: EN 301 549 Criteria 9.2.4.3 (Web) 10.2.4.3 (Non-web document) 11.2.4.3 (Open Functionality Software) 11.2.4.3 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Partially Supports	Known Exceptions: - On the documentation page, the focus order in the footer content does not match the DOM order. - In some multi-step processes, the focus order is not preserved in subsequent process steps.



2.4.4 Link Purpose (In Context) (Level A)	Partially Supports	Known Exceptions:
Also applies to:	r artially supports	Kilowii Exceptions.
EN 301 549 Criteria		- There are some pages that contain a "learn more"
• 9.2.4.4 (Web)		link without specifying what the user is learning more
• 10.2.4.4 (Non-web document)		about.
• 11.2.4.4 (Open Functionality		
Software)		- In some instances, there is a "copy to clipboard"
 11.2.4.4 (Closed Software 		button that does not contain the accessible name of
11.8.2 (Authoring Tool)		the item that will be copied. The user would have to
• 12.1.2 (Product Docs)		manually discover it.
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
• 602.3 (Support Docs)		
2.5.1 Pointer Gestures (Level A 2.1 only)	Not Applicable	
Also applies to:		
EN 301 549 Criteria		
• 9.2.5.1 (Web)		
10.2.5.1 (Non-web document)		
• 11.2.5.1 (Open Functionality		
Software)		
• 11.2.5.1 (Closed Software)		
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
 12.2.4 (Support Docs) Revised Section 508 – Does not apply 		
.,,		
2.5.2 Pointer Cancellation (Level A 2.1 only)	Not Applicable	
Also applies to:		
EN 301 549 Criteria		
• 9.2.5.2 (Web)		
• 10.2.5.2 (Non-web document)		
 11.2.5.2 (Open Functionality Software) 		
• 11.2.5.2 (Closed Software)		
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508 – Does not apply		
2.5.3 Label in Name (Level A 2.1 only)	Supports	
Also applies to:		
EN 301 549 Criteria		
• 9.2.5.3 (Web)		
• 10.2.5.3 (Non-web document)		
• 11.2.5.3.1 (Open Functionality		
Software)		
• 11.2.5.3.2 (Closed Software)		



 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply 2.5.4 Motion Actuation (Level A 2.1 only) Also applies to: EN 301 549 Criteria 9.2.5.4 (Web) 10.2.5.4 (Non-web document) 11.2.5.4 (Open Functionality Software) 11.2.5.4 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) Revised Section 508 – Does not apply 	Not Applicable	
3.1.1 Language of Page (Level A) Also applies to: EN 301 549 Criteria • 9.3.1.1 (Web) • 10.3.1.1 (Non-web document) • 11.3.1.1.1 (Open Functionality Software) • 11.3.1.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Supports	
3.2.1 On Focus (Level A) Also applies to: EN 301 549 Criteria 9.3.2.1 (Web) 10.3.2.1 (Non-web document) 11.3.2.1 (Open Functionality Software) 11.3.2.1 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Supports	
3.2.2 On Input (Level A)	Partially Supports	Known Exceptions:



Г	I	1
Also applies to: EN 301 549 Criteria 9.3.2.2 (Web) 10.3.2.2 (Non-web document) 11.3.2.2 (Open Functionality Software) 11.3.2.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)		- In the search on the documentation and support pages, the search is performed automatically when the user types input, without first informing the user.
3.3.1 Error Identification (Level A) Also applies to: EN 301 549 Criteria 9.3.3.1 (Web) 10.3.3.1 (Non-web document) 11.3.3.1.1 (Open Functionality Software) 11.3.3.1.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Partially Supports	Known Exceptions: - There are some cases where an error message may not be correctly attached to the form or the input field where the error has occurred. The user would need to discover the error manually.
3.3.2 Labels or Instructions (Level A) Also applies to: EN 301 549 Criteria 9.3.3.2 (Web) 10.3.3.2 (Non-web document) 11.3.3.2 (Open Functionality Software) 11.3.3.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Partially Supports	Known Exceptions: - There are some instances where the label is not correctly associated with the input field.
4.1.1 Parsing (Level A) Also applies to: EN 301 549 Criteria	Supports	



• 9.4.1.1 (Web)		
10.4.1.1 (Non-web document)		
 11.4.1.1.1 (Open Functionality 		
Software)		
11.4.1.1.2 (Closed Software) – Does		
not apply		
11.8.2 (Authoring Tool)		
12.1.2 (Product Docs)		
12.2.4 (Support Docs)		
Revised Section 508		
501 (Web)(Software)		
 504.2 (Authoring Tool) 		
• 602.3 (Support Docs)		
4.1.2 Name, Role, Value (Level A)	Partially Supports	Known Exceptions:
Also applies to:		·
EN 301 549 Criteria		- There are some cases where malformed HTML could
• 9.4.1.2 (Web)		cause user issues. The user would need to contact
10.4.1.2 (Non-web document)		support to be helped through the workflow.
 11.4.1.2.1 (Open Functionality 		
Software)		
• 11.4.1.2.2 (Closed Software) – Does		
not apply		
 11.8.2 (Authoring Tool) 		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
501 (Web)(Software)		
 504.2 (Authoring Tool) 		
• 602.3 (Support Docs)		



Table 2: Success Criteria, Level AA

Criteria	Conformance Level	Remarks and Explanations
1.2.4 Captions (Live) (Level AA) Also applies to: EN 301 549 Criteria 9.1.2.4 (Web) 10.1.2.4 (Non-web document) 11.1.2.4 (Open Functionality Software) 11.1.2.4 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Not Applicable	
1.2.5 Audio Description (Prerecorded) (Level AA) Also applies to: EN 301 549 Criteria 9.1.2.5 (Web) 10.1.2.5 (Non-web document) 11.1.2.5 (Open Functionality Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Not Applicable	
1.3.4 Orientation (Level AA 2.1 only) Also applies to: EN 301 549 Criteria 9.1.3.4 (Web) 10.1.3.4 (Non-web document) 11.1.3.4 (Open Functionality Software) 11.1.3.4 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Supports	
1.3.5 Identify Input Purpose (Level AA 2.1 only) Also applies to:	Partially Supports	Known Exceptions:



Criteria	Conformance Level	Remarks and Explanations
 EN 301 549 Criteria 9.1.3.5 (Web) 10.1.3.5 (Non-web document) 11.1.3.5.1 (Open Functionality Software) 11.1.3.5.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply 		- There are some instances where autocomplete is present but the autocomplete attribute values are incorrect, or the input field lacks instruction for the user.
1.4.3 Contrast (Minimum) (Level AA) Also applies to: EN 301 549 Criteria 9.1.4.3 (Web) 10.1.4.3 (Non-web document) 11.1.4.3 (Open Functionality Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Partially Supports	- There are workflows that contain instructional text that does not meet color contrast criteria.
1.4.4 Resize text (Level AA) Also applies to: EN 301 549 Criteria 9.1.4.4 (Web) 10.1.4.4 (Non-web document) 11.1.4.4.1 (Open Functionality Software) 11.8.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Supports	
1.4.5 Images of Text (Level AA) Also applies to: EN 301 549 Criteria • 9.1.4.5 (Web) • 10.1.4.5 (Non-web document) • 11.1.4.5.1 (Open Functionality Software) • 11.1.4.5.2 (Closed Software) – Does not apply	Does Not Support	On some of the documentation pages, there are images. None of the images have complete alternative text attribute values.



Criteria	Conformance Level	Remarks and Explanations
 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 		
1.4.10 Reflow (Level AA 2.1 only) Also applies to: EN 301 549 Criteria • 9.1.4.10 (Web) • 10.1.4.10 (Non-web document) • 11.1.4.10 (Open Functionality Software) • 11.1.4.10 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Supports	
1.4.11 Non-text Contrast (Level AA 2.1 only) Also applies to: EN 301 549 Criteria 9.1.4.11 (Web) 10.1.4.11 (Non-web document) 11.1.4.11 (Open Functionality Software) 11.1.4.11 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Partially Supports	- The documentation site provides some UI elements that do not meet color-contrast standards for non-text contrast.
1.4.12 Text Spacing (Level AA 2.1 only) Also applies to: EN 301 549 Criteria 9.1.4.12 (Web) 10.1.4.12 (Non-web document) 11.1.4.12 (Open Functionality Software) 11.1.4.12 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Supports	
1.4.13 Content on Hover or Focus (Level AA 2.1 only) Also applies to: EN 301 549 Criteria • 9.1.4.13 (Web)	Partially Supports	Known Exceptions: - Some tooltips are not implemented correctly,



Criteria	Conformance Level	Remarks and Explanations
 10.1.4.13 (Non-web document) 11.1.4.13 (Open Functionality Software) 11.1.4.13 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply 		preventing the user from controlling the open or closed state of the tooltip content.
2.4.5 Multiple Ways (Level AA) Also applies to: EN 301 549 Criteria 9.2.4.5 (Web) 10.2.4.5 (Non-web document) – Does not apply 11.2.4.5 (Open Functionality Software) – Does not apply 11.2.4.5 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) – Does not apply to non-web software 504.2 (Authoring Tool) 602.3 (Support Docs) – Does not apply to non-web docs	Does Not Support	HCP Vault currently does not provide multiple ways to locate a specific page.
2.4.6 Headings and Labels (Level AA) Also applies to: EN 301 549 Criteria 9.2.4.6 (Web) 10.2.4.6 (Non-web document) 11.2.4.6 (Open Functionality Software) 11.2.4.6 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Partially Supports	 Known Exceptions: There are some buttons that do not have accessible names and are simply presented to the user as "button". There are some copy buttons that do not provide context for what the user will be copying.
2.4.7 Focus Visible (Level AA) Also applies to: EN 301 549 Criteria • 9.2.4.7 (Web) • 10.2.4.7 (Non-web document)	Partially Supports	Known Exceptions: - In the documentation site, an incorrectly implemented popup obscures the focus of some footer content.



Criteria	Conformance Level	Remarks and Explanations
 11.2.4.7 (Open Functionality Software) 11.2.4.7 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 		- In the "Access Cluster" workflow, usage of the CLI button results in a pop-up dialog that does not provide visible focus when keyboard navigating the UI.
3.1.2 Language of Parts (Level AA) Also applies to: EN 301 549 Criteria 9.3.1.2 (Web) 10.3.1.2 (Non-web document) 11.3.1.2 (Open Functionality Software) – Does not apply 11.3.1.2 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Supports	
3.2.3 Consistent Navigation (Level AA) Also applies to: EN 301 549 Criteria 9.3.2.3 (Web) 10.3.2.3 (Non-web document) – Does not apply 11.3.2.3 (Open Functionality Software) – Does not apply 11.3.2.3 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) – Does not apply to non-web software 504.2 (Authoring Tool) 602.3 (Support Docs) – Does not apply to non-web docs	Partially Supports	Known Exceptions: - On some documentation pages, there is a different navigation experience, despite appearing as a part of the unified documentation site.



Criteria	Conformance Level	Remarks and Explanations
3.2.4 Consistent Identification (Level AA) Also applies to: EN 301 549 Criteria 9.3.2.4 (Web) 10.3.2.4 (Non-web document) – Does not apply 11.3.2.4 (Open Functionality Software) – Does not apply 11.3.2.4 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) – Does not apply to non-web software 504.2 (Authoring Tool) 602.3 (Support Docs) – Does not apply to non-web docs	Partially Supports	Known Exceptions: - On the support site, there are several links with the same names that lead to different URLs. - In HCP Vault, there is no consistent "home" link identification.
3.3.3 Error Suggestion (Level AA) Also applies to: EN 301 549 Criteria 9.3.3.3 (Web) 10.3.3.3 (Non-web document) 11.3.3.3 (Open Functionality Software) 11.3.3.3 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Supports	
3.3.4 Error Prevention (Legal, Financial, Data) (Level AA) Also applies to: EN 301 549 Criteria 9.3.3.4 (Web) 10.3.3.4 (Non-web document) 11.3.3.4 (Open Functionality Software) 11.3.3.4 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508	Partially Supports	- In the "Manage Secondary Cluster" workflow, if a user toggles the replication option on the screen where the options for editing a path's filters are presented, they are not forewarned that this action will result in previous settings being automatically overwritten (even if they do not press the "save" button).



Criteria	Conformance Level	Remarks and Explanations
501 (Web)(Software)504.2 (Authoring Tool)602.3 (Support Docs)		
4.1.3 Status Messages (Level AA 2.1 only) Also applies to: EN 301 549 Criteria • 9.4.1.3 (Web) • 10.4.1.3 (Non-web document) • 11.4.1.3 (Open Functionality Software) • 11.4.1.3 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Partially Supports	 Known Exceptions: In some workflows where the user takes an action and has to wait for it to complete, there is no status message announced to the user when that action completes, or the status message does not exist in a way that would be manually discoverable by the user.

Revised Section 508 Report

Notes:

Chapter 3: Functional Performance Criteria (FPC)

Criteria	Conformance Level	Remarks and Explanations
302.1 Without Vision	Partially Supports	See WCAG 2.x section for details.
302.2 With Limited Vision	Partially Supports	See WCAG 2.x section for details.
302.3 Without Perception of Color	Partially Supports	See WCAG 2.x section for details.
302.4 Without Hearing	Not Applicable	
302.5 With Limited Hearing	Not Applicable	
302.6 Without Speech	Supports	
302.7 With Limited Manipulation	Supports	
302.8 With Limited Reach and Strength	Supports	
302.9 With Limited Language, Cognitive, and Learning Abilities	Partially Supports	This product requires users to understand technical language and the technical terms related to the product. However, end-users with disabilities can request help through the support link available on each documentation page



Criteria	Conformance Level	Remarks and Explanations
		(https://www.hashicorp.com/customer-success).

Chapter 4: <u>Hardware</u>

Notes: HCP Vault is a web application and is not subject to the requirements of this section.

Chapter 5: Software

Notes: HCP Vault is a web application and is not subject to the requirements of this section.

Chapter 6: <u>Support Documentation and Services</u>

Criteria	Conformance Level	Remarks and Explanations
601.1 Scope	Heading cell – no response required	Heading cell – no response required
602 Support Documentation	Heading cell – no response required	Heading cell – no response required
602.2 Accessibility and Compatibility Features	Supports	HashiCorp's accessibility statement is available at https://hashicorp.com/accessibility . Additionally, end-users with disabilities can request help through the support link available on each documentation page. (https://www.hashicorp.com/customer-success).
602.3 Electronic Support Documentation	See <u>WCAG 2.x</u> section	See information in WCAG 2.x section
602.4 Alternate Formats for Non- Electronic Support Documentation	Not Applicable	
603 Support Services	Heading cell – no response required	Heading cell – no response required
603.2 Information on Accessibility and Compatibility Features	Supports	HashiCorp's accessibility statement is available at https://hashicorp.com/accessibility . Additionally, end-users with disabilities can request help through the support link available on each documentation page (https://www.hashicorp.com/customer-success).
603.3 Accommodation of Communication Needs	Does not support	HCP Vault only offers web-based support to all users.



Criteria	Conformance Level	Remarks and Explanations
		End-users with disabilities can request help through the support link available on each documentation page (https://www.hashicorp.com/customersuccess).

EN 301 549 Report

Notes:

Chapter <u>4: Functional Performance Statements</u> (FPS)

Criteria	Conformance Level	Remarks and Explanations
4.2.1 Usage without vision	Partially Supports	See information in WCAG 2.x section
4.2.2 Usage with limited vision	Partially Supports	See information in WCAG 2.x section
4.2.3 Usage without perception of color	Partially Supports	See information in WCAG 2.x section
4.2.4 Usage without hearing	Supports	
4.2.5 Usage with limited hearing	Supports	
4.2.6 Usage with no or limited vocal capability	Supports	
4.2.7 Usage with limited manipulation or strength	Supports	
4.2.8 Usage with limited reach	Supports	
4.2.9 Minimize photosensitive seizure triggers	Supports	
4.2.10 Usage with limited cognition, language or learning	Does not support	Use of this technical product requires the ability to understand technical terms and documentation. However, end-users with disabilities can request help through the support link available on each documentation page
		(https://www.hashicorp.com/customer-success).
4.2.11 Privacy	Supports	The platform does not impede the usage of standard privacy controls alongside assistive technologies. For example, users can connect a



	headset for private listening to screen reader
	announcements.

Chapter 5: Generic Requirements

Notes: HCP does not offer "closed functionality" and is therefore not subject to the requirements of this section.

Chapter 6: ICT with Two-Way Voice Communication

Notes: HCP Vault does not offer two-way voice communication and is therefore not subject to the requirements of this section.

Chapter 7: ICT with Video Capabilities

Notes: HCP Vault does not offer video captioning and audio description and is therefore not subject to the requirements of this section.

Chapter 8: Hardware

Notes: Not applicable

Chapter 9: Web (see WCAG 2.x section)

Notes:

Chapter 10: Non-Web Documents

Notes: Not applicable

Chapter 11: Software

Notes: HCP Vault is a web application and is not subject to the requirements of this section.

Chapter 12: Documentation and Support Services

Criteria	Conformance Level	Remarks and Explanations
12.1 Product documentation	Heading cell – no response required	Heading cell – no response required
12.1.1 Accessibility and compatibility features	Supports	HashiCorp's accessibility statement is available at https://hashicorp.com/accessibility . Additionally, end-users with disabilities can request help through the support link available on each documentation page (https://www.hashicorp.com/customer-success).



Criteria	Conformance Level	Remarks and Explanations
12.1.2 Accessible documentation	See WCAG 2.x section	See information in WCAG 2.x section
12.2 Support Services	Heading cell – no response required	Heading cell – no response required
12.2.2 Information on accessibility and compatibility features	Supports	HashiCorp's accessibility statement is available at https://hashicorp.com/accessibility . Additionally, end-users with disabilities can request help through the support link available on each documentation page (https://www.hashicorp.com/customer-success).
12.2.3 Effective communication	Does not support	HCP Vault only offers web-based support to all users. End-users with disabilities can request help through the support link available on each documentation page (https://www.hashicorp.com/customersuccess).
12.2.4 Accessible documentation	See <u>WCAG 2.x</u> section	See information in WCAG 2.x section

Chapter 13: ICT Providing Relay or Emergency Service Access

Notes: Not applicable

Disclaimer

© 2023 HashiCorp Inc. All rights reserved. The names of HashiCorp software products mentioned herein are trademarks of HashiCorp. The information contained in this document represents the current view of HashiCorp on the issues discussed as of the date of publication. HashiCorp cannot guarantee the accuracy of any information presented after the date of publication.

HashiCorp's Accessibility and Conformance Report provides the information included in ITI's "VPAT® 2.4Rev INT (March 2022)" template. "Voluntary Product Accessibility Template" and "VPAT" are registered service marks of the Information Technology Industry Council (ITI). This document includes material copied from or derived from the Web Content Accessibility Guidelines (WCAG 2.1). Copyright © 2020-2023 W3C® (MIT, ERCIM, Keio, Beihang). This document is not the Web Content Accessibility Guidelines (WCAG) and should not be used as a substitute for it. Excerpts of WCAG are referenced solely for purposes of detailing HashiCorp's conformance with the relevant provisions. A full and complete copy of the Guidelines is available from the W3C WAI.

This document is for informational purposes only. HASHICORP MAKES NO WARRANTIES, EXPRESS OR IMPLIED, IN THIS DOCUMENT.