

AZIENDA CON SISTEMA DI GESTIONE QUALITÀ CERTIFICATO DA DNV = ISO 9001 =

OGGETTO DELLA CERTIFICAZIONE: Sviluppo, produzione e commercializzazione di tessuti tecnici in fibra di vetro e in altre fibre

COMPANY WITH QUALITY SYSTEM CERTIFIED BY DNV = ISO 9001 =

OBJECT OF CERTIFICATION: Development, manufacture and trade of technical fabrics made of fiberglass and of other fibers

DECLARATION OF PERFORMANCE	DOP n. 1 - 0140-A - v.02		
UNIVERSAL IDENTIFICATION PRODUCT CODE - TYPE	CE - 0140-A		
ARTICLE	0140-A		
EUROPEAN ASSESSMENT DOCUMENT	EAD 040016-01-0404		
EUROPEAN TECHNICAL ASSESSMENT	ETA 18/1026		
MANUFACTURER	GAVAZZI TESSUTI TECNICI S.P.A (s.u.) Via Gavazzi 3, 23801 Calolziocorte (LC) - Italy		
TECHNICAL ASSESSMENT BODY	ITC/CNR		
NOTIFIED BODY	ITC/CNR nº 0970		
ASSESSMENT SYSTEM AND VERIFICATION OF THE PERFORMANCE CONSISTENCY OF THE BUILDING PRODUCT	SYSTEM 2+		

ARTICL	DESCR	IPTION (EA	D 040016-01-0404)		
MAIN APPLICATION (S)	Wall plaster reinforcement				
MESH WIDTH	Net light		4,5 x 4,6 mm ± 5 %		
	Measured between yarn midpoints		5,0 x 6,0 mm ± 5 %		
% NETWORK COVERAGE	31 % ± 5 %				
WEIGHT	Raw mesh		111 g/m ² ± 5 %		
	Finished mesh		135 g/m ² ± 5 %		
REACTION TO FIRE CLASSIFICATION	N.A.				
RELEASE DANGEROUS SUBSTANCES	N.A.				
VALUE OF PCS	N.A.				
COMPOSITION	Fiberglass		82,3 % ± 3		
	Alkali resistant finish			17,7 % ± 3	
RESISTANCE TO TENSILE STRENGTH		Breaking strength		Elongation	
	Warp	Average value 35 N/mm		5,0 % ± 1	
	Weft	Average value 35 N/mm		5,0 % ± 1	
AFTER AGING WITH ALKALI	Warp	Warp ≥ 20 N/mm e residue ≥ 50 %			
	Weft	Weft ≥ 20 N/mm e residue ≥ 50 %			
THICKNESS	0,30 ± 0,1 mm				
		NOTE			

By issuing the order it is recommended that customer communicates the date of the Declaration of Performance in his possession, in order to verify if updated.

The performance of the above mentioned product conforms to all declared performances. This declaration of responsibility is issued in accordance with EU Regulation n. 305/2011, under the sole responsibility of the above mentioned manufacturer.

Calolziocorte, 15/07/2022

Technical Manager

