

AZIENDA CON SISTEMA DI GESTIONE QUALITÀ CERTIFICATO DA DNV GL = ISO 9001 =

COMPANY WITH QUALITY SYSTEM CERTIFIED BY DNV GL = ISO 9001 =

OGGETTO DELLA CERTIFICAZIONE:
Sviluppo, produzione e commercializzazione
di tessuti tecnici in fibra di vetro e in altre fibre

OBJECT OF CERTIFICATION:
Development, manufacture and trade of technical
fabrics made of fiberglass and of other fibers

DECLARATION OF PERFORMANCE	DOP n. 1 - 0510-A - v.02		
UNIVERSAL IDENTIFICATION PRODUCT CODE - TYPE	CE - 0510-A		
ARTICLE	0510-A		
EUROPEAN ASSESSMENT DOCUMENT	EAD 040016-01-0404		
EUROPEAN TECHNICAL ASSESSMENT	ETA 18/1026		
MANUFACTURER	GAVAZZI TESSUTI TECNICI S.P.A (s.u.) Via Gavazzi 3, 23801 Calolziocorte (LC) - Italy		
TECHNICAL ASSESSMENT BODY	ITC/CNR		
NOTIFIED BODY	ITC/CNR nº 0970		
ASSESSMENT SYSTEM AND VERIFICATION OF THE PERFORMANCE CONSISTENCY OF THE BUILDING PRODUCT	SYSTEM 2+		

ARTICLE	DESCRI	PTION (EA	D 040016-01-0404)		
MAIN APPLICATION (S)	Wall plaster reinforcement				
MESH WIDTH	Net light		5,0 x 5,8 mm ± 5 %		
	Measured between yarn midpoints		8,0 x 8,0 mm ± 5 %		
% NETWORK COVERAGE	56 % ± 5 %				
WEIGHT	Raw mesh		432 g/m ² ± 5 %		
	Finished mesh		492 g/m ² ± 5 %		
REACTION TO FIRE CLASSIFICATION	N.A.				
RELEASE DANGEROUS SUBSTANCES	N.A.				
VALUE OF PCS	N.A.				
COMPOSITION	Fiberglass		87,8 % ± 3		
	Alkali resistant finish			12,2 % ± 3	
RESISTANCE TO TENSILE STRENGTH		Breaking strength		Elongation	
	Warp	Average value 125 N/mm		4,0 % ± 1	
	Weft	Average value 125 N/mm		4,0 % ± 1	
AFTER AGING WITH ALKALI	Warp	Warp ≥ 20 N/mm e residue ≥ 50 %			
	Weft ≥ 20 N/mm e residue ≥ 50 %				
THICKNESS	1,30 ± 0,1 mm				

NOTE

By issuing the order it is recommended that customer communicates the date of the Declaration of Performance in his possession, in order to verify if updated.

The performance of the above mentioned product conforms to all declared performances. This declaration of responsibility is issued in accordance with EU Regulation n. 305/2011, under the sole responsibility of the above mentioned manufacturer.

Calolziocorte, 15/07/2022

Technical Manager

