



AZIENDA CON SISTEMA
DI GESTIONE QUALITÀ
CERTIFICATO DA DNV GL
= ISO 9001 =

OGGETTO DELLA CERTIFICAZIONE:
Sviluppo, produzione e commercializzazione
di tessuti tecnici in fibra di vetro e in altre fibre

COMPANY WITH
QUALITY SYSTEM
CERTIFIED BY DNV GL
= ISO 9001 =

OBJECT OF CERTIFICATION:
Development, manufacture and trade of technical
fabrics made of fiberglass and of other fibers

TECHNICAL SPECIFICATION**ARTICLE 0055T07****ARTICLE DESCRIPTION**

THREADS SP 04/02/10 (UNI EN 1049-2)	Warp	48,8 ± 1 yarns / dm
	Weft	30 ± 1 yarns / dm
MESH WIDTH SP 04/02/11	Measured between yarn midpoints	approx. 2 x 3,3 mm
WEIGHT SP 04/02/12 (ISO 3374)	Raw mesh	54 g/m ² ± 6%
	Finished mesh	77 g/m ² ± 6%

MAIN FEATURES

MAIN APPLICATION (S)	Heat-fastening scrim for hot-temperature coupling	
COMPOSITION	Fiberglass	approx. 70 %
	Heat-fastening glue (Eva Ethylene Vinyl Acetate)	approx. 30 %

STORAGE


Store the material at a temperature < 50° C (122° F) in the original packaging ,protecting it from atmospheric agents.
Usage is recommended within 12 months from delivery date.

NOTES

Specifications (SP) are the internal version of the national norms reported in brackets. The SP's differ from the norms for a few necessary modification of the procedures which do not influence the test results. A copy of the SP's is available on request.

Above data are based on our experience. They are liable to amendments and should be verified by the customer in case of special uses. In order to verify that the technical data sheet in the hands of the customer is updated, its version date should be reported on the order.

Version 1 of 12/09/2022


TECHNICAL MNG.