



GAVAZZI TESSUTI TECNICI S.p.A. s.u.

Sede centrale / Headquarter  
Via Gavazzi, 3  
23801 Calolziocorte (LC), Italia  
Tel. +39 0341 641051 | Fax +39 0341 633004  
info@gavazzispa.it | www.gavazzispa.it

COMPANY WITH  
MANAGEMENT SYSTEM  
CERTIFIED BY DNV  
ISO 9001-ISO 50001

<b>DECLARATION OF PERFORMANCE</b>	<b>DOP n. 1 - 0159R-A - v.02</b>
<b>UNIVERSAL IDENTIFICATION PRODUCT CODE - TYPE</b>	<b>CE - 0159R-A</b>
<b>ARTICLE</b>	<b>0159R-A</b>
<b>EUROPEAN ASSESSMENT DOCUMENT</b>	<b>EAD 040016-01-0404</b>
<b>EUROPEAN TECHNICAL ASSESSMENT</b>	<b>ETA 18/1026</b>
<b>MANUFACTURER</b>	<b>GAVAZZI TESSUTI TECNICI S.P.A (s.u.) Via Gavazzi 3, 23801 Calolziocorte (LC) - Italy</b>
<b>TECHNICAL ASSESSMENT BODY</b>	<b>ITC/CNR</b>
<b>NOTIFIED BODY</b>	<b>ITC/CNR n° 0970</b>
<b>ASSESSMENT SYSTEM AND VERIFICATION OF THE PERFORMANCE CONSISTENCY OF THE BUILDING PRODUCT</b>	<b>SYSTEM 2+</b>

ARTICLE DESCRIPTION (EAD 040016-01-0404)			
MAIN APPLICATION (S)		Wall plaster reinforcement	
MESH WIDTH	Net light	6,5 x 5,7 mm ± 5 %	
	Measured between yarn midpoints	7,7 x 7,1 mm ± 5 %	
% NETWORK COVERAGE		30 % ± 5 %	
WEIGHT	Raw mesh	122 g/m² ± 5 %	
	Finished mesh	155 g/m² ± 5 %	
REACTION TO FIRE CLASSIFICATION		N.A.	
RELEASE DANGEROUS SUBSTANCES		N.A.	
VALUE OF PCS		N.A.	
COMPOSITION	Fiberglass		78,8 % ± 3
	Alkali resistant finish		21,2 % ± 3
RESISTANCE TO TENSILE STRENGTH		Breaking strength	Elongation
	Warp	Average value 38 N/mm	4,5 % ± 1
	Weft	Average value 44 N/mm	4,5 % ± 1
AFTER AGING WITH ALKALI	Warp	≥ 20 N/mm e residue ≥ 50 %	
	Weft	≥ 20 N/mm e residue ≥ 50 %	
THICKNESS		0,40 ± 0,1 mm	
NOTE			
By issuing the order it is recommended that customer communicates the date of the Declaration of Performance in his possession, in order to verify if updated.			

The performance of the above mentioned product conforms to all declared performances. This declaration of responsibility is issued in accordance with EU Regulation n. 305/2011, under the sole responsibility of the above mentioned manufacturer.

Calolziocorte, 20/11/2023      Technical Manager      Signed on original copy