

## PERCENTAGE OF CHILDREN UNDER 5 YEARS OF AGE WASTED, STUNTED AND UNDERWEIGHT

Country	Years of Surveys	Wasted			Stunted			Underweight		
		1st Survey	2nd Survey	% variation	1st Survey	2nd Survey	% variation	1st Survey	2nd Survey	% variation
Egypt	2008 2014	7.9	9.5	3.4	30.7	22.3	-4.6	6.8	7	0.5
Sudan	2006 2014	14.5	16.3	1.6	38.3	38.2	0	27	33	2.8
Morocco	2003 2011	10.8	2.3	-9.8	23.1	14.9	-4.4	9.9	3.1	-8.6
Eritrea	2002 2010	14.9	15.3	0.3	43.7	50.3	1.9	34.5	38.8	1.6
Ethiopia	2005 2014	12.3	8.7	-3.3	50.7	40.4	-2.3	34.6	25.2	-3
Kenya	2009 2014	7	4	-8.6	35.2	26	-5.2	16.4	11	-6.6
South Sudan	2006 2010	24.6	22.7	-1.9	36.2	31.1	-3.5	32.5	27.6	-3.8
CAfrican Republic	2006 2010	12.2	7.4	-9.8	45.1	40.7	-2.4	28	23.5	-4
Congo	2005 2011	8	5.9	-4.4	31.2	25	-3.3	11.8	11.8	0
D R of Congo	2007 2013	14	8.1	-7	45.8	42.6	-1.2	28.2	23.4	-2.8
Ghana	2008 2014	8.7	4.7	-7.7	28.6	18.8	-5.7	20.8	16.3	-3.6
Niger	2006 2012	12.4	18.7	8.5	54.8	43	-3.6	39.9	37.9	-0.8
Nigeria	2008 2014	14.4	7.9	-7.5	41	32.9	-3.3	26.7	19.8	-4.3
Senegal	2005 2014	8.7	5.7	-3.8	20.1	19.4	-0.4	14.5	12.8	-1.3
<b>Average (Underweighted)</b>		<b>12.2</b>	<b>9.8</b>	<b>-3.6</b>	<b>37.5</b>	<b>31.8</b>	<b>-2.7</b>	<b>23.7</b>	<b>20.8</b>	<b>-2.4</b>

Note: Variation is "annual variation". The three indicators refer to % of children who were 2 standard deviations (-2SD) below WHO growth standards

Source: DHS, <http://dhsprogram.com/data/>