# HYWAY Orlandini Design

# Quinti®



Advanced executive chair of Quinti collection entirely made of moulded polyurethane foam. High quality materials, great comfort warranty and strong resistance during time.

## Base

Available different types of bases:

- 1. Die cast aluminium from 700mm, "Loop" version [as standard]
- 2. "Star" 4 spoke Base on feet
- 3. Chromed rod base frame

### Castors

Double tread with diameter 50 mm., standard or rubberized, they can be free [as standard] or with brake. Polyamide feet are interchangeable to the castors with the same holding pin to the base.

### Elevation

All Quinti gas columns are conforming to DIN 4550 norm and exceed the  $4^\circ$  level.

# Mechanisms

**M1** Self-weighing black aluminium synchron mechanism which allows the synchronized back and seat inclination adjustment with shock proof system lockable in 4 different position. Seat and back height adjustment.

M2 Synchron standard.

M8 Swivel plate.

# Armrests

The chair is available with or without foamed upholstered armrests.

#### Seat & backrest

Seat and backrest are entirely made of moulded foam. In the lumbar zone, two elastic straps guarantee greater comfort.

Also available the upholstered soft version.






# HYWAY Orlandini Design



# DIMENSIONS





# HYWAY Orlandini Design

# UPHOLSTERY

BIO-EXPO

CATEGORY 2 300 gr/mt2 100% Propitex FR bacteriostatic Class 1UNI EN ISO 354:2003 100.000 +/- 10% cycles Martindale

# EXTREME

CATEGORY 2 350 gr/mtl 100% Xtreme FR Class 1 , EN 1021-1/2 100.000 +/- 10% cycles Martindale

# LASER

CATEGORY 2 560 gr/mtl 100% Polyester FR Class 1 80.000+/- 10% cycles Martindale

# ECOPELLE

CATEGORY 2 630 gr/mt2 83% PVC, 17% Synthetic ISO 379-DIN75200-CSERF4/83 10% cycles Martindale

#### ERA

CATEGORY 3 448 gr/mtl 100% Trevira CS Class 1UNI EN ISO 354:2003 100.000 +/- 10% cycles Martindale

### LASER PLUS

CATEGORY 3 630 gr/mtl 100% Polyester FR Trevira Classe1 , 4.000 +/- cycles Martindale

# ECOPELLE SOUL

CATEGORY 3 760 gr/mt2 Superficies 100% POLIURETANO, Base Polyester 85%,17% Cotton EN1021-1/BS5852 PART 1 >100.000 EN ISO 5470-2

#### MELANGE CATEGORY 3 390 g/lin.m

100% Trevira CS Class 1 80.000 +/- 10% cycles Martindale

### JET

CATEGORY 3 365+/- 5% g/lin.m 100% Polyester FR Class 1 80.000+/- 10% cycles Martindale

#### ECOPELLE SISTEMA PRO CATEGORY 3 710 gr/mt2

Surface 93% PVC Base Polyester 28% CLASSE1 100.000 CICLI

# ECOPELLE VITAX

CATEGORY 3 850 gr/mt2 Surface 98% PVC 2% PU Base cotton 100% CLASSE 1 100.000 CICLI

# ONE RECICLE

CATEGORY 3 525 gr/mt2 100% recycled polyester Base cotton 100% CLASSE 1IM 100.000 CICLI

# LANA

CATEGORY 5 500 gr/mt2 75% Lana, 25% polyamide Class 1 100.000 cycles Martindale

# PELLE

CATEGORY 5/6 620 g/lin.m 100% Cow leather Class 1, EN 1021-1/2

#### PIED POULE

CATEGORY 6 550 g/lin.m 66% cotton, 34% Polyester 35.000 % cycles Martindale

# Quinti

#### EUROPOST 2 CATEGORY 6

710 g/lin.m 63% PU, 16% CO, 21% PL Ini1975 CLASS1emme,UNI9175/FA 50.000% cycles Martindale

# PREMIUM /ELEGANCE

CATEGORY 7 100% First quality cow leather Thickness 1,2/1,4 mm EN1021-1/2

## STEELCUT TRIO

CATEGORY 7 770 g/lin.m 90% New wool worsted, 10% Nylon Class 1, EN 1021-1/2 100.000 % cycles Martindale

#### REMIX

CATEGORY 7 415 g/lin.m 90% New wool worsted, 10% Nylon Class 1, EN 1021-1/2 100.000 % cycles Martindale

#### VELLUTO DECONTRACTE' CATEGORY 7 590 g/lin.m 19% CO, 61% PC,10% PL, 10%VI

19% CO, 61% PC,10% PL, 10%V 40.000 % cycles Martindale

#### MERIT CATEGORY 7

500g/lin.m 76% Polyester Recycled 24% Polyester EN 1021-1/2 85.000 % cycles Martindale

VELLUTO CATEGORY 8 600 g/lin.m 100.000 % PL Flame retardant

PELLE SOFT CATEGORY 8 100% Cow leather Thickness,8-2 mm Aniline treatment – First quality EN1021-1/2

# Quinti®

# USAGE AND CARE

For a proper maintenance of the products and to maintain unchanged the characteristics of the materials, we recommend to follow some very simple care instructions.

# FABRICS

Cleaning: check the dedicated selection written on the color Swatch card. Usage: it is recommended to pay attention to the fabrics as they can be easily cut or ripped.

# LEATHERS

Cleaning: clean with a white wet cloth with water. We recommend to use high quality products for the cleaning of the leather and to follow carefully the instructions of the manufacturer. In doubt, try out the product on a hidden part and wait at least 24 hours for the occurrence of any problems. Usage: remember that the leather is a delicate material therefore, it is recommended to pay particular attention while using.

# WOODS

Cleaning: clean with a soft and wet cloth with warm water. We always recommend to dry immediately after the cleaning process. All liquids or other residue must be removed in order to avoid the absorption. Usage: wooden surfaces, being a natural material, could be affected by an alteration of the color shade during time and use. We also remind that wooden surfaces cannot bear with high temperatures if placed directly on the wooden top.

# METALS

Cleaning: both steel or aluminum surfaces, and painted ones, must be cleaned with a soft and wet cloth with hot water. For the most persistent stains, a small amount of liquid soap diluted in water may be used. We always recommend to dry immediately with a soft cloth or a leather one after the cleaning process. Never using cleaning products for steel, chlorine, bleach or other strong detergents. It is not recommended to use abrasive creams, score pads and abrasive sponges that can scratch the metal surfaces. Usage: pay attention to the stains of food such as coffee, coke, fruit juices that can leave indelible marks on the surface.

# WARRANTY

QUINTI guarantees the products will maintain their properties for 6 years from delivery, except normal usury and provided that they will be used according to the guidelines given. QUINTI will replace, free of charge, any product found non-compliant with this warranty, without incurring any other liability of sort. Components, external accessories or materials supplied by the buyer and applied to the products in order to customize them will not be supported by the guarantee. For an optimal maintenance of the products and to keep unchanged the characteristics of the materials with which they are made, some simple attentions are necessary.