

Info components



HUB is a modular system of upholstered and stuffed sofas to create endless composition solution.

Suitable for elegant and easy waiting areas.

It is composed by two elements, straight and bend, to create endless design possibilities.

Elements

Angle element dim. 70x70cm

Straight element 70x70cm

Padding

All elements of HUB is entirely realized with wooden inner structure, stuffed with high density foam and resin.

The sofa can be upholstered in all upholstery of Quinti Colors System.

Structure

HUB is available with two different structures :

- "U" structure realized with steel laser cut with a researched design
 - L 140 cm - 2 elements
 - L 210 cm with central leg – 3 elements
 - L 280 cm with central leg – 4 elements
- Light chromed leg for each element

Accessories

Table in two finishes :

- White Carrara marble,
- Melamine

It can be used in all 2, 3 or 4 elements structure between seats.

UPHOLSTERY

**BIO-EXPO
CATEGORY 2**

300 gr/mt2
100% Propitex FR bacteriostatic
Class 1UNI EN ISO 354:2003
100.000 +/- 10% cycles Martindale

**EXTREME
CATEGORY 2**

350 gr/mtl
100% Xtreme FR
Class 1 , EN 1021-1/2
100.000 +/- 10% cycles Martindale

**LASER
CATEGORY 2**

560 gr/mtl
100% Polyester FR
Class 1
80.000+/- 10% cycles Martindale

**ECOPELLE
CATEGORY 2**

630 gr/mt2
83% PVC, 17% Synthetic
ISO 379-DIN75200-CSERF4/83 10%
cycles Martindale

**ERA
CATEGORY 3**

448 gr/mtl
100% Trevira CS
Class 1UNI EN ISO 354:2003
100.000 +/- 10% cycles Martindale

**LASER PLUS
CATEGORY 3**

630 gr/mtl
100% Polyester FR Trevira
Classe1 , 4.000 +/- cycles Martindale

**ECOPELLE SOUL
CATEGORY 3**

760 gr/mt2
Superficies 100% POLIURETANO,
Base Polyester 85%,17% Cotton
EN1021-1/BS5852 PART 1
>100.000 EN ISO 5470-2

**MELANGE
CATEGORY 3**

390 g/lin.m
100% Trevira CS
Class 1
80.000 +/- 10% cycles Martindale

**JET
CATEGORY 3**

365+/- 5% g/lin.m
100% Polyester FR
Class 1
80.000+/- 10% cycles Martindale

**ECOPELLE SISTEMA PRO
CATEGORY 3**

710 gr/mt2
Surface 93% PVC
Base Polyester 28%
CLASSE1
100.000 CICLI

**ECOPELLE VITAX
CATEGORY 3**

850 gr/mt2
Surface 98% PVC 2% PU
Base cotton 100%
CLASSE 1
100.000 CICLI

**ONE RECICLE
CATEGORY 3**

525 gr/mt2
100% recycled polyester
Base cotton 100%
CLASSE 1IM
100.000 CICLI

**LANA
CATEGORY 5**

500 gr/mt2
75% Lana, 25% polyamide
Class 1
100.000 cycles Martindale

**PELLE
CATEGORY 5/6**

620 g/lin.m
100% Cow leather
Class 1, EN 1021-1/2

**PIED POULE
CATEGORY 6**

550 g/lin.m
66% cotton, 34% Polyester
35.000 % cycles Martindale

**EUROPOST 2
CATEGORY 6**

710 g/lin.m
63% PU, 16% CO, 21% PL
Ini1975 CLASS1emme,UNI9175/FA
50.000% cycles Martindale

**PREMIUM /ELEGANCE
CATEGORY 7**

100% First quality cow leather
Thickness 1,2/1,4 mm
EN1021-1/2

**STEELCUT TRIO
CATEGORY 7**

770 g/lin.m
90% New wool worsted, 10% Nylon
Class 1, EN 1021-1/2
100.000 % cycles Martindale

**REMIX
CATEGORY 7**

415 g/lin.m
90% New wool worsted, 10% Nylon
Class 1, EN 1021-1/2
100.000 % cycles Martindale

**VELLUTO DECONTRACTE'
CATEGORY 7**

590 g/lin.m
19% CO, 61% PC,10% PL, 10%VI
40.000 % cycles Martindale

**MERIT
CATEGORY 7**

500g/lin.m
76% Polyester Recycled
24% Polyester
EN 1021-1/2
85.000 % cycles Martindale

**VELLUTO
CATEGORY 8**

600 g/lin.m
100.000 % PL Flame retardant

**PELLE SOFT
CATEGORY 8**

100% Cow leather Thickness,8-2 mm
Aniline treatment – First quality
EN1021-1/2

USAGE AND MAINTENANCE

In order to have an optimal maintenance of the products and to preserve the characteristics of the materials by which they are made, it is recommended the following course of action.

FABRICS

Cleaning: check the dedicated selection written on the color Swatch card.

Usage: it is recommended to pay careful attention to the fabrics as they can be cut or ripped easily.

WOODS

Cleaning: clean using a soft cloth, soaked in tepid water. Dry always after the cleaning. Remove immediately any liquid substances or other residue in order to prevent the absorption.

Usage: wooden surfaces, being a natural material, might be subjected to color alterations with sun exposure and use over time. It is reminded that wooden surfaces cannot endure direct heat sources.

METALS

Cleaning: both steel and aluminum surfaces, and the painted ones, have to be cleaned using a soft cloth soaked in tepid water. For the most persistent stains it is possible to dilute mild soap with water moderately. Dry always after the cleaning, using a soft cloth or deer-hide. Do not use cleaning products for steel, chlorine, bleach or other strong products. It is not recommended to use abrasive, scourers, which can scratch the metal surfaces.

Usage: pay attention to the food stains as coffee, coke, fruit juices that can make indelible marks on the surfaces.

WARRANTY

QUINTI guarantees the products will maintain their properties for 6 years from delivery, except normal usury and provided that they will be used according to the guidelines given. QUINTI will replace, free of charge, any product found non-compliant with this warranty, without incurring any other liability of sort. Components, external accessories or materials supplied by the buyer and applied to the products in order to customize them will not be supported by the guarantee. For an optimal maintenance of the products and to keep unchanged the characteristics of the materials with which they are made, some simple attentions are necessary.

Quinti Sedute Srl

Zona ind.le Parco il Granaio
52046 Cesa della Chiana, Arezzo [Italy]
T. +39 0575 66970
F.+39 0575 66936
I. info@quinti.com
www.quinti.com

Quinti si riserva di apportare modifiche e/o migliorie di carattere tecnico ed estetico ai propri modelli e prodotti in qualsiasi momento e senza preavviso.

Per maggiori informazioni visitate il sito www.quinti.com

Quinti reserves the right to make modifications and improvements of technical or aesthetic nature to the products at any time without notice.

For further information, please visit www.quinti.com