

Quinti®

PALMA collection of stackable armchair for outdoor and indoor environments.



1



2

1. Armchair with sled rod frame without armrests

2. Armchair with sled rod frame with armrests




The armchairs are stackable both in the version without armrests and in the version with armrests.


Quinti®

STRUCTURE

The sled frame with or without armrests is realized in full metallic rod with a diameter of 11 mm., while the seat and the backrest are realized in full metallic rod with a diameter of 6 mm., spaced in the backrest from each other by about 43 mm. While in the seat the distance between the rods is variable to remember the stylized design of the palm leaf from which derives the name of the seat (see photo).



DIMENSIONS CM.



Quinti®

ARMCHAIR WEIGHT WITH ARMRESTS: 9 KG

ARMCHAIR WEIGHT WITHOUT ARMRESTS: 8 KG

ACCESSORIES

To improve the comfort on the seat it is possible to apply a removable padded cushion, it can be fixed to the rods of the seat and padded in every Quinti colour.

In the sled frame are provided black ABS feet, applied by pressure on the rod.

UPHOLSTERIES

BIO-EXPO
CATEGORY 2
300 gr/mt2
100% Propitex FR bacteriostatic
Class 1 UNI EN ISO 354:2003
100.000 +/- 10% cycles Martindale

LASER
CATEGORY 2
560 gr/mtl
100% Polyester FR
Class 1
80.000 +/- 10% cycles Martindale

MELANGE
CATEGORY 3
390 g/lin.m
100% Trevira CS
Class 1
80.000 +/- 10% cycles Martindale

JET
CATEGORY 3
365 +/- 5% g/lin.m
100% Polyester FR
Class 1
80.000 +/- 10% cycles Martindale

ERA
CATEGORY 3
448 gr/mtl
100% Trevira CS
Class 1 UNI EN ISO 354:2003
100.000 +/- 10% cycles Martindale

LASER PLUS
CATEGORY 3
630 gr/mtl
100% Polyester FR Trevira
Class 1, 4.000 +/- cycles Martindale

ECOPELLE SOUL
CATEGORY 3
760 gr/mt2
Superficies 100% POLYURETHANE,
Base Polyester 85%, 17% Cotton
EN1021-1/BS5852 PART 1
>100.000 EN ISO 5470-2

ECOPELLE VITAX
CATEGORY 3
850 gr/mt2
Surface 98% PVC 2% PU
Base cotton 100%
CLASS 1
100.000 CYCLES

ONE RECYCLE
CATEGORY 3
525 gr/mt2
100% recycled polyester
Base cotton 100%
CLASS 1IM
100.000 CYCLES

VELOURS
CATEGORY 3
525 gr/mt2
100% recycled polyester
Oeko test
50.000 +/- 10% cycles Martindale

COCON
CATEGORY 5
980 gr/mt
43% viscose 33% cotton 24& II-pl
35.000 +/- 10% cycles Martindale

LANA
CATEGORY 5
500 gr/mt2
75% Lana, 25% polyamide
Class 1
100.000 cycles Martindale

LEATHER
CATEGORY 5/6
620 g/lin.m
100% bovine leather
Class 1, EN 1021-1/2

PREMIUM /ELEGANCE
CATEGORY 7
100% First quality cow leather
Thickness 1,2/1,4 mm
EN1021-1/2

STEELCUT TRIO
CATEGORY 7
770 g/lin.m
90% New wool worsted, 10% Nylon
Class 1, EN 1021-1/2
100.000 % cycles Martindale

MERIT
CATEGORY 7
500g/lin.m
76% Polyester Recycled
24% Polyester
EN 1021-1/2
85.000 % cycles Martindale

VELLUTO
CATEGORY 8
600 g/lin.m
100.000 % PL Flame retardant

PELLE SOFT
CATEGORY 8
100% Cow leather Thickness, 8-2 mm
Aniline treatment – First quality
EN1021-1/2

Quinti®

100% Poliestere FR Trevira
Classe 1, 4.000 +/- cicli Martindale

ECOPELLE SOUL
CATEGORIA 3
760 gr/mt2
Superficie 100% POLIURETANO,
Base Poliestere 85%,17% Cotone
EN1021-1/BS5852 PART 1
>100.000 EN ISO 5470-2

100% Pelle bovina
Classe 1, EN 1021-1/2

PREMIUM /ELEGANCE
CATEGORIA 7
100% Pelle bovina Primo fiore
Spessore 1,2/1,4 mm
EN1021-1/2

USAGE AND CARE

For a proper maintenance of the products and to maintain unchanged the characteristics of the materials, we recommend to follow some very simple care instructions.

FABRICS

Cleaning: check the dedicated selection written on the specific colours and fabrics paper.
Usage: it is recommended to pay attention to the fabrics as they can be easily cut or ripped.

LEATHERS

Cleaning: clean with a white wet cloth with water. We recommend to use high quality products for the cleaning of the leather and to follow carefully the instructions of the manufacturer. In doubt, try out the product on a hidden part and wait at least 24 hours for the occurrence of any problems. Usage: remember that the leather is a delicate material therefore, it is recommended to pay particular attention while using.

WOODS

Cleaning: clean with a soft and wet cloth with warm water. We always recommend to dry immediately after the cleaning process. All liquids or other residue must be removed in order to avoid the absorption. Usage: wooden surfaces, being a natural material, could be affected by an alteration of the color shade during time and use. We also remind that wooden surfaces cannot bear with high temperatures if placed directly on the wooden top.

METALS

Cleaning: both steel or aluminum surfaces, and painted ones, must be cleaned with a soft and wet cloth with hot water. For the most persistent stains, a small amount of liquid soap diluted in water may be used. We always recommend to dry immediately with a soft cloth or a leather one after the cleaning process. Never using cleaning products for steel, chlorine, bleach or other strong detergents. It is not recommended to use abrasive creams, score pads and abrasive sponges that can scratch the metal surfaces. Usage: pay attention to the stains of food such as coffee, coke, fruit juices that can leave indelible marks on the surface.

WARRANTY

QUINTI guarantees the products will maintain their properties for 6 years from delivery, except normal usury and provided that they will be used according to the guidelines given. QUINTI will replace, free of charge, any product found non-compliant with this warranty, without incurring any other liability of sort. Components, external accessories or materials supplied by the buyer and applied to the products in order to customize them will not be supported by the guarantee. For an optimal maintenance of the products and to keep unchanged the characteristics of the materials with which they are made, some simple attentions are necessary.
