

Parterre, the new seat designed by Cristina Celestino for Quinti is a tribute to the Italian garden, inspired by the rich and elaborate world of ornamental geometric designs. The flexibility of the individual elements at different heights creates infinite variations.



DIMENSIONS single elements

1



2



3



4



5



1 – LARGE TRIANGLE P tot 65 L tot 113 L lati 81_ 44 H seat cm

2 – SMALL TRIANGLE P tot 50 L tot 71 L lati 52_ 44 H seat cm

3 - SEMICIRCLE 104*52*44H

4 – FREE BACKREST 115*45*72H

5 – WALL BACK 122*23*112H

STRUCTURE

The structure is made with a base in plywood with feet on which is fixed a core in preformed polystyrene that is then coated with high-density polyurethane rubber. Everything is covered with fabric, leather or eco-leather.



RIVESTIMENTI

BIO-EXPO**CATEGORIA 2**

300 gr/mt2
100% Propitex FR bacteriostatic
Classe 1UNI EN ISO 354:2003
100.000 +/- 10% Maltindale cycles

LASER**CATEGORIA 2**

560 gr/mtl
100% Polyester FR
Classe 1
80.000+/- 10% Maltindale cycles

MELANGE**CATEGORIA 3**

390 g/lin.m
100% Trevira CS
Class 1
80.000 +/- 10% Maltindale cycles

JET**CATEGORIA 3**

365+/- 5% g/lin.m
100% Polyester FR
Classe 1
80.000+/- 10% Maltindale cycles

ERA**CATEGORIA 3**

448 gr/mtl
100% Trevira CS
Classe 1UNI EN ISO 354:2003
100.000 +/- 10% Maltindale cycles

LASER PLUS**CATEGORIA 3**

630 gr/mtl
100% Polyester FR Trevira
Classe 1, 4.000 +/- Maltindale cycles

ECOPELLE SOUL**CATEGORIA 3**

760 gr/mt2
Superficie 100% POLIURETHANE,
Polyester base 85%,17% Cotton
EN1021-1/BS5852 PART 1
>100.000 EN ISO 5470-2

ECOPELLE VITAX**CATEGORIA 3**

850 gr/mt2
Superficie 98% PVC 2% PU
Cotton base 100%
CLASS 1
100.000 Cycles

ONE RECICLE**CATEGORIA 3**

525 gr/mt2
100% recycled poliester
Cotton Base 100%
CLASS 1IM
100.000 Cycles

VELOURS**CATEGORIA 3**

611 gr/mtl
100% Polyester
Oeko test
50.000 +/- 10% Maltindale cycles

COCOON**CATEGORIA 5**

980 gr/mtl
43% viscoso 33% cotton 24% li-pl
35.000 +/- 10% Maltindale cycles

LANA**CATEGORIA 5**

500 gr/mt2
75% Wool, 25% polyamide
Class 1
100.000 Maltindale cycles

PELLE**CATEGORIA 5/6**

620 g/lin.m
100% Cow leather
Class 1, EN 1021-1/2

PREMIUM /ELEGANCE**CATEGORIA 7**

100% Cow leather Primo fiore
Spessore 1,2/1,4 mm
EN1021-1/2

STEELCUT TRIO**CATEGORIA 7**

770 g/lin.m
90% New wool worsted, 10% Nylon
Class 1, EN 1021-1/2
100.000 % Maltindale cycles

VELLUTO DECONTRACTE'**CATEGORIA 7**

590 g/lin.m
19% CO, 61% PC,10% PL, 10%VI
40.000 % Maltindale cycles

MERIT**CATEGORIA 7**

500g/lin.m
76% Polyester Recycled
24% Polyester
EN 1021-1/2
85.000 % Maltindale cycles

VELLUTO**CATEGORIA 8**

600 g/lin.m
100.000 % PL Flame retardant

PELLE SOFT**CATEGORIA 8**

100% Cow leather SPESSORE1,8-2 mm
Primo fiore CONCIA ALL'ANILINA
EN1021-1/2

USAGE AND CARE

For an optimal maintenance of the products and to maintain unchanged the characteristics of the materials with which they are made, some simple attentions are necessary.

FABRICS

Cleaning: check the dedicated selection written on the color Swatch card. Usage: it is recommended to pay attention to the fabrics as they can be easily cut or ripped.

LEATHERS

Cleaning: clean with a white wet cloth with water. We recommend using high quality products for the cleaning of the leather to follow carefully the instructions of the manufacturer. In doubt, try out the product on a hidden part and wait at least 24 hours for the occurrence of any problems. Usage: remember that the leather is a delicate material therefore, it is recommended to pay particular attention while using.

WOODS

Cleaning: clean with a soft and wet cloth with warm water. We always recommend drying immediately after the cleaning process. All liquids or other residue must be removed in order to avoid the absorption. Usage: wooden surfaces, being a natural material, could be affected by an alteration of the color shade during time and use. We also remind that wooden surfaces cannot bear with high temperatures if placed directly on the wooden top.

METALS

Cleaning: both steel or aluminum surfaces, and painted ones, must be cleaned with a soft and wet cloth with hot water. For the most persistent stains, a small amount of liquid soap diluted in water may be used. We always recommend drying immediately with a soft cloth or a leather one after the cleaning process. Never using cleaning products for steel, chlorine, bleach or other strong detergents. It is not recommended to use abrasive creams, score pads and abrasive sponges that can scratch the metal surfaces. Usage: pay attention to the stains of food such as coffee, coke, fruit juices that can leave indelible marks on the surface.

WARRANTY

QUINTI guarantees the products will maintain their properties for 6 years from delivery, except normal usury and provided that they will be used according to the guidelines given. QUINTI will replace, free of charge, any product found non-compliant with this warranty, without incurring any other liability of sort. Components, external accessories or material supplied by the buyer and applied to the products in order to customize them will not be supported by the guarantee. For an optimal maintenance of the products and to keep unchanged the characteristics of the materials with which they are made, some simple attentions are necessary.