

NEW YORK

Quinti®

NEW YORK is Lounge collection with a modern and essential design conceived for domestic, residential, contract and office use. Large sizes, minimal aesthetic and wide range of upholstery, they ensure originality and customization.

1



2



3



4
5



6



7



8



9



10



NEW YORK

Quinti®

COMPOSITIONS AND DIMENSIONS

1 . Armchair	L 88/67 - W 88/65 - H 70/42
2 . 2-seater sofa with armrests	L 210/190 - W 88/65 - H 70/42
3 . Pouf	L 100 - W 80 - H 40
4 . 2-seater sofa without armrests	L 200 - W 88/65 - H 70/42
5 . 2-seater sofa with right armrest	L 205/195 - W 88/65 - H 70/42
6 . 2-seater sofa with left armrest	L 205/195 - W 88/65 - H 70/42
7 . 3-seater sofa with armrests	L 256/236 - W 88/65 - H 70/42
8 . Table	L 115 - W 75 - H 23
9 . Central element	L 80 - W 88/65 - H 70/42
10 . Corner element	L 88/67 - W 88/65 - H 70/42



NEW YORK

Quinti®

STRUCTURE AND PADDING

The inner frame of NEW YORK is entirely made of wood, with elastic belts to enhance the comfort of the seat, and padded with different density foam. Backrest and seat cushions are in goose feather.

11M fire-retardant version available.

BASE

Legs and frame are made of black metal steel tube diam. 20 mm.

ACCESSORIES

The rectangular table is realized with the same frame of armchair and sofa, available in the below versions:

- Rovere grigio wooden finish
- Ebanò wooden finish
- Piacava wooden finish
- Green Guatemala marble



UPHOLSTERY

BIO-EXPO
CATEGORY 2
300 gr/mt2
100% Propitex FR bacteriostatic
Class 1 UNI EN ISO 354 :2003
100.000 +/- 10% cycles Martindale

LASER
CATEGORY 2
560 gr/mtl
100% Polyester FR
Class 1
80.000 +/- 10% cycles Martindale

ECOPELLE
CATEGORY 2
630 gr/mt2
83% PVC, 17% Synthetic
ISO 379-DIN75200-CSERF4/83 10%
cycles Martindale

ERA
CATEGORY 3
448 gr/mtl
100% Trevira CS
Class 1 UNI EN ISO 354 :2003
100.000 +/- 10% cycles Martindale

LASER PLUS
CATEGORY 3
630 gr/mtl
100% Polyester FR Trevira
Class 1, 4.000 +/- cycles Martindale

ECOPELLE SOUL
CATEGORY 3
760 gr/mt2
Superficies 100% POLYURETHANE,
Base Polyester 85%,17% Cotton
EN1021-1/BS5852 PART 1
>100.000 EN ISO 5470-2

MELANGE
CATEGORY 3
390 g/lin.m
100% Trevira CS
Class 1
80.000 +/- 10% cycles Martindale

JET
CATEGORY 3
365 +/- 5% g/lin.m
100% Polyester FR
Class 1
80.000 +/- 10% cycles Martindale

ONE RECYCLED
CATEGORY 3
525 gr/mt2
100% recycled polyester
Base cotton 100%
CLASS 1IM
100.000 CYCLES

ECOPELLE SISTEMA PRO
CATEGORY 3
710 gr/mt2
Surface 93% PVC
Base Polyester 28%
CLASS 1
100.000 CYCLES

VELOURS
CATEGORY 3
100% Polyester.
BASE: 100% Polyester
EN 14465:2006
CLASS 1

ECOPELLE VITAX
CATEGORY 3
850 gr/mt2
Surface 98% PVC 2% PU
Base cotton 100%
CLASS 1
100.000 CYCLES

LANA
CATEGORY 5
500 gr/mt2
75% Lana, 25% polyamide
Class 1
100.000 cycles Martindale

COCON
CATEGORY 5
43% Viscous 33% Cotton
15% Linen 9% Polyester
EN ISO 12945-2 EN ISO 12947-2
Class 1

PELLE
CATEGORY 5/6
620 g/lin.m
100% Cow leather
Class 1, EN 1021-1/2

STEELCUT TRIO
CATEGORY 7
770 g/lin.m
90% New wool worsted, 10% Nylon
Class 1, EN 1021-1/2
100.000 % cycles Martindale

MERIT
CATEGORY 7
500g/lin.m
76% Polyester Recycled
24% Polyester
EN 1021-1/2
85.000 % cycles Martindale

PREMIUM
CATEGORY 7
100% First quality cow leather
Thickness 1,2/1,4 mm
EN1021-1/2

VELLUTO DECONTRACTE'
CATEGORY 7
590 g/lin.m
19% CO, 61% PC, 10% PL, 10%VI
40.000 % cycles Martindale

VELLUTO
CATEGORY 7/8
600 g/lin.m
100.000 % PL Flame retardant

PELLE ELEGANCE
CATEGORY 7
100% Cow leather Thickness,8-2 mm
Aniline treatment – First quality
EN1021-1/2

PELLE SETA
CATEGORY 8
100% Cow leather Thickness,8-2 mm
Crome treatment – First quality
EN1021-1/2

USAGE AND CARE

In order to have an optimal maintenance of the products and to preserve the characteristics of the materials by which they are made, it is recommended the following course of action.

FABRICS

Cleaning: check the dedicated selection written on the color Swatch card.

Usage: it is recommended to pay careful attention to the fabrics as they can be cut or ripped easily.

WOODS

Cleaning: clean using a soft cloth, soaked in tepid water. Dry always after the cleaning. Remove immediately any liquid substances or other residue in order to prevent the absorption.

Usage: wooden surfaces, being a natural material, might be subjected to color alterations with sun exposure and use over time. It is reminded that wooden surfaces cannot endure direct heat sources.

METALS

Cleaning: both steel and aluminum surfaces, and the painted ones, have to be cleaned using a soft cloth soaked in tepid water. For the most persistent stains it is possible to dilute mild soap with water moderately. Dry always after the cleaning, using a soft cloth or deer-hide. Do not use cleaning products for steel, chlorine, bleach or other strong products. It is not recommended to use abrasive, scourers, which can scratch the metal surfaces.

Usage: pay attention to the food stains as coffee, coke, fruit juices that can make indelible marks on the surfaces.

WARRANTY

QUINTI guarantees the products will maintain their properties for 6 years from delivery, except normal usury and provided that they will be used according to the guidelines given. QUINTI will replace, free of charge, any product found non-compliant with this warranty, without incurring any other liability of sort. Components, external accessories or materials supplied by the buyer and applied to the products in order to customize them will not be supported by the guarantee. For an optimal maintenance of the products and to keep unchanged the characteristics of the materials with which they are made, some simple attentions are necessary.
