

## DEEP PLAST STRIPES / COVER

DEEP PLAST Polypropylene monocoque upholstered armchair. In the Stripes or Cover version the armchair is versatile and able to be integrated in every kind of environment.



5



6



7



8



9



10



11



12



13



- 1 . Armchair with frame 4 legs
- 2 . Armchair with truss frame
- 3 . Armchair with rod frame
- 4 . Armchair with 4 wooden legs
- 5 . Armchair with light 4spoke Base
- 6 . Armchair with Trend 5 spoke Base
- 7 . Armchair with 4 spoke wooden legs

- L52/45 P 54/43 H78/44-48
- L52/45 P 54/43 H78/44-48
- L52/45 P 54/43 H78/44-48
- L45/45 P 54/43 H78/44-48
- L70/45 P 70/43 H81/90-47/56-51/60
- L70/45 P 70/43 H81/90-47/56-51/60
- L58/45 P 52/43 H78/44-48

8. Armchair with frame 4 legs and armrests
9. Cantilever armchair with armrests
10. Cantilever armchair without armrests
11. Armchair with frame 4 legs, armrests and writing table
12. Educational armchair
13. Stool

- L52/45 P 54/43 H78/44-48
- L56/45 P 54/43 H78/44-48
- L56/45 P 54/43 H78/44-48
- L57/45 P 54/43 H78/44-48
- L60/45 P 54/43 H78/44-48
- L46/45 P 52/43 H109/72-76
- L120-175-238

# DEEP PLAST STRIPES / COVER

# Quinti®

## STRUCTURE

---

- **4 metal legs** (diam 16) frame available with integrated armrests and writing table in the finishes:
    - Chrome
    - White painted
    - Black painted
  - **Rod frame** (diam 11 mm) with nylon feet in the following finishes:
    - Chrome
    - White painted
    - Black painted
  - **4 wooden oak** painted legs frame
    - Natural
    - Black
    - tempered
  - Truss black painted frame
  - **4 spoke base** on castors or feet (diam 68 cm) swivel with lift
  - **Trend 5 spoke** base on castors (diam 68 cm) swivel with lift in the finishes:
    - Aluminum
    - White polypropylene
    - Black polypropylene
  - **4 spoke swivel wood base without lift** painted
    - Natural oak
    - Tempered oak
    - Black
  - **Cantilever metal frame** (diameter 18 mm) with or without armrests in the finishes:
    - White painted
    - Black painted
  - **Educational frame** 4 metal black painted legs (diam 16 mm) with castors, under seat tray for objects and writing table.
-

## DEEP PLAST STRIPES / COVER

# Quinti®

### PADDING

---

STRIPES \_ Single polypropylene shell completely upholstered



COVER \_ Single polypropylene shell completely upholstered



## DEEP PLAST STRIPES / COVER

### UPHOLSTERY

**BIO-EXPO**  
**CATEGORY 2**  
 300 gr/mt2  
 100% Propitex FR bacteriostatic  
 Class 1 UNI EN ISO 354 :2003  
 100.000 +/- 10% cycles Martindale

**ONE RECYCLED**  
**CATEGORY 3**  
 525 gr/mt2  
 100% recycled polyester  
 Base cotton 100%  
 CLASS 1M  
 100.000 CYCLES

**MERIT**  
**CATEGORY 7**  
 500g/lin.m  
 76% Polyester Recycled  
 24% Polyester  
 EN 1021-1/2  
 85.000 % cycles Martindale

**LASER**  
**CATEGORY 2**  
 560 gr/mtl  
 100% Polyester FR  
 Class 1  
 80.000+/- 10% cycles Martindale

**ECOPELLE SISTEMA PRO**  
**CATEGORY 3**  
 710 gr/mt2  
 Surface 93% PVC  
 Base Polyester 28%  
 CLASS1  
 100.000 CYCLES

**PREMIUM**  
**CATEGORY 7**  
 100% First quality cow leather  
 Thickness 1,2/1,4 mm  
 EN1021-1/2

**ECOPELLE**  
**CATEGORY 2**  
 630 gr/mt2  
 83% PVC, 17% Synthetic  
 ISO 379-DIN75200-CSERF4/83 10%  
 cycles Martindale

**VELOURS**  
**CATEGORY 3**  
 100% Polyester.  
 BASE: 100% Polyester  
 EN 14465:2006  
 CLASS 1

**VELLUTO DECONTRACTE'**  
**CATEGORY 7**  
 590 g/lin.m  
 19% CO, 61% PC, 10% PL, 10%VI  
 40.000 % cycles Martindale

**ERA**  
**CATEGORY 3**  
 448 gr/mtl  
 100% Trevira CS  
 Class 1 UNI EN ISO 354 :2003  
 100.000 +/- 10% cycles Martindale

**ECOPELLE VITAX**  
**CATEGORY 3**  
 850 gr/mt2  
 Surface 98% PVC 2% PU  
 Base cotton 100%  
 CLASS 1  
 100.000 CYCLES

**VELLUTO**  
**CATEGORY 7/8**  
 600 g/lin.m  
 100.000 % PL Flame retardant

**LASER PLUS**  
**CATEGORY 3**  
 630 gr/mtl  
 100% Polyester FR Trevira  
 Class1, 4.000 +/- cycles Martindale

**LANA**  
**CATEGORY 5**  
 500 gr/mt2  
 75% Lana, 25% polyamide  
 Class 1  
 100.000 cycles Martindale

**PELLE ELEGANCE**  
**CATEGORY 7**  
 100% Cow leather Thickness,8-2 mm  
 Aniline treatment – First quality  
 EN1021-1/2

**ECOPELLE SOUL**  
**CATEGORY 3**  
 760 gr/mt2  
 Superficies 100% POLYURETHANE,  
 Base Polyester 85%,17% Cotton  
 EN1021-1/BS5852 PART 1  
 >100.000 EN ISO 5470-2

**COCON**  
**CATEGORY 5**  
 43% Viscous 33% Cotton  
 15% Linen 9% Polyester  
 EN ISO 12945-2 EN ISO 12947-2  
 Class 1

**PELLE SETA**  
**CATEGORY 8**  
 100% Cow leather Thickness,8-2 mm  
 Crome treatment – First quality  
 EN1021-1/2

**MELANGE**  
**CATEGORY 3**  
 390 g/lin.m  
 100% Trevira CS  
 Class 1  
 80.000 +/- 10% cycles Martindale

**PELLE**  
**CATEGORY 5/6**  
 620 g/lin.m  
 100% Cow leather  
 Class 1, EN 1021-1/2

**JET**  
**CATEGORY 3**  
 365+/- 5% g/lin.m  
 100% Polyester FR  
 Class 1  
 80.000+/- 10% cycles Martindale

**STEELCUT TRIO**  
**CATEGORY 7**  
 770 g/lin.m  
 90% New wool worsted, 10% Nylon  
 Class 1, EN 1021-1/2  
 100.000 % cycles Martindale

## DEEP PLAST STRIPES / COVER

### USAGE AND CARE

---

In order to have an optimal maintenance of the products and to preserve the characteristics of the materials by which they are made, it is recommended the following course of action.

#### FABRICS

Cleaning: check the dedicated selection written on the color Swatch card.

Usage: it is recommended to pay careful attention to the fabrics as they can be cut or ripped easily.

#### WOODS

Cleaning: clean using a soft cloth, soaked in tepid water. Dry always after the cleaning. Remove immediately any liquid substances or other residue in order to prevent the absorption.

Usage: wooden surfaces, being a natural material, might be subjected to color alterations with sun exposure and use over time. It is reminded that wooden surfaces cannot endure direct heat sources.

#### METALS

Cleaning: both steel and aluminum surfaces, and the painted ones, have to be cleaned using a soft cloth soaked in tepid water. For the most persistent stains it is possible to dilute mild soap with water moderately. Dry always after the cleaning, using a soft cloth or deer-hide. Do not use cleaning products for steel, chlorine, bleach or other strong products. It is not recommended to use abrasive, scourers, which can scratch the metal surfaces.

Usage: pay attention to the food stains as coffee, coke, fruit juices that can make indelible marks on the surfaces.

#### WARRANTY

QUINTI guarantees the products will maintain their properties for 6 years from delivery, except normal usury and provided that they will be used according to the guidelines given. QUINTI will replace, free of charge, any product found non-compliant with this warranty, without incurring any other liability of sort. Components, external accessories or materials supplied by the buyer and applied to the products in order to customize them will not be supported by the guarantee. For an optimal maintenance of the products and to keep unchanged the characteristics of the materials with which they are made, some simple attentions are necessary.

---