

Operative Armchair with high backrest from Quinti collection.

## Base

---

1. Base in black polypropylene "TREND". [d. 680]
2. Base in white polypropylene "TREND". [d. 680]
3. Base in shiny aluminum "TREND". [d. 680] optional

## Castors & Feet

---

Double tread diam 65 mm, standard or rubberized, both can be free [standard] or self-braking. The feet in polyamide are interchangeable to the castors with the same locking pin at the base.

## Elevation

---

All Quinti's gas columns are in accordance with the DIN4550 norm and they exceed the fourth level.

## Mechanics

---

Sugar can have 2 versions of mechanism:

1. Synchron self-weighting M12
2. With permanent contact in black or grey finishes.

**Optional:** synchron M2-M1 mechanism

## Armrests

---

Available both with or without armrests; armrests are adjustable in height, 3d adjustable with soft pad or fixed.

## Seat & Backrest

---

The main feature of the SUGAR program is the retro backrest, covered in polypropylene and is available in two chromed versions: white or black.

**Seat.** The inner part is made with high resistant polypropylene with 2 steel bars. Adequately upholstered with high density polyurethane, the seat is covered with every fabric from Quinti Colours System. As optional accessory, it is possible to set the seat translator.

**Backrest.** Available both in the black carter version and the white one. It is adjustable using the Up-Down lever.

## Upholsters

---


Upholsters are made with expanded high density non deformable polyurethane with a thickness of 50mm for the seat and 20mm for the backrest.



# SUGAR

# Quinti®

## DIMENSIONS



## UPHOLSTERY

---

### LASER

#### CATEGORY 2

560 gr/mtl  
100% Polyester FR  
Class 1  
80.000 +/- 10% cycles Martindale

### MELANGE

#### CATEGORY 3

390 g/lin.m  
100% Trevira CS  
Class 1  
80.000 +/- 10% cycles Martindale

### PREMIUM /ELEGANCE

#### CATEGORY 7

100% Cow leather Thickness,8-2 mm  
Aniline treatment – First quality  
EN1021-1/2

### ECOPELLE

#### CATEGORY 2

630 gr/mt2  
83% PVC, 17% Synthetic  
ISO 379-DIN75200-CSERF4/83 10%  
cycles Martindale

### VELOURS

#### CATEGORY 3

100% Polyester.  
BASE: 100% Polyester  
EN 14465:2006  
CLASS 1

### STEELCUT TRIO

#### CATEGORY 7

770 g/lin.m  
90% New wool worsted, 10% Nylon  
Class 1, EN 1021-1/2  
100.000 % cycles Martindale

### JET

#### CATEGORY 3

365 +/- 5% g/lin.m  
100% Polyester FR  
Class 1  
80.000 +/- 10% cycles Martindale

### ECOPELLE SISTEMA PRO

#### CATEGORY 3

710 gr/mt2  
Surface 93% PVC  
Base Polyester 28%  
CLASS1  
100.000 cycles Martindale

### BOUCLET

#### CATEGORY 7

860 g/lin.m  
40% PC, 25%PL,20%VI, 15% CO  
Class 1, EN 1021-1/2  
50.000 % cycles Martindale

### ONE RECYCLED

#### CATEGORY 3

525 gr/mt2  
100% recycled polyester  
Base cotton 100%  
CLASS 1IM  
100.000 cycles Martindale

### COCOON

#### CATEGORY 5

43% Viscous 33% Cotton  
15% Linen 9% Polyester  
EN ISO 12945-2 EN ISO 12947-2  
Class 1

### MERIT

#### CATEGORY 7

600 g/lin.m  
100.000 % PL Flame retardant

### ERA

#### CATEGORY 3

448 gr/mtl  
100% Trevira CS  
Class 1UNI EN ISO 354 :2003  
100.000 +/- 10% cycles Martindale

### WOOL

#### CATEGORY 5

500 gr/mt2  
75% Lana, 25% polyamide  
Class 1  
100.000 cycles Martindale

### VELLUTO

#### CATEGORY 8

600 g/lin.m  
100.000 % PL Flame retardant

### CHILI

#### CATEGORY 3

470 gr/mtl  
100% post-consumer recycled polyester  
Classe1 - 60.000 +/- cycles Martindale

### GLAMOUR

#### CATEGORY 5

700 g/lin.m  
100% Recycled Polyester  
EN 1021-1/2  
80.000 % cycles Martindale

### PELLE SETA

#### CATEGORY 8

100% Cow leather Thickness,8-2 mm  
Crome treatment – First quality  
EN1021-1/2

### ECOPELLE SOUL

#### CATEGORY 3

760 gr/mt2  
Superficies 100% POLYURETHANE,  
Base Polyester 85%,17% Cotton  
EN1021-1/BS5852 PART 1  
>100.000 EN ISO 5470-2

### PELLE

#### CATEGORIA 5/6

620 g/lin.m  
100% Cow leather  
Class 1, EN 1021-1/2

### ZERO

#### CATEGORY 8

750g/lin.m  
65% CO, 20% PAN, 15% PES  
70.000 % cycles Martindale

### LYRA

#### CATEGORIA 3

550 g/lin.m  
100% polyester  
Class 1  
60.000 +/- 10% cycles Martindale

### VELLUTO DECONTRACTE'

#### CATEGORY 7

590 g/lin.m  
19% CO, 61% PC,10% PL, 10%VI  
40.000 % cycles Martindale

## USAGE AND CARE

---

In order to have an optimal maintenance of the products and to preserve the characteristics of the materials by which they are made, it is recommended the following course of action.

### FABRICS

Cleaning: check the dedicated selection written on the color Swatch card.

Usage: it is recommended to pay careful attention to the fabrics as they can be cut or ripped easily.

### WOODS

Cleaning: clean using a soft cloth, soaked in tepid water. Dry always after the cleaning. Remove immediately any liquid substances or other residue in order to prevent the absorption.

Usage: wooden surfaces, being a natural material, might be subjected to color alterations with sun exposure and use over time. It is reminded that wooden surfaces cannot endure direct heat sources.

### METALS

Cleaning: both steel and aluminum surfaces, and the painted ones, have to be cleaned using a soft cloth soaked in tepid water. For the most persistent stains it is possible to dilute mild soap with water moderately. Dry always after the cleaning, using a soft cloth of deer-hide. Do not use cleaning products for steel, chlorine, bleach or other strong products. It is not recommended to use abrasive, scourers, which can scratch the metal surfaces.

Usage: pay attention to the food stains as coffee, coke, fruit juices that can make indelible marks on the surfaces.

### WARRANTY

QUINTI guarantees the products will maintain their properties for 6 years from delivery, except normal usury and provided that they will be used according to the guidelines given. QUINTI will replace, free of charge, any product found non-compliant with this warranty, without incurring any other liability of sort. Components, external accessories or materials supplied by the buyer and applied to the products in order to customize them will not be supported by the guarantee. For an optimal maintenance of the products and to keep unchanged the characteristics of the materials with which they are made, some simple attentions are necessary.

---