

DEEP EXECUTIVE Design Archirivolto

Quinti®



Advanced managerial chair of Quinti collections. Available in two finishes: Diamond (with diamond stitching in the lumbar part) and stuck.

Base

1. Extremely light 5 spoke aluminum on castors 700 mm (R05 as standard)
2. Extremely light 4 spoke aluminum on castors (R05 as standard) or feet 700mm

Castors

Double tread diameter 65mm standard or rubber, they can be free [as standard] or with brake.


Elevation

All Quinti gas columns are compliant to DIN 4550 norm and exceed the 4th level.

Mechanism

ACTIVEPLUS

Synchronous self integrated under seat that allows the synchronized back and seat inclination adjustment with shock proof system, lockable in 4 different positions. Seat and backrest height adjustment. Through polypropylene levers collocated under the seat.




Armrests

The chair is available with or without foamed polypropylene armrests entirely upholstered and integrated in the backrest.

Seat & backrest


The seat is in polyurethane crushproof rubber with rubber Memory surface layer.

The backrest is made up of foamed polyurethane available in two heights, low and medium, with adjustable lumbar support available on both versions on request.



DEEP EXECUTIVE Design Archirivolto

DIMENSIONS



DELIVERY CHARACTERISTICS	TECHNICAL CHARACTERISTICS	FIREPROOF TEST	RESISTANCE TEST
<ul style="list-style-type: none"> • Colli 1 • m³ 0,43 • Kg 25 	Consumo tessuto MTL 2,20 x h.140	CERTIFIED 1IM Contact us for further info	Contact us for further info

Base and castors as standard

BASE—Extremely light aluminum

CASTORS—R05

UPHOLSTERIES

**LASER
CATEGORY 2**

560 gr/mtl
100% Polyester FR
Class 1
80.000 +/- 10% Martindale cycles

**ECOPELLE
CATEGORY 2**

630 g/lin.m
83% PVC 17% Synthetic
Class 1
30.000 +/- 10% Martindale cycles

**JET
CATEGORY 3**

365 +/- 5% g/lin.m
100% Polyester FR
Class 1
80.000 +/- 10% Martindale cycles

**ONE RICICLED
CATEGORY 3**

525 gr/mt2
100% recycled poliester
CLASS 1IM
100.000 CYCLES

**ERA
CATEGORY 3**

448 gr/mtl
100% Trevira CS
Class 1UNI EN ISO 354:2003
100.000 +/- 10% Martindale cycles

**CHILI
CATEGORY 3**

470 gr/mtl
100% post-consumer recycled polyester
Class1 - 60.000 +/- Martindale cycles

**ECOPELLE SOUL
CATEGORY 3**

760 gr/mt2
SURFACE 100% POLYURETHANE,
Base Polyester 85%,17% Cotton
EN1021-1/BS5852 PART 1
>100.000 EN ISO 5470-2

**LYRA
CATEGORY 3**

550 g/lin.m
100% Polyester
Class 1
60.000 +/- 10% Martindale cycles

**MELANGE
CATEGORY 3**

390 g/lin.m
100% Trevira CS
Class 1
80.000 +/- 10% cycles Martindale

**VELOURS
CATEGORY 3**

611 gr/mtl
100% Polyester
Oeko test
50.000 +/- 10% Martindale cycles

**COCOON
CATEGORY 5**

980 gr/mtl
43% viscosa 33% cotone 24% li-pl
35.000 +/- 10% Martindale cycles

**LANA
CATEGORY 5**

500 gr/mt2
75% wool, 25% polyamide
Class 1
100.000 Martindale cycles

**GLAMOUR
CATEGORY 5**

700 g/lin.m
100% Polyester Recycled
EN 1021-1/2
80.000 % Martindale cycles

**LEATHER
CATEGORY 5/6**

620 g/lin.m
100% cow leather
Class 1, EN 1021-1/2

**VELLUTO DECONTRACTE'
CATEGORY 7**

590 g/lin.m
19% CO, 61% PC,10% PL, 10%VI
40.000 % Martindale cycles

**PREMIUM /ELEGANCE
CATEGORY 7**

100% Grained cow leather
Thickness 1,2/1,4 mm
EN1021-1/2

**STEELCUT TRIO
CATEGORY 7**

770 g/lin.m
90% New wool worsted, 10% Nylon
Class 1, EN 1021-1/2
100.000 % Martindale cycles

**BOUCLET
CATEGORY 7**

860 g/lin.m
40% PC, 25%PL,20%VI, 15% CO
Class 1, EN 1021-1/2
50.000 % Martindale cycles

**MERIT
CATEGORY 8**

500g/lin.m
76% Polyester Recycled
24% Polyester
EN 1021-1/2
85.000 % Martindale cycles

**VELLUTO
CATEGORY 8**

600 g/lin.m
100.000 % PL Flame retardant

**LEATHER SETA
CATEGORY 8**

100% Leather bovina THICKNESS1,8-2 mm
Grained cow leather aniline tannage
EN1021-1/2

**ZERO
CATEGORY 8**

750g/lin.m
65% CO, 20% PAN, 15% PES
70.000 % Martindale cycles

USAGE AND CARE

For a proper maintenance of the products and to maintain unchanged the characteristics of the materials, we recommend to follow some very simple care instructions.

FABRICS

Cleaning: check the dedicated selection written on the color Swatch card. Usage: it is recommended to pay attention to the fabrics as they can be easily cut or ripped.

LEATHERS

Cleaning: clean with a white wet cloth with water. We recommend to use high quality products for the cleaning of the leather and to follow carefully the instructions of the manufacturer. In doubt, try out the product on a hidden part and wait at least 24 hours for the occurrence of any problems. Usage: remember that the leather is a delicate material therefore, it is recommended to pay particular attention while using.

WOODS

Cleaning: clean with a soft and wet cloth with warm water. We always recommend to dry immediately after the cleaning process. All liquids or other residue must be removed in order to avoid the absorption. Usage: wooden surfaces, being a natural material, could be affected by an alteration of the color shade during time and use. We also remind that wooden surfaces cannot bear with high temperatures if placed directly on the wooden top.

METALS

Cleaning: both steel or aluminum surfaces, and painted ones, must be cleaned with a soft and wet cloth with hot water. For the most persistent stains, a small amount of liquid soap diluted in water may be used. We always recommend to dry immediately with a soft cloth or a leather one after the cleaning process. Never using cleaning products for steel, chlorine, bleach or other strong detergents. It is not recommended to use abrasive creams, score pads and abrasive sponges that can scratch the metal surfaces. Usage: pay attention to the stains of food such as coffee, coke, fruit juices that can leave indelible marks on the surface.

WARRANTY

QUINTI guarantees the products will maintain their properties for 6 years from delivery, except normal usury and provided that they will be used according to the guidelines given. QUINTI will replace, free of charge, any product found non-compliant with this warranty, without incurring any other liability of sort. Components, external accessories or materials supplied by the buyer and applied to the products in order to customize them will not be supported by the guarantee. For an optimal maintenance of the products and to keep unchanged the characteristics of the materials with which they are made, some simple attentions are necessary.