

DEEP MANAGERIAL Design Archirivolto

Info components

DEEPAdvance

Advanced executive chair of Quinti collection.

Base

5-spokes black polypropylene Trend base on castors (R05)
 4-spokes white polypropylene Trend base on castors (R05) or feet

Castors

Double tread diam. 65 mm, standard or rubber wheels. Both free (standard) or self braking.

Gas lift


All Quinti gas lift systems are DIN 4550 4th level certified.

Mechanics

ACTIVEPLUS

Self-weighing synchronized mechanism integrated in the seat that allows the synchronized regulation of seat/ back inclination with anti-shock system, lockable in 4 positions.

Seat and backrest height adjustment through a lever inside the polypropylene seat.




Armrests

The chair is available with or without "T" polypropylene armrests with height adjustment, black or white with black pad.

Seat & Backrest

Seat in injected and crushproof foam with memory rubber.

Backrest in cold injected foam available in two heights (high and medium) with adjustable lumbar support available on demand in both versions.








Quinti Sedute Srl
Parco il Granaio 21/22_ CESA [Ar]
Partita IVA 02138850512 T. +39 057 566 970 F. +39 057 566 836
www.quinti.com - info@quinti.com

Quinti®

DEEP EXECUTIVE Design Archirivolto



DELIVERY CHARACTERISTICS	TECHNICAL CHARACTERISTICS	FIREPROOF TEST	RESISTANCE TEST
 Colli 1 m³ 0,43 Kg 25 	Consumo tessuto MTL 2,20 x h.140	CERTIFIED 1IM Contact us for further info	Contact us for further info

Base and	anatara	00	otondord	
Dase and	Casiois	28	Sianoaro	

BASE-Extremely light aluminum

CASTORS-R05

Quinti

DEEP EXECUTIVE Design Archirivolto

UPHOLSTERIES

LASER CATEGORY 2

560 gr/mtl 100% Polyester FR

Class 1

80.000+/- 10% Maltindale cycles

ECOPELLE CATEGORY 2

630 g/lin.m

83% PVC 17% Synthetic

Class 1

30.000 +/- 10% Maltindale cycles

JET

CATEGORY 3

365+/- 5% g/lin.m 100% Polyester FR

Class 1

80.000+/- 10% Maltindale cycles

ONE RECICLED **CATEGORY 3**

525 ar/mt2 100% recycled poliester

CLASS 1IM 100.000 CYCLES

ERA

CATEGORY 3

448 gr/mtl 100% Trevira CS

Class 1UNI EN ISO 354:2003

100.000 +/- 10% Maltindale cycles

CHILI

CATEGORY 3

470 gr/mtl

100% post-consumer recycled polyester Class1 - 60.000 +/- Maltindale cycles

ECOPELLE SOUL CATEGORY 3

760 gr/mt2 SURFACE 100% POLYURETHANE, Base Polyester 85%,17% Cotton EN1021-1/BS5852 PART 1

>100.000 EN ISO 5470-2

LYRA

CATEGORY 3 550 g/lin.m

100% Polyester

60.000 +/- 10% Maltindale cycles

MELANGE CATEGORY 3

390 g/lin.m

100% Trevira CS

Class 1

80.000 +/- 10% cycles Martindale

VELOURS CATEGORY 3

611 gr/mtl

100% Polyester

Oeko test

50.000 +/- 10% Maltindale cycles

COCOON **CATEGORY 5**

980 gr/mtl

43% viscosa 33% cotone 24% li-pl

35.000 +/- 10% Maltindale cycles

LANA

CATEGORY 5

500 ar/mt2

75% wool, 25% polyamide

Class 1

100.000 Maltindale cycles

GLAMOUR **CATEGORY 5**

700 g/lin.m

100% Polyester Recycled

EN 1021-1/2

80.000 % Maltindale cycles

LEATHER

CATEGORY 5/6 620 g/lin.m

100% cow leather

Class 1, EN 1021-1/2

VELLUTO DECONTRACTE' CATEGORY 7

590 g/lin.m

19% CO, 61% PC,10% PL, 10%VI

40.000 % Maltindale cycles

PREMIUM /ELEGANCE

CATEGORY 7

100% Grained cow leather Thickness 1,2/1,4 mm

EN1021-1/2

STEELCUT TRIO **CATEGORY 7**

770 g/lin.m

90% New wool worsted, 10% Nylon

Class 1, EN 1021-1/2

100.000 % Maltindale cycles

BOUCLET CATEGORY 7

860 g/lin.m

40% PC, 25%PL,20%VI, 15% CO

Class 1, EN 1021-1/2

50.000 % Maltindale cycles

MERIT

CATEGORY 8

500g/lin.m

76% Polyester Recycled

24% Polyester

EN 1021-1/2

85.000 % Maltindale cycles

VELLUTO CATEGORY 8

600 a/lin.m

100.000 % PL Flame retardant

LEATHER SETA

CATEGORY 8

100% Leather bovina THICKNESS1,8-2 mm Grained cow leather aniline tannage

EN1021-1/2

ZERO **CATEGORY 8**

750g/lin.m

65% CO, 20% PAN, 15% PES

70.000 % Maltindale cycles

Quinti

DEEP EXECUTIVE Design Archirivolto

USAGE AND CARE

For a proper maintenance of the products and to maintain unchanged the characteristics of the materials, we recommend to follow some very simple care instructions.

FABRICS

Cleaning: check the dedicated selection written on the color Swatch card. Usage: it is recommended to pay attention to the fabrics as they can be easily cut or ripped.

LEATHERS

Cleaning: clean with a white wet cloth with water. We recommend to use high quality products for the cleaning of the leather and to follow carefully the instructions of the manufacturer. In doubt, try out the product on a hidden part and wait at least 24 hours for the occurrence of any problems. Usage: remember that the leather is a delicate material therefore, it is recommended to pay particular attention while using.

WOODS

Cleaning: clean with a soft and wet cloth with warm water. We always recommend to dry immediately after the cleaning process. All liquids or other residue must be removed in order to avoid the absorption. Usage: wooden surfaces, being a natural material, could be affected by an alteration of the color shade during time and use. We also remind that wooden surfaces cannot bear with high temperatures if placed directly on the wooden top.

METALS

Cleaning: both steel or aluminum surfaces, and painted ones, must be cleaned with a soft and wet cloth with hot water. For the most persistent stains, a small amount of liquid soap diluted in water may be used. We always recommend to dry immediately with a soft cloth or a leather one after the cleaning process. Never using cleaning products for steel, chlorine, bleach or other strong detergents. It is not recommended to use abrasive creams, score pads and abrasive sponges that can scratch the metal surfaces. Usage: pay attention to the stains of food such as coffee, coke, fruit juices that can leave indelible marks on the surface.

WARRANTY

QUINTI guarantees the products will maintain their properties for 6 years from delivery, except normal usury and provided that they will be used according to the guidelines given. QUINTI will replace, free of charge, any product found non-compliant with this warranty, without incurring any other liability of sort. Components, external accessories or materials supplied by the buyer and applied to the products in order to customize them will not be supported by the guarantee. For an optimal maintenance of the products and to keep unchanged the characteristics of the materials with which they are made, some simple attentions are necessary.