# DEEP LOUNGE - Archirivolto Design



Series of upholstered sofas and armchairs part of the Deep collection.



## **DIMENSIONS**



## **FINISHING AND BASE**

There are three types of structures characterizing the armchair:

- 1. 4 star swivel base on feet white painted, black or polished aluminum
- 2. 4 metal base white or black painted
- 3. 4 natural oak or moka legs

The sofa is available just with 4 metal legs painted in white or black.

### **INTERNAL STRUCTURE AND RUBBER**

The internal structure of the Deep Lounge system is entirely made of Plastitex, patented fireproof eco-friendly material which its weight is lower than 70% compared to the traditional stems.

It is upholstered with polyurethane rubber, variable density and resinated in order to confer great comfort to the sofa and the armchair.

The coating can be made in all colors and coatings and can be chosen on the Quinti Colours System Swatch card.

#### **FINISHING AND BASE**

There are three types of structures characterizing the armchair:

- 1. 4 spoke white painted or polished aluminum Base on feet
- 2. 4 metal white painted legs Base
- 3. 4 wooden natural or tempered oak legs

There are two types of structures supporting the sofa:

- 1. 4 metal white painted legs
- 2. 4 natural or tempered oak legs

### **CERTIFIED 1IM**



# DEEP LOUNGE - Archirivolto Design



### **UPHOLSTERIES**

LASER **CATEGORY 2** 

560 gr/mtl 100% Polyester FR

Class 1

80.000+/- 10% Maltindale cycles

**ECOPELLE CATEGORY 2** 

630 g/lin.m

83% PVC 17% Synthetic

Class 1

30.000 +/- 10% Maltindale cycles

JET

**CATEGORY 3** 

365+/- 5% g/lin.m 100% Polyester FR

80.000+/- 10% Maltindale cycles

ONE RECICLED **CATEGORY 3** 

525 gr/mt2 100% recycled poliester

CLASS 1IM 100 000 CYCLES

**ERA** 

**CATEGORY 3** 

448 gr/mtl 100% Trevira CS

Class 1UNI EN ISO 354:2003

100.000 +/- 10% Maltindale cycles

CHILI **CATEGORY 3** 

470 gr/mtl

100% post-consumer recycled polyester

Class1 - 60.000 +/- Maltindale cycles

**ECOPELLE SOUL CATEGORY 3** 

760 gr/mt2

SURFACE 100% POLYURETHANE, Base Polvester 85%.17% Cotton

EN1021-1/BS5852 PART 1

>100.000 EN ISO 5470-2

LYRA **CATEGORY 3** 

550 g/lin.m 100% Polyester

60.000 +/- 10% Maltindale cycles

**MELANGE CATEGORY 3** 

390 g/lin.m

100% Trevira CS

Class 1

80.000 +/- 10% cycles Martindale

**VELOURS CATEGORY 3** 

611 gr/mtl

100% Polyester

Oeko test

50.000 +/- 10% Maltindale cycles

COCOON **CATEGORY 5** 

980 ar/mtl

43% viscosa 33% cotone 24% li-pl

35.000 +/- 10% Maltindale cycles

LANA

**CATEGORY 5** 

500 gr/mt2

75% wool, 25% polyamide

100.000 Maltindale cycles

**GLAMOUR CATEGORY 5** 

700 g/lin.m

100% Polyester Recycled

EN 1021-1/2

80.000 % Maltindale cycles

**LEATHER CATEGORY 5/6** 

620 g/lin.m

100% cow leather

Class 1. EN 1021-1/2

VELLUTO DECONTRACTE **CATEGORY 7** 

590 g/lin.m

19% CO, 61% PC,10% PL, 10%VI

40.000 % Maltindale cycles

PREMIUM /ELEGANCE

CATEGORY 7

100% Grained cow leather Thickness 1,2/1,4 mm

EN1021-1/2

STEELCUT TRIO **CATEGORY 7** 

770 g/lin.m

90% New wool worsted, 10% Nylon

Class 1 FN 1021-1/2

100.000 % Maltindale cycles

**BOUCLET CATEGORY 7** 

860 g/lin.m

40% PC, 25%PL,20%VI, 15% CO

Class 1, EN 1021-1/2

50.000 % Maltindale cycles

MERIT **CATEGORY 8** 

500g/lin.m

76% Polyester Recycled

24% Polyester

EN 1021-1/2

85.000 % Maltindale cycles

**VELLUTO** 

**CATEGORY 8** 600 g/lin.m

100.000 % PL Flame retardant

**LEATHER SETA CATEGORY 8** 

100% Leather bovina THICKNESS1,8-2 mm

Grained cow leather aniline tannage

ZERO

**CATEGORY 8** 

750g/lin.m 65% CO, 20% PAN, 15% PES

70.000 % Maltindale cycles

#### **USAGE AND CARE**

In order to have an optimal maintenance of the products and to preserve the characteristics of the materials by which they are made, it is recommended the following course of action.

#### FABRICS

Cleaning: check the dedicated selection written on the color Swatch card.

Usage: it is recommended to pay careful attention to the fabrics as they can be cut or ripped easily.

#### WOODS

Cleaning: clean using a soft cloth, soaked in tepid water. Dry always after the cleaning. Remove immediately any liquid substances or other residue in order to prevent the absorption.

Usage: wooden surfaces, being a natural material, might be subjected to color alterations with sun exposure and use over time. It is reminded that wooden surfaces cannot endure direct heat sources.

#### **METALS**

Cleaning: both steel and aluminum surfaces, and the painted ones, have to be cleaned using a soft cloth soaked in tepid water. For the most persistent stains it is possible to dilute mild soap with water moderately. Dry always after the cleaning, using a soft cloth o deer-hide. Do not use cleaning products for steel, chlorine, bleach or other strong products. It is not recommended to use abrasive, scourers, which can scratch the metal surfaces.

Usage: pay attention to the food stains as coffee, coke, fruit juices that can make indelible marks on the surfaces.

#### WARRANTY

QUINTI guarantees the products will maintain their properties for 6 years from delivery, except normal usury and provided that they will be used according to the guidelines given. QUINTI will replace, free of charge, any product found non-compliant with this warranty, without incurring any other liability of sort. Components, external accessories or materials supplied by the buyer and applied to the products in order to customize them will not be supported by the guarantee. For an optimal maintenance of the products and to keep unchanged the characteristics of the materials with which they are made, some simple attentions are necessary.