

MEGA is a seat system featured with a contemporary design and limitless compositive ways.

Moduls are provided with metal legs and beam.

The chance to insert wood plans and metal coffee tables give maximum functionality and versatility.




MEGA may be limitless combined and made out of:

1. Straightforward seat element with or without backrest
2. A 90° curved element with or without backrests
3. A 45 ° curved element without backrests (available with the backrest only on the straight part)
4. Support surface element in natural oak wood.
5. Support surface in painted steel, which has to be anchored to the linear beam in the central part. Backrests can be assembled in both sides in the linear version.



DIMENSIONS



STRUCTURE

The MEGA system structure is entirely made out of white painted steel RAL 9003, anthracite 7016 coral RA3016.

Made up of a 80x40 beam, legs are created with a 30 diameter tubular and steel plate of 2mm of thickness and adjustable feet.

STRUCTURE AND FOAM

The seat cushion is made out of expanded polyurethane and cushproof rubber with a density of 40 and 8cm of thickness, laid on wood support of 15 mm of thickness.

The backrests are made out of polyurethane cold injected foam rubber with and steel.

Available even with fireproof castors Certified 1IM.

ACCESSORIES

- Coffee table in oak-veneered wood painted in temperate or natural which can be inserted in place of a seat.
With rounded angles and 25mm of thickness.
- Support surface in painted steel, which has to be anchored to the beam.



EXAMPLES OF MODULARITY



UPHOLSTERIES

LASER

CATEGORY 2

560 gr/mtl
100% Polyester FR
Class 1
80.000 +/- 10% Maltindale cycles

ECOPELLE

CATEGORY 2

630 g/lin.m
83% PVC 17% Synthetic
Class 1
30.000 +/- 10% Maltindale cycles

JET

CATEGORY 3

365 +/- 5% g/lin.m
100% Polyester FR
Class 1
80.000 +/- 10% Maltindale cycles

ONE RECICLED

CATEGORY 3

525 gr/mt2
100% recycled poliester
CLASS 1IM
100.000 CYCLES

ERA

CATEGORY 3

448 gr/mtl
100% Trevira CS
Class 1 UNI EN ISO 354:2003
100.000 +/- 10% Maltindale cycles

CHILI

CATEGORY 3

470 gr/mtl
100% post-consumer recycled polyester
Class 1 - 60.000 +/- Maltindale cycles

ECOPELLE SOUL

CATEGORY 3

760 gr/mt2
SURFACE 100% POLYURETHANE,
Base Polyester 85%, 17% Cotton
EN1021-1/BS5852 PART 1
>100.000 EN ISO 5470-2

LYRA

CATEGORY 3

550 g/lin.m
100% Polyester
Class 1
60.000 +/- 10% Maltindale cycles

MELANGE

CATEGORY 3

390 g/lin.m
100% Trevira CS
Class 1
80.000 +/- 10% cycles Martindale

VELOURS

CATEGORY 3

611 gr/mtl
100% Polyester
Oeko test
50.000 +/- 10% Maltindale cycles

COCOON

CATEGORY 5

980 gr/mtl
43% viscosa 33% cotone 24% li-pl
35.000 +/- 10% Maltindale cycles

LANA

CATEGORY 5

500 gr/mt2
75% wool, 25% polyamide
Class 1
100.000 Maltindale cycles

GLAMOUR

CATEGORY 5

700 g/lin.m
100% Polyester Recycled
EN 1021-1/2
80.000 % Maltindale cycles

LEATHER

CATEGORY 5/6

620 g/lin.m
100% cow leather
Class 1, EN 1021-1/2

VELLUTO DECONTRACTE'

CATEGORY 7

590 g/lin.m
19% CO, 61% PC, 10% PL, 10% VI
40.000 % Maltindale cycles

PREMIUM /ELEGANCE

CATEGORY 7

100% Grained cow leather
Thickness 1,2/1,4 mm
EN1021-1/2

STEELCUT TRIO

CATEGORY 7

770 g/lin.m
90% New wool worsted, 10% Nylon
Class 1, EN 1021-1/2
100.000 % Maltindale cycles

BOUCLET

CATEGORY 7

860 g/lin.m
40% PC, 25% PL, 20% VI, 15% CO
Class 1, EN 1021-1/2
50.000 % Maltindale cycles

MERIT

CATEGORY 8

500g/lin.m
76% Polyester Recycled
24% Polyester
EN 1021-1/2
85.000 % Maltindale cycles

VELLUTO

CATEGORY 8

600 g/lin.m
100.000 % PL Flame retardant

LEATHER SETA

CATEGORY 8

100% Leather bovina THICKNESS 1,8-2 mm
Grained cow leather aniline tannage
EN1021-1/2

ZERO

CATEGORY 8

750g/lin.m
65% CO, 20% PAN, 15% PES
70.000 % Maltindale cycles

USAGE AND CARE

For a proper maintenance of the products and to maintain unchanged the characteristics of the materials, we recommend to follow some very simple care instructions.

FABRICS

Cleaning: check the dedicated selection written on the color Swatch card. Usage: it is recommended to pay attention to the fabrics as they can be easily cut or ripped.

LEATHERS

Cleaning: clean with a white wet cloth with water. We recommend to use high quality products for the cleaning of the leather and to follow carefully the instructions of the manufacturer. In doubt, try out the product on a hidden part and wait at least 24 hours for the occurrence of any problems. Usage: remember that the leather is a delicate material therefore, it is recommended to pay particular attention while using.

WOODS

Cleaning: clean with a soft and wet cloth with warm water. We always recommend to dry immediately after the cleaning process. All liquids or other residue must be removed in order to avoid the absorption. Usage: wooden surfaces, being a natural material, could be affected by an alteration of the color shade during time and use. We also remind that wooden surfaces cannot bear with high temperatures if placed directly on the wooden top.

METALS

Cleaning: both steel or aluminum surfaces, and painted ones, must be cleaned with a soft and wet cloth with hot water. For the most persistent stains, a small amount of liquid soap diluted in water may be used. We always recommend to dry immediately with a soft cloth or a leather one after the cleaning process. Never using cleaning products for steel, chlorine, bleach or other strong detergents. It is not recommended to use abrasive creams, score pads and abrasive sponges that can scratch the metal surfaces. Usage: pay attention to the stains of food such as coffee, coke, fruit juices that can leave indelible marks on the surface.

WARRANTY

QUINTI guarantees the products will maintain their properties for 6 years from delivery, except normal usury and provided that they will be used according to the guidelines given. QUINTI will replace, free of charge, any product found non-compliant with this warranty, without incurring any other liability of sort. Components, external accessories or materials supplied by the buyer and applied to the products in order to customize them will not be supported by the guarantee. For an optimal maintenance of the products and to keep unchanged the characteristics of the materials with which they are made, some simple attentions are necessary.